



**Your Plan
YOUR WAY**
PHP Care Complete FIDA-IDD
(Medicare - Medicaid Plan)

2024 FORMULARY

(LIST OF COVERED DRUGS)

Updated on **04/26/2024**

Important Information About What You Pay for Vaccines: Some vaccines are considered medical benefits. Other vaccines are considered Part drugs. Our plan covers most Part D vaccines at no cost to you. For more recent information or other questions, contact us at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week, or visit www.phpcares.org.

PHP Care Complete FIDA-IDD Plan (Medicare-Medicaid Plan) | 2024 List of Covered Drugs (Formulary)

Introduction

This document is called the *List of Covered Drugs* (also known as the Drug List). It tells you which prescription drugs over-the-counter drugs and items are covered by PHP Care Complete FIDA-IDD Plan. The Drug List also tells you if there are any special rules or restrictions on any drugs covered by PHP Care Complete FIDA-IDD Plan. Key terms and their definitions appear in the last chapter of the *Participant Handbook*.

Table of Contents

A. Disclaimers.....	3
B. Frequently Asked Questions (FAQ)	3
B1. What prescription drugs are on the <i>List of Covered Drugs</i> ? (We call the <i>List of Covered Drugs</i> the “Drug List” for short.)	4
B2. Does the Drug List ever change?	4
B3. What happens when there is a change to the Drug List?	5
B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?	6
B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?.....	7
B6. What happens if PHP Care Complete FIDA-IDD Plan changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?	7
B7. How can I find a drug on the Drug List?.....	7
B8. What if the drug I want to take is not on the Drug List?	7
B9. What if I am a new PHP Care Complete FIDA-IDD Plan Participant and can't find my drug on the Drug List or have a problem getting my drug?.....	8
B10. Can I ask for an exception to cover my drug?	8
B11. How can I ask for an exception?.....	9
B12. How long does it take to get an exception?	9

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



B13. What are generic drugs?.....9

B14. What are OTC drugs?.....9

B15. Does PHP Care Complete FIDA-IDD Plan cover non-drug OTC products?.....9

B16. What is my copay?.....10

B17. What are drug tiers?10

C. Overview of the *List of Covered Drugs*.....10

C1. Drugs Grouped by Medical Condition.....11



A. Disclaimers

This is a list of drugs that Participants can get in PHP Care Complete FIDA-IDD Plan.

- ❖ Partners Health Plan is a managed care plan that contracts with Medicare and the New York State Department of Health (Medicaid) to provide benefits to Participants through the Fully Integrated Duals Advantage for individuals with Intellectual and Developmental Disabilities (FIDA-IDD) Demonstration.
- ❖ ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ Si usted habla español, se encuentran disponibles para usted servicios sin cargo de asistencia con el idioma. Llame al 1-855-747-5483 y al 711 para los usuarios de TTY de 8:00 a. m. a 8:00 p. m., los siete días de la semana. La llamada es gratuita.
- ❖ Если Вы говорите на русском языке, Вам доступна бесплатная языковая поддержка. Звоните по телефону 1-855-747-5483 и 711 для пользователей линии TTY/TDD с 08:00 до 20:00, без выходных. Звонок бесплатный.
- ❖ 如果您說中文，您可以獲得免費的語言協助服務。請致電 1-855-747-5483，TTY 使用者請致電 711，服務時間為每週七天，上午 8 時至晚上 8 時。本電話為免付費電話。
- ❖ You can get this document for free in other formats, such as large print, braille, or audio. Call 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free.
- ❖ If you would like to make or change a standing request for a preferred language or format, call PHP Care Complete FIDA-IDD Plan Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and we will keep this on file for future mailings and communications. If we do not receive a request for a preferred language or format, we will provide you with your materials in English.
- ❖ The State of New York has created a Participant ombudsman program called the Independent Consumer Advocacy Network (ICAN) to provide Participants free, confidential assistance on any services offered by PHP Care Complete FIDA-IDD Plan. ICAN may be reached toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at icannys.org.

B. Frequently Asked Questions (FAQ)

Find answers here to questions you have about this *List of Covered Drugs*. You can read all of the FAQ to learn more or look for a question and answer.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B1. What prescription drugs are on the *List of Covered Drugs*? (We call the *List of Covered Drugs* the “Drug List” for short.)

The drugs on the *List of Covered Drugs* that starts on page 1 are the drugs covered by PHP Care Complete FIDA-IDD Plan. These drugs are available at pharmacies within our network. A pharmacy is in our network if we have an agreement with them to work with us and provide you services. We refer to these pharmacies as “network pharmacies.”

- PHP Care Complete FIDA-IDD Plan will cover all drugs on the Drug List if:
 - your doctor or other prescriber says you need them to get better or stay healthy,
 - the drug is medically necessary for your condition, **and**
 - you fill the prescription at a PHP Care Complete FIDA-IDD Plan network pharmacy.
- PHP Care Complete FIDA-IDD Plan may have additional steps to access certain drugs (refer to question B4 below). In some cases, you may have to do something before you can get a drug, like try other drugs first.

You can also find an up-to-date list of drugs that we cover on our website at www.phpcares.org or call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

B2. Does the Drug List ever change?

Yes, and PHP Care Complete FIDA-IDD Plan must follow Medicare and Medicaid rules when making changes. We may add or remove drugs on the Drug List during the year.

We may also change our rules about drugs. For example, we could:

- Decide to require or not require prior approval (PA) for a drug. (PA is permission from PHP Care Complete FIDA-IDD Plan or your Interdisciplinary Team (IDT) before you can get a drug.)
- Add or change the amount of a drug you can get (called quantity limits).
- Add or change step therapy restrictions on a drug. (Step therapy means you must try one drug before we will cover another drug.)

For more information on these drug rules, refer to question B4.

If you are taking a drug that was covered at the **beginning** of the year, we will generally not remove or change coverage of that drug **during the rest of the year** unless:

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



- a new, cheaper drug comes on the market that works as well as a drug on the Drug List now, **or**
- we learn that a drug is not safe, **or**
- a drug is removed from the market.

Questions B3 and B6 below have more information on what happens when the Drug List changes.

- You can always check PHP Care Complete FIDA-IDD Plan's up to date Drug List online at www.phpcares.org.
- You can also call Participant Services to check the current Drug List at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.

B3. What happens when there is a change to the Drug List?

Some changes to the Drug List will happen **immediately**. For example:

- **A new generic drug becomes available.** Sometimes, a new generic drug comes on the market that works as well as a brand name drug on the Drug List now. When that happens, we may remove the brand name drug and the new generic drug, but your cost for the new drug will stay the same. When we add the new generic drug, we may also decide to keep the brand name drug on the list but change its coverage rules or limits.
 - We may not tell you before we make this change, but we will send you information about the specific change we made once it happens.
 - You or your provider can ask for an exception from these changes. We will send you a notice with the steps you can take to ask for an exception. Please refer to question B10 for more information on exceptions.
- **A drug is taken off the market.** If the Food and Drug Administration (FDA) says a drug you are taking is not safe or the drug's manufacturer takes a drug off the market, we will take it off the Drug List. If you are taking the drug, we will also send you a letter and call you to tell you that the unsafe drug was taken off the Drug List. If you receive a letter, please review with your prescriber and/or your Care Manager for next steps.

We may make other changes that affect the drugs you take. We will tell you in advance about these other changes to the Drug List. These changes might happen if:

- The FDA provides new guidance or there are new clinical guidelines about a drug.
- We add a generic drug that is not new to the market **and**



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

- Replace a brand name drug currently on the Drug List **or**
- Change the coverage rules or limits for the brand name drug.

When these changes happen, we will:

- Tell you at least 30 days before we make the change to the Drug List **or**
- Let you know and give you a 30-day supply of the drug after you ask for a refill.

This will give you time to talk to your doctor or other prescriber. They can help you decide:

- If there is a similar drug on the Drug List you can take instead **or**
- Whether to ask for an exception from these changes. To learn more about exceptions, refer to question B10.

B4. Are there any restrictions or limits on drug coverage or any required actions to take to get certain drugs?

Yes, some drugs have coverage rules or have limits on the amount you can get. In some cases you or your doctor or other prescriber must do something before you can get the drug. For example:

- **Prior authorization (PA) or approval:** For some drugs, you or your doctor or other prescriber must get PA from PHP Care Complete FIDA-IDD Plan or your IDT before you fill your prescription. PHP Care Complete FIDA-IDD Plan may not cover the drug if you do not get approval.
- **Quantity limits:** Sometimes PHP Care Complete FIDA-IDD Plan limits the amount of a drug you can get.
- **Step therapy:** Sometimes PHP Care Complete FIDA-IDD Plan requires you to do step therapy. This means you will have to try drugs in a certain order for your medical condition. You might have to try one drug before we will cover another drug. If your doctor thinks the first drug doesn't work for you, then we will cover the second.

You can find out if your drug has any additional requirements or limits by looking in the tables beginning on page 1. You can also get more information by visiting our website at www.phpcares.org. We have posted online documents that explain our PA and step therapy restrictions. You may also ask us to send you a copy.

You can ask for an exception from these limits. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception. Please refer to questions B10-B12 for more information about exceptions.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B5. How will I know if the drug I want has limits or if there are required actions to take to get the drug?

The table of drugs on page 1 has a column labeled “Necessary actions, restrictions, or limits on use.”

B6. What happens if PHP Care Complete FIDA-IDD Plan changes their rules about some drugs (for example, PA or approval, quantity limits, and/or step therapy restrictions)?

In some cases, we will tell you in advance if we add or change PA, quantity limits, and/or step therapy restrictions on a drug. Refer to question B3 for more information about this advance notice and situations where we may not be able to tell you in advance when our rules about drugs on the Drug List change.

B7. How can I find a drug on the Drug List?

There are two ways to find a drug:

- You can search alphabetically by the drug’s name, **or**
- You can search by medical condition.

To search **alphabetically**, refer to the Index of Covered Drugs section on page I-1. Then look for the name of your drug in the list.

To search **by medical condition**, find the section labeled “Drugs Grouped by Medical Condition” on page 1. The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

B8. What if the drug I want to take is not on the Drug List?

If you don’t find your drug on the Drug List, call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week and ask about it. If you learn that PHP Care Complete FIDA-IDD Plan will not cover the drug, you can do one of these things:

- Ask Participant Services for a list of drugs like the one you want to take. Then show the list to your doctor or other prescriber. They can prescribe a drug on the Drug List that is like the one you want to take. **Or**
- You can ask the plan or your IDT to make an exception to cover your drug. Please refer to questions B10-B12 for more information about exceptions.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B9. What if I am a new PHP Care Complete FIDA-IDD Plan Participant and can't find my drug on the Drug List or have a problem getting my drug?

We can help. We must cover a temporary 30-day supply of your drug, as needed, during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan. This will give you time to talk to your doctor or other prescriber. They can help you decide if there is a similar drug on the Drug List you can take instead or whether to ask for an exception.

If your prescription is written for fewer days, we will allow multiple refills to provide up to a maximum of 30 days of medication.

We will cover a 30-day supply of your drug if:

- you are taking a drug that is not on our Drug List, **or**
- health plan rules do not let you get the amount ordered by your prescriber, **or**
- the drug requires PA by PHP Care Complete FIDA-IDD Plan or your IDT, **or**
- you are taking a drug that is part of a step therapy restriction.

If you are in an intermediate care facility (ICF) or other long-term care (LTC) facility and need a drug that is not on the Drug List or if you cannot easily get the drug you need, we can help. If you have been in the plan for more than 90 days, live in a LTC facility, and need a supply right away:

- We will cover one 31-day supply of the drug you need (unless you have a prescription for fewer days), whether or not you are a new PHP Care Complete FIDA-IDD Plan Participant.
- This is in addition to the temporary supply during the first 90 days you are a Participant of PHP Care Complete FIDA-IDD Plan.
- If you have been in PHP Care Complete FIDA-IDD Plan for more than 90 days and have a change to your level of care, we will cover up to a 31-day supply of your prescribed drugs.

B10. Can I ask for an exception to cover my drug?

Yes. You can ask PHP Care Complete FIDA-IDD Plan or your IDT to make an exception to cover a drug that is not on the Drug List.

You can also ask PHP Care Complete FIDA-IDD Plan or your IDT to change the rules on your drug.

- For example, PHP Care Complete FIDA-IDD Plan may limit the amount of a drug we will cover. If your drug has a limit, you can ask us or your IDT to change the limit and cover more.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

- Other examples: You can ask us or your IDT to drop step therapy restrictions or PA requirements.

B11. How can I ask for an exception?

To ask for an exception, call your Care Manager. Your Care Manager will work with you and your provider to help you ask for an exception. You can also read Chapter 9, Section F, of the *Participant Handbook* to learn more about exceptions.

B12. How long does it take to get an exception?

After we get a statement from your prescriber supporting your request for an exception, we will give you a decision within 72 hours. To file an exception, please contact us by mail at: 10181 SCRIPPS GATEWAY COURT, SAN DIEGO, CA 92131; by phone at 1-888-648-6759; or by fax at 1-858-790-7100.

If you or your prescriber think your health may be harmed if you have to wait 72 hours for a decision, you can ask for an expedited exception. This is a faster decision. If your prescriber supports your request, you will get a decision within 24 hours of getting your prescriber's supporting statement.

B13. What are generic drugs?

Generic drugs are made up of the same active ingredients as brand name drugs. They usually cost less than the brand name drug and usually don't have well-known names. Generic drugs are approved by the Food and Drug Administration (FDA).

PHP Care Complete FIDA-IDD Plan covers both brand name drugs and generic drugs.

B14. What are OTC drugs?

OTC stands for "over-the-counter". PHP Care Complete FIDA-IDD Plan covers some OTC drugs when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan Drug List to find what OTC drugs are covered.

B15. Does PHP Care Complete FIDA-IDD Plan cover non-drug OTC products?

PHP Care Complete FIDA-IDD Plan covers some non-drug OTC products when they are written as prescriptions by your provider.

You can read the PHP Care Complete FIDA-IDD Plan Drug List to find what non-drug OTC products are covered.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

B16. What is my copay?

As a PHP Care Complete FIDA-IDD Plan Participant, you have no copays for prescription and OTC drugs as long as you follow PHP Care Complete FIDA-IDD Plan's rules.

B17. What are drug tiers?

Tiers are groups of drugs on our Drug List.

- Tier 1 drugs are generic drugs that are covered by Medicare Part D.
 - Tier 2 drugs are brand name drugs that are covered by Medicare Part D.
 - Tier 3 drugs are Medicaid-covered drugs and Medicaid-covered over-the-counter drugs (both generic and brand).
-

C. Overview of the *List of Covered Drugs*

The following list of covered drugs gives you information about the drugs covered by PHP Care Complete FIDA-IDD Plan. If you have trouble finding your drug in the list, turn to the Index of Covered Drugs that begins on page I-1. The index alphabetically lists all drugs covered by PHP Care Complete FIDA-IDD Plan.

The first column of the chart lists the name of the drug. Brand name drugs are capitalized (e.g., PAXIL or LAMISIL) and generic drugs are listed in lower-case italics (e.g., *ibuprofen*).

The information in the necessary actions, restrictions, or limits on use column tells you if PHP Care Complete FIDA-IDD Plan has any rules for covering your drug.

Note: The * next to a drug means the drug is not a "Part D drug." These drugs have different rules for appeals.

- An appeal is a formal way of asking for a review of and change to a coverage decision if you think there was a mistake. For example, PHP Care Complete FIDA-IDD Plan or your IDT might decide that a drug that you want is not covered or is no longer covered by Medicare or Medicaid.
- If you or your doctor or other prescriber disagrees with the decision, you can appeal. To ask for instructions on how to appeal:
 - Call Participant Services at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week.
 - Contact ICAN toll-free at 1-844-614-8800 (TTY users call 711, then follow the prompts to dial 844-614-8800) or online at icannys.org.

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.



- Read Chapter 9, Section F, of the *Participant Handbook* to learn how to appeal a decision.

C1. Drugs Grouped by Medical Condition

The drugs in this section are grouped into categories depending on the type of medical conditions they are used to treat. For example, if you have a heart condition, you should look in the category, Angiotensin-Converting Enzyme (ACE) Inhibitors. That is where you will find drugs that treat heart conditions.

Here are the meanings of the codes used in the “Necessary actions, restrictions, or limits on use” column:

lowercase italics = Generic drugs. Generic drugs are on Tier 1 of our Formulary.

CAPITALIZED = Brand name drugs. Brand name drugs are on Tier 2 of our Formulary.

PA = Prior authorization (approval): you must have approval from the plan before you can get this drug.

PA NSO = Prior authorization (approval): you must have approval from the plan before you can get this drug – New Starts Only.

PA BvD = Prior authorization (approval): you must have approval from the plan before you can get this drug – Part D vs. Part B coverage determination applies.

ST = Step therapy: you must try another drug before you can get this one.

QL = Quantity limit: limit to the amount of a drug you can get.

NM = Not available through Mail Order.

* = Not a Part D Drug.

PA-HRM = This drug has been deemed by CMS to be potentially harmful and therefore, a High-Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from the plan before you fill your prescription for this drug. Without prior approval, the plan may not cover this drug.

NDS = Those drugs that are limited to a 30-day supply.

LA = This prescription may be available only at certain pharmacies.

Age: AGE (Max 64 years), age is older than X



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. **For more information**, visit www.phpcares.org.

Table of Contents

Analgesics.....	3
Anesthetics.....	13
Anti-Addiction/Substance Abuse Treatment Agents.....	14
Antianxiety Agents.....	16
Antibacterials.....	18
Anticancer Agents.....	27
Anticonvulsants.....	45
Antidementia Agents.....	50
Antidepressants.....	51
Antidiabetic Agents.....	55
Antifungals.....	61
Antigout Agents.....	65
Antihistamines.....	66
Anti-Infectives (Skin And Mucous Membrane).....	71
Antimigraine Agents.....	71
Antimycobacterials.....	73
Antinausea Agents.....	74
Antiparasite Agents.....	76
Antiparkinsonian Agents.....	77
Antipsychotic Agents.....	79
Antivirals (Systemic).....	85
Blood Products/Modifiers/Volume Expanders.....	93
Caloric Agents.....	98
Cardiovascular Agents.....	101
Central Nervous System Agents.....	115
Contraceptives.....	121
Cough And Cold Products.....	130
Dental And Oral Agents.....	133
Dermatological Agents.....	134
Devices.....	146
Enzyme Replacement/Modifiers.....	195

Eye, Ear, Nose, Throat Agents.....	197
Gastrointestinal Agents.....	206
Genitourinary Agents.....	220
Heavy Metal Antagonists.....	221
Hormonal Agents, Stimulant/Replacement/Modifying.....	222
Immunological Agents.....	229
Inflammatory Bowel Disease Agents.....	243
Metabolic Bone Disease Agents.....	244
Miscellaneous Therapeutic Agents.....	245
Mouthwashes And Gargles.....	249
Ophthalmic Agents.....	250
Replacement Preparations.....	251
Respiratory Tract Agents.....	256
Skeletal Muscle Relaxants.....	262
Sleep Disorder Agents.....	262
Vasodilating Agents.....	263
Vitamins And Minerals.....	264

Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Analgesics				
Analgesics, Miscellaneous				
<i>acetaminophen 120 mg suppositories *</i>	(Feverall)	3	\$0	
<i>acetaminophen 325 mg tablet *</i>	(Athenol)	3	\$0	
<i>acetaminophen 500 mg softgel *</i>	(Mapap (acetaminophen))	3	\$0	
<i>acetaminophen 500 mg tablet *</i>	(Masophen)	3	\$0	
<i>acetaminophen 650 mg suppositories *</i>	(Feverall)	3	\$0	
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>		1	\$0	QL (4500 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>		1	\$0	QL (360 per 30 days); NDS
<i>acetaminophen-codeine oral tablet 300-60 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>arthritis pain er 650 mg caplet *</i>	(acetaminophen)	3	\$0	
<i>ascomp with codeine oral capsule 30-50-325-40 mg</i>	(codeine-butalbital-asacaff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>betatemp 160 mg/5 ml suspension *</i>	(acetaminophen)	3	\$0	
<i>buprenorphine hcl injection solution 0.3 mg/ml</i>		1	\$0	
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>		1	\$0	
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	(Butrans)	1	\$0	QL (4 per 28 days); NDS
<i>butalbital-acetaminophen-caf-cod oral capsule 50-300-40-30 mg</i>	(Fioricet with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>butalbital-acetaminophen-caf-cod oral capsule 50-325-40-30 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>butalbital-acetaminophen oral tablet 50-325 mg</i>	(Tencon)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	(Esgic)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	(Esgic)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>		1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>		1	\$0	QL (5 per 28 days); NDS
<i>child acetaminophen 80 mg chew fruit *</i>	(acetaminophen)	3	\$0	
<i>child tylenol 160 mg tab chew *</i>	(acetaminophen)	3	\$0	
<i>children's mapap 80 mg tab chw *</i>	(acetaminophen)	3	\$0	
<i>child's mapap 160 mg tab chew *</i>	(acetaminophen)	3	\$0	
<i>chld acetaminophen 160 mg/5 ml glutenlf, cherry *</i>	(acetaminophen)	3	\$0	
<i>codeine sulfate oral tablet 30 mg, 60 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i>	(Ascomp with Codeine)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years); NDS
<i>cvs child pain rlf 160 mg/5 ml children's *</i>	(acetaminophen)	3	\$0	
<i>cvs tension headache gelcap 500-65 mg *</i>		3	\$0	
<i>endocet oral tablet 10-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (360 per 30 days); NDS
<i>endocet oral tablet 7.5-325 mg</i>	(oxycodone-acetaminophen)	1	\$0	QL (240 per 30 days); NDS
<i>eq pain relief 500 mg/15 ml lq *</i>	(acetaminophen)	3	\$0	
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i>		1	\$0	PA; QL (120 per 30 days); NDS
<i>fentanyl transdermal patch 72 hour 100 mcg/12hr, 12 mcg/12hr, 25 mcg/12hr, 50 mcg/12hr, 75 mcg/12hr</i>		1	\$0	QL (10 per 30 days); NDS
<i>feverall 120 mg suppository children's, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 325 mg suppository junior str, outer *</i>	(acetaminophen)	3	\$0	
<i>feverall 650 mg suppository adult, inner *</i>	(acetaminophen)	3	\$0	
FEVERALL 80 MG SUPPOSITORY INFANT'S, OUTER *		3	\$0	
<i>gnp child pain relief 160 mg *</i>	(acetaminophen)	3	\$0	
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>		1	\$0	QL (2700 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 7.5-300 mg, 7.5-325 mg</i>		1	\$0	QL (180 per 30 days); NDS
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg, 5-300 mg, 5-325 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>		1	\$0	QL (150 per 30 days); NDS
<i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>		1	\$0	
<i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)		1	\$0	QL (1200 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	\$0	QL (180 per 30 days); NDS
<i>mapap 500 mg capsule *</i> (acetaminophen)	3	\$0	
<i>mapap 500 mg/15 ml liquid *</i> (acetaminophen)	3	\$0	
<i>mapap arthritis er 650 mg cplt *</i> (acetaminophen)	3	\$0	
<i>masophen 325 mg tablet *</i> (acetaminophen)	3	\$0	
<i>masophen 500 mg tablet *</i> (acetaminophen)	3	\$0	
<i>methadone injection solution 10 mg/ml</i>	1	\$0	QL (120 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days); NDS
<i>methadone oral solution 5 mg/5 ml</i>	1	\$0	QL (1200 per 30 days); NDS
<i>methadone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>methadone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>methadose oral tablet, soluble 40 mg</i> (methadone)	1	\$0	QL (30 per 30 days); NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	\$0	PA; QL (180 per 30 days); NDS
<i>morphine oral solution 10 mg/5 ml</i>	1	\$0	QL (700 per 30 days); NDS
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	QL (300 per 30 days); NDS
MORPHINE ORAL TABLET 15 MG	2	\$0	QL (180 per 30 days); NDS
MORPHINE ORAL TABLET 30 MG	2	\$0	QL (120 per 30 days); NDS
<i>morphine oral tablet extended release 100 mg, 200 mg, 60 mg</i> (MS Contin)	1	\$0	QL (60 per 30 days); NDS
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	1	\$0	QL (90 per 30 days); NDS
<i>m-pap 160 mg/5 ml liquid *</i> (acetaminophen)	3	\$0	
<i>non-aspirin 80 mg tab chew children's *</i> (acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxycodone oral capsule 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral concentrate 20 mg/ml</i>	1	\$0	PA; QL (120 per 30 days); NDS
<i>oxycodone oral solution 5 mg/5 ml</i>	1	\$0	QL (1300 per 30 days); NDS
<i>oxycodone oral tablet 10 mg, 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet 20 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>oxycodone oral tablet, oral only, ext. rel. 12 hr 10 mg, 20 mg, 40 mg, 80 mg</i> (OxyContin)	2	\$0	QL (60 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)	1	\$0	QL (180 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet)	1	\$0	QL (360 per 30 days); NDS
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Endocet)	1	\$0	QL (240 per 30 days); NDS
OXYCONTIN ORAL TABLET, ORAL ONLY, EXT. REL. 12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG (oxycodone)	2	\$0	QL (60 per 30 days); NDS
<i>oxymorphone oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>oxymorphone oral tablet 5 mg</i>	1	\$0	QL (180 per 30 days); NDS
<i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>pain relief adult 500 mg/15 ml *</i> (acetaminophen)	3	\$0	
<i>pharbetol 325 mg tablet regular strength *</i> (acetaminophen)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pharbetol 500 mg tablet extra strength *</i>	(acetaminophen)	3	\$0	
<i>qc non-aspirin 500 mg gelcap gelcap, ex-str *</i>	(acetaminophen)	3	\$0	
<i>ra athenol 325 mg tablet *</i>	(acetaminophen)	3	\$0	
<i>ra fever reducer-pain 160 mg/5 infant wlsyr, dlf 160 mg/5 ml *</i>	(acetaminophen)	3	\$0	
<i>ra tension headache pain cplt 500-65 mg *</i>		3	\$0	
<i>redutemp 500 mg/15 ml liquid *</i>	(acetaminophen)	3	\$0	
<i>tencon oral tablet 50-325 mg</i>	(butalbital-acetaminophen)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
<i>tension headache caplet 500-65 mg *</i>		3	\$0	
<i>tramadol oral tablet 50 mg</i>		1	\$0	QL (240 per 30 days); NDS
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>		1	\$0	QL (300 per 30 days); NDS
<i>tylophen 500 mg capsule *</i>	(acetaminophen)	3	\$0	
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 13.5 MG, 18 MG, 9 MG		2	\$0	QL (60 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 27 MG		2	\$0	QL (120 per 30 days); NDS
XTAMPZA ER ORAL CAP, SPRINKL, ER12HR (DONT CRUSH) 36 MG		2	\$0	QL (240 per 30 days); NDS
<i>zebutal oral capsule 50-325-40 mg</i>	(butalbital-acetaminophen-caff)	1	\$0	PA-HRM; QL (180 per 30 days); AGE (Max 64 Years)
Nonsteroidal Anti-Inflammatory Agents				
<i>addaprin 200 mg tablet *</i>	(ibuprofen)	3	\$0	
<i>aspirin 300 mg suppository *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>aspirin 81 mg chewable tablet *</i>	(St Joseph Aspirin)	3	\$0	
<i>aspirin ec 325 mg tablet *</i>	(Aspir-Trin)	3	\$0	
<i>aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>aspir-trin ec 325 mg tablet *</i>	(aspirin)	3	\$0	
<i>bayer low dose ec 81 mg tab *</i>	(aspirin)	3	\$0	
<i>bayer migraine formula caplet caplet 250-250-65 mg *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>	(Celebrex)	1	\$0	QL (60 per 30 days)
<i>children ibuprofen 100 mg/5 ml berry flavor *</i>	(ibuprofen)	3	\$0	
<i>cvs chld ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>diclofenac potassium oral tablet 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>		1	\$0	QL (60 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 25 mg</i>		1	\$0	QL (150 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 50 mg</i>		1	\$0	QL (120 per 30 days)
<i>diclofenac sodium oral tablet, delayed release (drlec) 75 mg</i>		1	\$0	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i>		1	\$0	QL (300 per 30 days)
<i>diclofenac sodium topical gel 1 %</i>	(Aleve (diclofenac))	1	\$0	QL (1000 per 30 days)
<i>diclofenac sodium topical gel 3 %</i>		1	\$0	PA; QL (100 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram lactuation(2 %)</i> (Pennsaid)	1	\$0	PA; QL (224 per 28 days); NDS
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	\$0	
<i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	\$0	
<i>diflunisal oral tablet 500 mg</i>	1	\$0	
<i>ec-naproxen oral tablet,delayed release (drlec) 500 mg</i> (naproxen)	1	\$0	
<i>ecotrin ec 325 mg tablet saftey coated *</i> (aspirin)	3	\$0	
<i>eq child ibuprofen 100 mg/5 ml berry *</i> (ibuprofen)	3	\$0	
<i>eql child ibuprofen 100 mg/5 ml dlf,berry,child *</i> (ibuprofen)	3	\$0	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	\$0	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	\$0	
<i>etodolac oral tablet 500 mg</i>	1	\$0	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	\$0	
<i>flurbiprofen oral tablet 100 mg</i>	1	\$0	
<i>gs child ibuprofen 100 mg/5 ml *</i> (ibuprofen)	3	\$0	
<i>hm child ibuprofen 100 mg/5 ml berry *</i> (ibuprofen)	3	\$0	
<i>ibu oral tablet 400 mg</i> (ibuprofen)	1	\$0	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)	1	\$0	
<i>ibuprofen 100 mg/5 ml susp (otc) *</i> (Children's Ibuprofen)	3	\$0	
<i>ibuprofen 200 mg softgel *</i> (Wal-Profen)	3	\$0	
<i>ibuprofen 200 mg tablet *</i> (Addaprin)	3	\$0	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Ibuprofen)	1	\$0	
<i>ibuprofen oral tablet 400 mg</i> (IBU)	1	\$0	QL (240 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)	1	\$0	
<i>ibuprofen-famotidine oral tablet 800-26.6 mg</i> (Duexis)	1	\$0	PA; QL (90 per 30 days)
<i>indomethacin oral capsule 25 mg</i>	1	\$0	PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule 50 mg</i>	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>indomethacin oral capsule, extended release 75 mg</i>	1	\$0	PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>infant ibuprofen 50 mg/1.25 ml berry *</i> (ibuprofen)	3	\$0	
<i>ketoprofen oral capsule 50 mg, 75 mg</i>	1	\$0	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	\$0	
<i>ketorolac injection solution 15 mg/ml</i>	1	\$0	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection solution 30 mg/ml, 30 mg/ml (1 ml)</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 15 mg/ml</i>	1	\$0	PA-HRM; QL (40 per 30 days); AGE (Max 64 Years)
<i>ketorolac injection syringe 30 mg/ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular solution 60 mg/2 ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>ketorolac intramuscular syringe 60 mg/2 ml</i>	1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ketorolac oral tablet 10 mg</i>		1	\$0	PA-HRM; QL (20 per 30 days); AGE (Max 64 Years)
<i>mefenamic acid oral capsule 250 mg</i>		1	\$0	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>		1	\$0	
<i>nabumetone oral tablet 500 mg, 750 mg</i>		1	\$0	
<i>naproxen oral tablet 250 mg, 375 mg</i>		1	\$0	
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	1	\$0	
<i>naproxen oral tablet, delayed release (drlec) 375 mg</i>	(EC-Naprosyn)	1	\$0	
<i>naproxen sodium 220 mg tablet *</i>	(Aleve)	3	\$0	
<i>pain reliever pls 250-250-65 mg *</i>	(aspirin-acetaminophen-caffeine)	3	\$0	
<i>piroxicam oral capsule 10 mg, 20 mg</i>	(Feldene)	1	\$0	
<i>provil oral tablet 200 mg *</i>	(ibuprofen)	3	\$0	
<i>pub children's profen ib susp berry flavor 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>pub children's profenib susp bubble gum flavor 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>qc child ibuprofen 100 mg/5 ml *</i>	(ibuprofen)	3	\$0	
<i>ra aspirin 325 mg tablet *</i>	(Bayer Aspirin)	3	\$0	
<i>ra aspirin ec 325 mg tablet regular strength *</i>	(Aspir-Trin)	3	\$0	
<i>ra aspirin ec 81 mg tablet *</i>	(Bayer Low Dose Aspirin)	3	\$0	
<i>ra naproxen sod 220 mg tablet caplet *</i>	(Aleve)	3	\$0	
<i>ra naproxen sodium 220 mg cap liquidgel *</i>	(Aleve)	3	\$0	
<i>st. joseph aspirin 81 mg chew *</i>	(aspirin)	3	\$0	
<i>st. joseph aspirin ec 81 mg tb *</i>	(aspirin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sulindac oral tablet 150 mg, 200 mg</i>		1	\$0	
<i>tolmetin oral capsule 400 mg</i>		1	\$0	
<i>tolmetin oral tablet 600 mg</i>		1	\$0	
<i>wal-profen 200 mg caplet f/c, caplet *</i> (ibuprofen)		3	\$0	
<i>wal-profen 200 mg softgel softgel *</i> (ibuprofen)		3	\$0	
Anesthetics				
Local Anesthetics				
<i>anecream 4% cream *</i> (lidocaine)		3	\$0	
ASPERCREME LIDOCAINE 4% CREAM * (lidocaine hcl)		3	\$0	
<i>asperceme lidocaine 4% patch *</i> (lidocaine)		3	\$0	
<i>cvs lidocaine hcl 4% cream *</i> (Asperceme (lidocaine HCl))		3	\$0	
<i>cvs sunburn relief cool gel 0.5 % *</i> (lidocaine-aloe vera)		3	\$0	
<i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)		1	\$0	QL (30 per 30 days)
<i>lido king 4% patch *</i> (lidocaine)		3	\$0	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)		1	\$0	
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>		1	\$0	
<i>lidocaine 4% cream *</i> (Anecream)		3	\$0	
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)		1	\$0	
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)		1	\$0	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>		1	\$0	PA
<i>lidocaine topical adhesive patch, medicated 5 %</i> (DermacinRx Lidocan)		1	\$0	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		1	\$0	PA; QL (90 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)	1	\$0	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	\$0	PA; QL (30 per 30 days)
<i>pain relief (lido) 4% patch inner *</i> (lidocaine)	3	\$0	
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %	2	\$0	PA; QL (90 per 30 days)
Anti-Addiction/Substance Abuse Treatment Agents			
Anti-Addiction/Substance Abuse Treatment Agents			
<i>acamprosate oral tablet, delayed release (drlec) 333 mg</i>	1	\$0	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg</i> (Suboxone)	1	\$0	QL (60 per 30 days)
<i>buprenorphine-naloxone sublingual film 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	1	\$0	QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	\$0	QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	\$0	
<i>disulfiram oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>eq nicotine 7 mg/24hr patch clear, step 3 (otc) *</i> (Nicoderm CQ)	3	\$0	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	2	\$0	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	\$0	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	\$0	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	1	\$0	QL (4 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>naltrexone oral tablet 50 mg</i>		1	\$0	
<i>nicotine 14 mg/24hr patch step 2 (otc) *</i>	(Nicoderm CQ)	3	\$0	
<i>nicotine 2 mg chewing gum *</i>	(Quit 2)	3	\$0	
<i>nicotine 2 mg lozenge mint, 3 quittance *</i>	(Quit 2)	3	\$0	
<i>nicotine 21 mg/24hr patch outer (otc) *</i>	(Nicoderm CQ)	3	\$0	
<i>nicotine 4 mg chewing gum *</i>	(Quit 4)	3	\$0	
<i>nicotine 4 mg lozenge mint, 3 quittance *</i>	(Quit 4)	3	\$0	
<i>nicotine 7 mg/24hr patch step 3 (otc) *</i>	(Nicoderm CQ)	3	\$0	
NICOTROL INHALATION CARTRIDGE 10 MG		2	\$0	QL (2688 per 365 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML		2	\$0	QL (240 per 180 days)
<i>pub stop smoking aid 2 mg lozg *</i>	(nicotine (polacrilex))	3	\$0	
<i>pub stop smoking aid 4 mg lozg *</i>	(nicotine (polacrilex))	3	\$0	
<i>quit 2 mg chewing gum *</i>	(nicotine (polacrilex))	3	\$0	
<i>quit 2 mg lozenge mint *</i>	(nicotine (polacrilex))	3	\$0	
<i>quit 4 mg chewing gum *</i>	(nicotine (polacrilex))	3	\$0	
<i>quit 4 mg lozenge mint *</i>	(nicotine (polacrilex))	3	\$0	
<i>ra nicotine 2 mg lozenge mint, 4 quittance *</i>	(Quit 2)	3	\$0	
<i>ra nicotine 2 mg mini lozenge mini, mint, 3 quittance *</i>	(Nicorette)	3	\$0	
<i>ra nicotine 21 mg/24hr patch step 1 (otc) *</i>	(Nicoderm CQ)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra nicotine 4 mg mini lozenge mini,mint,4 quittube *</i>	(Nicorette)	3	\$0	
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML		2	\$0	QL (0.5 per 30 days); NDS
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML		2	\$0	QL (1.5 per 30 days); NDS
<i>varenicline oral tablet 0.5 mg</i>		1	\$0	QL (336 per 365 days)
<i>varenicline oral tablet 1 mg</i>	(Chantix)	1	\$0	QL (336 per 365 days)
<i>varenicline oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i>	(Chantix Starting Month Box)	1	\$0	
Antianxiety Agents				
Benzodiazepines				
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i>	(Xanax)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet 2 mg</i>	(Xanax)	1	\$0	QL (150 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>	(Xanax XR)	1	\$0	QL (120 per 30 days); NDS
<i>alprazolam oral tablet extended release 24 hr 3 mg</i>	(Xanax XR)	1	\$0	QL (90 per 30 days); NDS
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>		1	\$0	QL (120 per 30 days); NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i>	(Klonopin)	1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i>	(Klonopin)	1	\$0	QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>		1	\$0	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>		1	\$0	QL (300 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>	1	\$0	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i>	1	\$0	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i>	1	\$0	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)	1	\$0	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	\$0	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	\$0	QL (120 per 30 days)
<i>estazolam oral tablet 1 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>estazolam oral tablet 2 mg</i>	1	\$0	QL (30 per 30 days); NDS
<i>flurazepam oral capsule 15 mg</i>	1	\$0	QL (60 per 30 days); NDS
<i>flurazepam oral capsule 30 mg</i>	1	\$0	QL (30 per 30 days); NDS
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	\$0	
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	\$0	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	2	\$0	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	\$0	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)	1	\$0	QL (150 per 30 days); NDS
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	\$0	QL (90 per 30 days); NDS
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	\$0	QL (150 per 30 days); NDS
<i>midazolam oral syrup 2 mg/ml</i>	1	\$0	QL (10 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	\$0	QL (30 per 30 days); NDS
<i>triazolam oral tablet 0.125 mg</i>	1	\$0	QL (120 per 30 days); NDS
<i>triazolam oral tablet 0.25 mg</i> (Halcion)	1	\$0	QL (60 per 30 days); NDS
Antibacterials			
Aminoglycosides			
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	\$0	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	\$0	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>	1	\$0	
<i>neomycin oral tablet 500 mg</i>	1	\$0	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	\$0	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	2	\$0	QL (224 per 28 days); NDS
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	\$0	PA BvD; NDS
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	1	\$0	PA BvD; NDS
<i>tobramycin sulfate injection solution 40 mg/ml</i>	1	\$0	
Antibacterials, Miscellaneous			
<i>bacitracin intramuscular recon soln 50,000 unit</i>	1	\$0	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	\$0	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml</i>		1	\$0	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	(clindamycin palmitate hcl)	1	\$0	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>		1	\$0	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	(Cleocin)	1	\$0	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>		1	\$0	
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	1	\$0	NDS
<i>daptomycin intravenous recon soln 500 mg</i>	(Cubicin RF)	1	\$0	NDS
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	1	\$0	
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	1	\$0	NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	1	\$0	
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	1	\$0	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	1	\$0	
<i>metronidazole oral tablet 250 mg, 500 mg</i>		1	\$0	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrochantin)	1	\$0	QL (120 per 30 days)
<i>nitrofurantoin monohydlm-cryst oral capsule 100 mg</i>	(Macrobid)	1	\$0	QL (60 per 30 days)
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		1	\$0	
<i>trimethoprim oral tablet 100 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	\$0	
<i>vancomycin oral capsule 125 mg</i> (Vancocin)	1	\$0	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i> (Vancocin)	1	\$0	QL (112 per 14 days)
<i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)	2	\$0	
XIFAXAN ORAL TABLET 200 MG	2	\$0	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG	2	\$0	PA; QL (90 per 30 days); NDS
Cephalosporins			
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	\$0	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	\$0	
<i>cefadroxil oral capsule 500 mg</i>	1	\$0	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	\$0	
<i>cefadroxil oral tablet 1 gram</i>	1	\$0	
<i>cefazolin in dextrose (iso-os) intravenous piggyback 2 gram/50 ml</i>	1	\$0	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	\$0	
<i>cefazolin intravenous recon soln 3 gram</i>	2	\$0	
<i>cefdinir oral capsule 300 mg</i>	1	\$0	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cefixime oral capsule 400 mg</i>	1	\$0	
<i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>	1	\$0	
<i>cefotaxime injection recon soln 1 gram</i>	1	\$0	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	\$0	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	\$0	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	\$0	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	1	\$0	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	\$0	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	\$0	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	2	\$0	NDS
Macrolides			
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	\$0	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	\$0	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	\$0	
<i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)	1	\$0	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	\$0	
DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML	2	\$0	QL (136 per 10 days); NDS
DIFICID ORAL TABLET 200 MG	2	\$0	QL (20 per 10 days); NDS
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	\$0	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	\$0	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	\$0	
Miscellaneous B-Lactam Antibiotics			
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	2	\$0	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	\$0	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	\$0	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	1	\$0	
Penicillins			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	\$0	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	\$0	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	1	\$0	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	\$0	
<i>ampicillin oral capsule 500 mg</i>	1	\$0	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	\$0	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	\$0	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	2	\$0	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	\$0	
<i>nafcillin 1 gml 50 ml inj 1 gram/50 ml</i>	1	\$0	
<i>nafcillin injection recon soln 1 gram</i>	1	\$0	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	1	\$0	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	\$0	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	\$0	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	\$0	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>pfizerpen-g injection recon soln 20 million unit</i> (penicillin g potassium)	1	\$0	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Quinolones			
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	\$0	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	\$0	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	\$0	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	\$0	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	\$0	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	\$0	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	\$0	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	\$0	
<i>moxifloxacin 400 mg/250 ml bag</i>	1	\$0	
<i>moxifloxacin oral tablet 400 mg</i>	1	\$0	
<i>moxifloxacin-sod. chloride (iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	\$0	
Sulfonamides			
<i>sulfadiazine oral tablet 500 mg</i>	1	\$0	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	\$0	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	\$0	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Tetracyclines				
<i>demeclocycline oral tablet 150 mg, 300 mg</i>		1	\$0	
<i>doxy-100 intravenous recon soln 100 mg</i>	(doxycycline hyclate)	1	\$0	
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	(Doxy-100)	1	\$0	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	(Morgidox)	1	\$0	
<i>doxycycline hyclate oral tablet 100 mg</i>	(LymePak)	1	\$0	
<i>doxycycline hyclate oral tablet 20 mg</i>		1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 100 mg, 150 mg, 50 mg, 75 mg</i>		1	\$0	
<i>doxycycline hyclate oral tablet, delayed release (drlec) 200 mg</i>	(Doryx)	1	\$0	
<i>doxycycline monohydrate oral capsule 100 mg</i>	(Mondoxyne NL)	1	\$0	
<i>doxycycline monohydrate oral capsule 50 mg</i>	(Monodox)	1	\$0	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>		1	\$0	
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	1	\$0	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>		1	\$0	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>		1	\$0	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>		1	\$0	
<i>mondoxyne nl oral capsule 100 mg</i>	(doxycycline monohydrate)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mondoxylene nl oral capsule 75 mg</i>	(doxycycline monohydrate)	1	\$0	QL (60 per 30 days)
<i>tetracycline oral capsule 250 mg, 500 mg</i>		1	\$0	
<i>tigecycline intravenous recon soln 50 mg</i>	(Tygacil)	1	\$0	NDS
Anticancer Agents				
Anticancer Agents				
<i>abiraterone oral tablet 250 mg, 500 mg</i>	(Zytiga)	1	\$0	PA NSO; QL (120 per 30 days); NDS
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	(paclitaxel protein-bound)	2	\$0	PA BvD; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml</i>	(fluorouracil)	1	\$0	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG		2	\$0	PA NSO; QL (60 per 30 days); NDS
ALECENSA ORAL CAPSULE 150 MG		2	\$0	PA NSO; QL (240 per 30 days); NDS
ALUNBRIG ORAL TABLET 180 MG, 90 MG		2	\$0	PA NSO; QL (30 per 30 days); NDS
ALUNBRIG ORAL TABLET 30 MG		2	\$0	PA NSO; QL (120 per 30 days); NDS
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)		2	\$0	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i>	(Arimidex)	1	\$0	
AUGTYRO ORAL CAPSULE 40 MG		2	\$0	PA NSO; QL (240 per 30 days); NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG		2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>azacitidine injection recon soln 100 mg</i>	(Vidaza)	1	\$0	NDS
BALVERSA ORAL TABLET 3 MG		2	\$0	PA NSO; QL (84 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BALVERSA ORAL TABLET 4 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
BALVERSA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	1	\$0	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (BendeKa)	2	\$0	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	2	\$0	PA NSO; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	1	\$0	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	\$0	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	\$0	
<i>bortezomib injection recon soln 1 mg</i>	2	\$0	PA NSO
<i>bortezomib injection recon soln 2.5 mg</i>	2	\$0	PA NSO; NDS
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	2	\$0	PA NSO; NDS
BOSULIF ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BOSULIF ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BOSULIF ORAL TABLET 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BOSULIF ORAL TABLET 400 MG, 500 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
BRAFTOVI ORAL CAPSULE 75 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
BRUKINSA ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
CABOMETYX ORAL TABLET 20 MG, 60 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CABOMETYX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 100 MG (vandetanib)	2	\$0	PA NSO; QL (60 per 30 days); NDS
CAPRELSA ORAL TABLET 300 MG (vandetanib)	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	\$0	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	\$0	PA BvD
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	2	\$0	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	2	\$0	PA NSO; QL (112 per 28 days); NDS
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
COTELLIC ORAL TABLET 20 MG	2	\$0	PA NSO; LA; QL (63 per 28 days); NDS
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	\$0	PA BvD; NDS
<i>cyclophosphamide intravenous solution 200 mg/ml, 500 mg/ml</i>	2	\$0	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i>	1	\$0	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i>	2	\$0	PA BvD; ST
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	2	\$0	PA NSO; QL (120 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML	2	\$0	PA NSO; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; LA; NDS
DAURISMO ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
DAURISMO ORAL TABLET 25 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
<i>decitabine intravenous recon soln</i> 50 mg (Dacogen)	1	\$0	NDS
<i>docetaxel intravenous solution 160</i> <i>mg/16 ml (10 mg/ml), 80 mg/4 ml</i> <i>(20 mg/ml)</i>	1	\$0	
<i>doxorubicin intravenous solution 10</i> <i>mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50</i> <i>mg/25 ml</i>	1	\$0	PA BvD
<i>doxorubicin, peg-liposomal</i> <i>intravenous suspension 2 mg/ml</i> (Caelyx)	1	\$0	PA BvD; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	2	\$0	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	2	\$0	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	2	\$0	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	2	\$0	PA NSO
ELREXFIO 44 MG/1.1 ML VIAL OUTER, SUV, P/F 40 MG/ML	2	\$0	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	2	\$0	PA NSO; QL (9.5 per 28 days); NDS
EMCYT ORAL CAPSULE 140 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	2	\$0	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	2	\$0	PA NSO; NDS
ERIVEDGE ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
ERLEADA ORAL TABLET 240 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ERLEADA ORAL TABLET 60 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	1	\$0	PA NSO; QL (90 per 30 days); NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	2	\$0	
<i>etoposide intravenous solution 20 mg/ml</i>	1	\$0	
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	1	\$0	PA NSO; QL (56 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	1	\$0	PA NSO; QL (28 per 28 days); NDS
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	1	\$0	PA NSO; QL (112 per 28 days); NDS
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	\$0	
EXKIVITY ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	2	\$0	PA NSO; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	2	\$0	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i>	1	\$0	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	\$0	PA BvD
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 1 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
FRUZAQLA ORAL CAPSULE 5 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	\$0	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	2	\$0	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>gefitinib oral tablet 250 mg</i> (Iressa)	1	\$0	PA NSO; QL (60 per 30 days); NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	\$0	PA BvD
<i>gemcitabine intravenous solution 2 gram/52.6 ml (38 mg/ml)</i>	1	\$0	PA BvD
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG (lomustine)	2	\$0	
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	2	\$0	PA NSO; QL (5 per 21 days); NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
IDHIFA ORAL TABLET 100 MG, 50 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	1	\$0	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	\$0	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	\$0	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	\$0	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
IMBRUVICA ORAL CAPSULE 70 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL SUSPENSION 70 MG/ML	2	\$0	PA NSO; QL (240 per 30 days); NDS
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	2	\$0	PA NSO; QL (28 per 28 days); NDS
IMBRUVICA ORAL TABLET 560 MG	2	\$0	QL (28 per 28 days); NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	2	\$0	PA NSO; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	2	\$0	PA NSO; QL (4 per 365 days)
INLYTA ORAL TABLET 1 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
INLYTA ORAL TABLET 5 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
INQOVI ORAL TABLET 35-100 MG	2	\$0	PA NSO; QL (5 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INREBIC ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
<i>irinotecan intravenous solution 100 mg/15 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	\$0	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	\$0	
IWILFIN ORAL TABLET 192 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
JAYPIRCA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; QL (8 per 21 days); NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	2	\$0	PA NSO; QL (49 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	2	\$0	PA NSO; QL (70 per 28 days); NDS
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	2	\$0	PA NSO; QL (91 per 28 days); NDS
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (21 per 28 days); NDS
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	2	\$0	PA NSO; QL (42 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	2	\$0	PA NSO; QL (63 per 28 days); NDS
KOSELUGO ORAL CAPSULE 10 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
KOSELUGO ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
KRAZATI ORAL TABLET 200 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	\$0	PA NSO; NDS
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	1	\$0	PA NSO; QL (28 per 28 days); NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	2	\$0	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	\$0	
LEUKERAN ORAL TABLET 2 MG	2	\$0	NDS
<i>leuprolide (3 month) intramuscular suspension for reconstitution 22.5 mg</i>	2	\$0	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	\$0	PA NSO
LONSURF ORAL TABLET 15-6.14 MG	2	\$0	PA NSO; QL (100 per 28 days); NDS
LONSURF ORAL TABLET 20-8.19 MG	2	\$0	PA NSO; QL (80 per 28 days); NDS
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	2	\$0	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LORBRENA ORAL TABLET 25 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUMAKRAS ORAL TABLET 120 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
LUMAKRAS ORAL TABLET 320 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	2	\$0	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA NSO; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
LYSODREN ORAL TABLET 500 MG	2	\$0	NDS
LYTGOBI ORAL TABLET 4 MG, 4 MG (4X 4 MG TB), 4 MG (5X 4 MG TB)	2	\$0	PA NSO; QL (140 per 28 days); NDS
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	2	\$0	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
MEKINIST ORAL RECON SOLN 0.05 MG/ML	2	\$0	PA NSO; QL (1260 per 30 days); NDS
MEKINIST ORAL TABLET 0.5 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
MEKINIST ORAL TABLET 2 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MEKTOVI ORAL TABLET 15 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>mercaptopurine oral tablet 50 mg</i>	1	\$0	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	\$0	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	\$0	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	\$0	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	\$0	
MVASI INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
NERLYNX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	\$0	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (3 per 28 days); NDS
NUBEQA ORAL TABLET 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ODOMZO ORAL CAPSULE 200 MG	2	\$0	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
OGSIVEO ORAL TABLET 50 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
ONUREG ORAL TABLET 200 MG, 300 MG	2	\$0	PA NSO; QL (14 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	2	\$0	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	2	\$0	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ORSERDU ORAL TABLET 86 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	\$0	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	\$0	PA BvD
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	2	\$0	PA BvD; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	1	\$0	PA NSO; QL (120 per 30 days); NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>	1	\$0	NDS
<i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)	1	\$0	NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i>	2	\$0	NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	2	\$0	PA NSO; QL (28 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	2	\$0	PA NSO; QL (56 per 28 days); NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	PA NSO; QL (21 per 28 days); NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	2	\$0	NDS
QINLOCK ORAL TABLET 50 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
RETEVMO ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
RETEVMO ORAL CAPSULE 80 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
REZLIDHIA ORAL CAPSULE 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
RIABNI INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	2	\$0	PA NSO; NDS
ROZLYTREK ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
ROZLYTREK ORAL CAPSULE 200 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
RUXIENCE INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
RYBREVANT INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (224 per 28 days); NDS
SCEMBLIX ORAL TABLET 20 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SCSEMBLIX ORAL TABLET 40 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	2	\$0	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	1	\$0	PA NSO; QL (120 per 30 days); NDS
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
SPRYCEL ORAL TABLET 20 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
STIVARGA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	1	\$0	PA NSO; QL (28 per 28 days); NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	2	\$0	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	2	\$0	
TABRECTA ORAL TABLET 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	2	\$0	PA NSO; QL (900 per 30 days); NDS
TAGRISSO ORAL TABLET 40 MG, 80 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	2	\$0	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	\$0	
TASIGNA ORAL CAPSULE 150 MG, 200 MG	2	\$0	PA NSO; QL (112 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TASIGNA ORAL CAPSULE 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TAZVERIK ORAL TABLET 200 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	2	\$0	PA NSO; NDS
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	2	\$0	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TIBSOVO ORAL TABLET 250 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	2	\$0	PA NSO; QL (5 per 21 days); NDS
<i>toposar intravenous solution 20 mg/ml</i> (etoposide)	1	\$0	
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	\$0	NDS
TRAZIMERA INTRAVENOUS RECON SOLN 150 MG, 420 MG	2	\$0	PA NSO; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	2	\$0	PA NSO
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	\$0	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	2	\$0	PA NSO; QL (64 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUSELTIQ ORAL CAPSULE 100 MG/DAY (100 MG X 1), 125 MG/DAY(100 MG X1-25MG X1), 50 MG/DAY (25 MG X 2), 75 MG/DAY (25 MG X 3)	2	\$0	PA NSO; NDS
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA NSO; NDS
TUKYSA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
TUKYSA ORAL TABLET 50 MG	2	\$0	PA NSO; QL (300 per 30 days); NDS
TURALIO ORAL CAPSULE 125 MG, 200 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	2	\$0	PA NSO; NDS
VEGZELMA INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
VELCADE INJECTION RECON SOLN 3.5 MG (bortezomib)	2	\$0	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	2	\$0	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	2	\$0	PA NSO; LA; QL (180 per 30 days); NDS
VENCLEXTA ORAL TABLET 50 MG	2	\$0	PA NSO; LA; QL (30 per 30 days); NDS
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	2	\$0	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
<i>vinblastine intravenous solution 1 mg/ml</i>	1	\$0	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	\$0	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>	1	\$0	
VITRAKVI ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
VITRAKVI ORAL CAPSULE 25 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
VITRAKVI ORAL SOLUTION 20 MG/ML	2	\$0	PA NSO; QL (300 per 30 days); NDS
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
VONJO ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
WELIREG ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XALKORI ORAL PELLETT 150 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
XALKORI ORAL PELLETT 20 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
XALKORI ORAL PELLETT 50 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XATMEP ORAL SOLUTION 2.5 MG/ML	2	\$0	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2)	2	\$0	PA NSO; QL (8 per 28 days); NDS
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	2	\$0	PA NSO; QL (4 per 28 days); NDS
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	2	\$0	PA NSO; QL (24 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	2	\$0	PA NSO; QL (32 per 28 days); NDS
XTANDI ORAL CAPSULE 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 40 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
XTANDI ORAL TABLET 80 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	2	\$0	PA NSO; NDS
YONSA ORAL TABLET 125 MG	2	\$0	PA NSO; QL (120 per 30 days); NDS
ZEJULA ORAL CAPSULE 100 MG	2	\$0	PA NSO; QL (90 per 30 days); NDS
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
ZELBORAF ORAL TABLET 240 MG	2	\$0	PA NSO; QL (240 per 30 days); NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA NSO; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	2	\$0	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	2	\$0	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
ZYKADIA ORAL TABLET 150 MG	2	\$0	PA NSO; QL (84 per 28 days); NDS
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	2	\$0	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	2	\$0	PA NSO; QL (20 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Anticonvulsants			
Anticonvulsants			
APTIOM ORAL TABLET 200 MG, 400 MG	2	\$0	ST; QL (30 per 30 days); NDS
APTIOM ORAL TABLET 600 MG, 800 MG	2	\$0	ST; QL (60 per 30 days); NDS
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	2	\$0	QL (80 per 30 days)
BRIVIACT ORAL SOLUTION 10 MG/ML	2	\$0	QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	2	\$0	QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	\$0	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	\$0	
<i>carbamazepine oral tablet 200 mg</i> (Epitol)	1	\$0	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	\$0	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	\$0	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	\$0	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	\$0	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL CAPSULE 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 250 MG	2	\$0	PA NSO; QL (360 per 30 days); NDS
DIACOMIT ORAL POWDER IN PACKET 500 MG	2	\$0	PA NSO; QL (180 per 30 days); NDS
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg</i>	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DILANTIN ORAL CAPSULE 30 MG	2	\$0	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	\$0	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	\$0	
<i>divalproex oral tablet, delayed release (drlec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	\$0	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	2	\$0	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (carbamazepine)	1	\$0	
EPRONTIA ORAL SOLUTION 25 MG/ML	2	\$0	ST; QL (480 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	\$0	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	\$0	
<i>felbamate oral suspension 600 mg/5 ml</i>	1	\$0	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	\$0	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	2	\$0	PA NSO; NDS
<i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	\$0	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	2	\$0	ST; QL (720 per 30 days); NDS
FYCOMPA ORAL TABLET 10 MG, 12 MG, 8 MG	2	\$0	ST; QL (30 per 30 days); NDS
FYCOMPA ORAL TABLET 2 MG	2	\$0	ST; QL (30 per 30 days)
FYCOMPA ORAL TABLET 4 MG, 6 MG	2	\$0	ST; QL (60 per 30 days); NDS
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	1	\$0	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	1	\$0	QL (270 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	\$0	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	1	\$0	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	1	\$0	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	1	\$0	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	1	\$0	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	1	\$0	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21)-50 mg (7)</i> (Lamictal ODT Starter (Blue))	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	1	\$0	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42)-100 mg (14)</i> (Lamictal ODT Starter (Green))	1	\$0	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	1	\$0	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	\$0	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	1	\$0	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	\$0	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	\$0	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	\$0	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>methsuximide oral capsule 300 mg</i> (Celontin)	1	\$0	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	2	\$0	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	\$0	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	\$0	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	\$0	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	\$0	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	\$0	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	\$0	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	\$0	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	\$0	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	1	\$0	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	1	\$0	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	\$0	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i>	1	\$0	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	\$0	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	1	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rufinamide oral tablet 200 mg</i> (Banzel)	1	\$0	
<i>rufinamide oral tablet 400 mg</i> (Banzel)	1	\$0	NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG	2	\$0	ST; QL (60 per 30 days)
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG, 750 MG	2	\$0	ST; QL (120 per 30 days)
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)	1	\$0	
SYMPAZAN ORAL FILM 10 MG, 20 MG	2	\$0	PA NSO; QL (60 per 30 days); NDS
SYMPAZAN ORAL FILM 5 MG	2	\$0	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>	1	\$0	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	\$0	
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	\$0	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	\$0	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	\$0	
<i>valproic acid oral capsule 250 mg</i>	1	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 5 MG/SPRAY (0.1 ML)	2	\$0	
VALTOCO NASAL SPRAY, NON-AEROSOL 20 MG/2 SPRAY (10MG/0.1ML X2)	2	\$0	NDS
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vigabatrin oral tablet 500 mg</i> (Vigadrone)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigadrone oral tablet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
<i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)	1	\$0	PA NSO; QL (180 per 30 days); NDS
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	2	\$0	ST; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	2	\$0	ST; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	2	\$0	ST; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	2	\$0	ST
ZONISADE ORAL SUSPENSION 100 MG/5 ML	2	\$0	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	\$0	
<i>zonisamide oral capsule 50 mg</i>	1	\$0	
ZTALMY ORAL SUSPENSION 50 MG/ML	2	\$0	PA NSO; QL (1080 per 30 days); NDS
Antidementia Agents			
Antidementia Agents			
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	\$0	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>	1	\$0	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	\$0	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	\$0	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	\$0	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	\$0	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i>	1	\$0	QL (60 per 30 days)
NAMZARIC ORAL CAP, SPRINKLE, ER 24HR DOSE PACK 7/14/21/28 MG-10 MG	2	\$0	ST
NAMZARIC ORAL CAPSULE, SPRINKLE, ER 24HR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG	2	\$0	ST; QL (30 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	\$0	QL (60 per 30 days)
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch)	1	\$0	QL (30 per 30 days)
Antidepressants			
Antidepressants			
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	\$0	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	\$0	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	2	\$0	ST; NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	\$0	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	\$0	
<i>citalopram oral solution 10 mg/5 ml</i>	1	\$0	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	\$0	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	\$0	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	\$0	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	\$0	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	\$0	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	\$0	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	\$0	
<i>doxepin oral concentrate 10 mg/ml</i>	1	\$0	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	2	\$0	ST; QL (60 per 30 days)
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	2	\$0	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	\$0	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release (drlec) 40 mg</i>	1	\$0	QL (30 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	2	\$0	ST; QL (30 per 30 days); NDS
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	\$0	
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	2	\$0	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	2	\$0	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg, 40 mg</i> (Prozac)	1	\$0	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	\$0	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	\$0	
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	\$0	
MARPLAN ORAL TABLET 10 MG	2	\$0	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	\$0	
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	\$0	
<i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	\$0	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>	1	\$0	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	\$0	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	\$0	PA NSO-HRM; AGE (Max 64 Years)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR)	1	\$0	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	1	\$0	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	\$0	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	\$0	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	\$0	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG	2	\$0	PA NSO
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2), 84 MG (28 MG X 3)	2	\$0	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	\$0	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>	1	\$0	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	\$0	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>	2	\$0	QL (60 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	1	\$0	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	\$0	
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 75 mg</i>	1	\$0	QL (90 per 30 days)
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	1	\$0	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	2	\$0	PA NSO; QL (28 per 14 days); NDS
ZURZUVAE ORAL CAPSULE 30 MG	2	\$0	PA NSO; QL (14 per 14 days); NDS
Antidiabetic Agents			
Antidiabetic Agents, Miscellaneous			
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	\$0	QL (90 per 30 days)
FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)	2	\$0	QL (30 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	\$0	QL (30 per 30 days)
JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG	2	\$0	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG	2	\$0	QL (60 per 30 days)
JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG	2	\$0	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	\$0	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	\$0	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	1	\$0	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i>	1	\$0	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	1	\$0	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	1	\$0	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	1	\$0	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Korlym)	1	\$0	PA; QL (112 per 28 days); NDS
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	1	\$0	QL (90 per 30 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	1	\$0	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	2	\$0	PA NSO; QL (3 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	\$0	PA NSO; QL (1.5 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	\$0	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg</i>	1	\$0	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)	1	\$0	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i>	1	\$0	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i>	1	\$0	QL (240 per 30 days)
<i>repaglinide-metformin oral tablet 1-500 mg, 2-500 mg</i>	1	\$0	QL (150 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 3 MG, 7 MG	2	\$0	PA NSO; QL (30 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	\$0	PA; QL (10.8 per 28 days); NDS
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	\$0	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	\$0	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	\$0	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG	2	\$0	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	2	\$0	PA NSO; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)	2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG	2	\$0	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG	2	\$0	QL (60 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)	2	\$0	QL (60 per 30 days)
Insulins			
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	\$0	QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	2	\$0	QL (40 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	2	\$0	QL (24 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> (Novolog Mix 70-30FlexPen U-100)	1	\$0	QL (30 per 28 days)
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> (Novolog Mix 70-30 U-100 Insuln)	1	\$0	QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i> (Novolog PenFill U-100 Insulin)	1	\$0	QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U-100 Insulin)	1	\$0	QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i> (Novolog U-100 Insulin aspart)	1	\$0	QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	\$0	QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	\$0	QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	\$0	QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	\$0	QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	2	\$0	QL (40 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SEMGLEE(INSULIN GLARGINE-YFGN) SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine-yfgn)	2	\$0	QL (40 per 28 days)
SEMGLEE(INSULIN GLARG-YFGN)PEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine-yfgn)	2	\$0	QL (30 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML	2	\$0	QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)	2	\$0	QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc)	2	\$0	QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	\$0	QL (15 per 28 days)
Sulfonylureas			
<i>glimepiride oral tablet 1 mg, 2 mg</i>	1	\$0	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	1	\$0	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg, 5 mg</i>	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	\$0	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i> (Glucotrol XL)	1	\$0	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	\$0	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
Antifungals			
Antifungals			
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	2	\$0	PA BvD
ALEVAZOL 1% OINTMENT *	3	\$0	
<i>amphotericin b injection recon soln 50 mg</i>	1	\$0	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (AmBisome)	1	\$0	PA BvD; NDS
<i>antifungal 1% topical cream *</i> (clotrimazole)	3	\$0	
<i>antifungal 2% powder *</i> (miconazole nitrate)	3	\$0	
<i>athlete's foot 1% powder spray *</i> (tolnaftate)	3	\$0	
<i>athlete's foot 2% powder *</i> (miconazole nitrate)	3	\$0	
<i>baza antifungal 2% cream *</i> (miconazole nitrate)	3	\$0	
<i>casprofungin intravenous recon soln 50 mg</i> (Cancidas)	1	\$0	
<i>casprofungin intravenous recon soln 70 mg</i> (Cancidas)	1	\$0	NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	\$0	QL (180 per 30 days)
<i>ciclopirox topical gel 0.77 %</i>	1	\$0	QL (300 per 30 days)
<i>ciclopirox topical shampoo 1 %</i>	1	\$0	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	\$0	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	1	\$0	QL (180 per 30 days)
<i>clotrimazole 1% solution (otc) *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>clotrimazole 1% topical cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>clotrimazole 1% vaginal cream *</i>	(Clotrimazole-7)	3	\$0	
<i>clotrimazole mucous membrane troche 10 mg</i>		1	\$0	
<i>clotrimazole topical cream 1 %</i>	(Antifungal (clotrimazole))	1	\$0	
<i>clotrimazole topical solution 1 %</i>		1	\$0	
<i>clotrimazole-7 vaginal cream 1 % *</i>	(clotrimazole)	3	\$0	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>		1	\$0	QL (90 per 30 days)
<i>cvs athlete's foot 1% cream *</i>	(tolnaftate)	3	\$0	
<i>cvs athlete's foot 2% liq spray *</i>	(miconazole nitrate)	3	\$0	
<i>cvs clotrimazole 1% top cream (otc) *</i>	(Antifungal (clotrimazole))	3	\$0	
<i>cvs foot & sneaker spray pwd 1 % *</i>	(tolnaftate)	3	\$0	
<i>dermafungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>desenex 2% powder *</i>	(miconazole nitrate)	3	\$0	
<i>econazole topical cream 1 %</i>		1	\$0	QL (170 per 30 days)
<i>eq athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>eq jock itch 1% cream *</i>	(clotrimazole)	3	\$0	
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i>		1	\$0	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 100 mg, 200 mg</i>	(Diflucan)	1	\$0	
<i>fluconazole oral tablet 150 mg, 50 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	1	\$0	NDS
<i>gnp athlete's foot 1% cream *</i>	(clotrimazole)	3	\$0	
GNP MICONAZOLE 2% SPRAY POWDER *	(Lotrimin AF Powder)	3	\$0	
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		1	\$0	
<i>griseofulvin microsize oral tablet 500 mg</i>		1	\$0	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		1	\$0	
<i>inzo antifungal 2% cream *</i>	(miconazole nitrate)	3	\$0	
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	1	\$0	
<i>itraconazole oral solution 10 mg/ml</i>	(Sporanox)	1	\$0	PA; NDS
<i>jock itch relief 1% cream *</i>	(clotrimazole)	3	\$0	
<i>ketoconazole oral tablet 200 mg</i>		1	\$0	
<i>ketoconazole topical cream 2 %</i>		1	\$0	QL (180 per 30 days)
<i>ketoconazole topical foam 2 %</i>	(Extina)	1	\$0	ST; QL (100 per 30 days)
<i>ketoconazole topical shampoo 2 %</i>		1	\$0	QL (360 per 30 days)
<i>lamisil af defens 1% spray pwd *</i>	(tolnaftate)	3	\$0	
LOTRIMIN AF 2% SPRAY POWDER *	(miconazole nitrate)	3	\$0	
<i>micatin 2% antifungal cream *</i>	(miconazole nitrate)	3	\$0	
<i>miconazole 2% topical cream *</i>	(Baza Antifungal)	3	\$0	
<i>miconazole 2% vaginal cream *</i>	(Monistat 7)	3	\$0	
<i>miconazole 3 combo pack 3 supp w/9gm cream 200 mg- 2 % (9 gram) *</i>	(miconazole nitrate)	3	\$0	
<i>miconazole 7 100 mg vag supp *</i>	(Miconazole-7)	3	\$0	
<i>miconazole-3 vaginal suppository 200 mg</i>		1	\$0	
<i>micotrin ac 1% topical cream *</i>	(clotrimazole)	3	\$0	
<i>micro-guard 2% powder 12's, antifungal *</i>	(miconazole nitrate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONISTAT 7 CREAM 2 % *	(miconazole nitrate)	3	\$0	
<i>monistat 7 cream 7 applicators 2 % *</i>	(miconazole nitrate)	3	\$0	
<i>mycozyl ac 1% topical cream *</i>	(clotrimazole)	3	\$0	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	(posaconazole)	2	\$0	NDS
NOXAFIL ORAL SUSP,DELAYED RELEASE FOR RECON 300 MG		2	\$0	PA; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	(nystatin)	1	\$0	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i>		1	\$0	QL (900 per 30 days)
<i>nystatin oral tablet 500,000 unit</i>		1	\$0	
<i>nystatin topical cream 100,000 unit/gram</i>		1	\$0	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i>		1	\$0	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i>	(Nyamyc)	1	\$0	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>		1	\$0	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>		1	\$0	
<i>nystop topical powder 100,000 unit/gram</i>	(nystatin)	1	\$0	QL (60 per 30 days)
<i>odor ctrl foot-sneaker 1% powd *</i>	(tolnaftate)	3	\$0	
<i>posaconazole intravenous solution 300 mg/16.7 ml</i>	(Noxafil)	1	\$0	NDS
<i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i>	(Noxafil)	1	\$0	PA; NDS
<i>posaconazole oral tablet, delayed release (drlec) 100 mg</i>	(Noxafil)	1	\$0	PA; NDS
<i>pub athletic foot 1% cream *</i>	(clotrimazole)	3	\$0	
<i>ra antifungal 1% cream *</i>	(terbinafine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra antifungal 1% liquid spray liquid spray *</i>	(tolnaftate)	3	\$0	
<i>ra antifungal ringworm 1% crm *</i>	(clotrimazole)	3	\$0	
<i>ra clotrimazole 1% top cream *</i>	(clotrimazole)	3	\$0	
<i>ra jock itch cream 1 % *</i>	(clotrimazole)	3	\$0	
<i>terbinafine 1% cream *</i>	(Antifungal (terbinafine))	3	\$0	
<i>terbinafine hcl oral tablet 250 mg</i>		1	\$0	
TINACTIN 1% LIQUID SPRAY *	(tolnaftate)	3	\$0	
<i>tolnaftate 1% cream *</i>	(Athlete's Foot (tolnaftate))	3	\$0	
<i>tolnaftate 1% powder *</i>	(Tinactin)	3	\$0	
<i>tolnaftate 1% spray powder *</i>	(Athlete's Foot (tolnaftate))	3	\$0	
<i>voriconazole intravenous recon soln 200 mg</i>	(Vfend IV)	1	\$0	PA BvD; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i>	(Vfend)	1	\$0	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i>	(Vfend)	1	\$0	
<i>votriza-al 1% lotion *</i>		3	\$0	
<i>zeasorb af 2% powder *</i>	(miconazole nitrate)	3	\$0	
Antigout Agents				
Antigout Agents, Other				
<i>allopurinol oral tablet 100 mg</i>	(Zyloprim)	1	\$0	
<i>allopurinol oral tablet 300 mg</i>		1	\$0	
<i>colchicine oral capsule 0.6 mg</i>	(Mitigare)	1	\$0	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i>	(Colcrys)	1	\$0	PA; QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i>	(Uloric)	1	\$0	ST; QL (30 per 30 days)
MITIGARE ORAL CAPSULE 0.6 MG	(colchicine)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>probenecid oral tablet 500 mg</i>	1	\$0	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	\$0	
Antihistamines			
Antihistamines			
<i>alavert d-12 allergy-sinus tab 5-120 mg *</i>	3	\$0	
<i>aler-caps 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0
<i>allerclear d-12hr tablet 5-120 mg *</i>	3	\$0	
<i>allerclear d-24hr er tablet 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0
<i>allergy relief-nasal decong tb 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0
<i>aller-tec 10 mg tablet *</i>	(cetirizine)	3	\$0
<i>aller-tec d 5-120 mg tablet *</i>	(cetirizine-pseudoephedrine)	3	\$0
<i>aprodine tablet 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0
<i>banophen 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0
<i>banophen 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0
<i>banophen 50 mg capsule *</i>	(diphenhydramine hcl)	3	\$0
<i>benadryl allergy 25 mg ultratb *</i>	(diphenhydramine hcl)	3	\$0
<i>carbinoxamine maleate oral liquid 4 mg/5 ml</i>		1	\$0
<i>carbinoxamine maleate oral tablet 4 mg</i>		1	\$0
<i>cetirizine hcl 1 mg/ml soln children, grape (otc) *</i>	(All Day Allergy (cetirizine))	3	\$0
<i>cetirizine hcl 1 mg/ml soln children's (otc) *</i>	(All Day Allergy (cetirizine))	3	\$0
<i>cetirizine hcl 10 mg tablet indoor & outdoor *</i>	(Aller-Tec)	3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cetirizine hcl 5 mg chew tab children's, outer, u-d *</i>	(Children's Cetirizine)	3	\$0	
<i>cetirizine hcl 5 mg tablet indoor & outdoor *</i>	(Allergy Relief (cetirizine))	3	\$0	
<i>cetirizine hcl 5 mg/5 ml solution cup outer *</i>		3	\$0	
<i>cetirizine-pse er 5-120 mg tab *</i>	(Aller-Tec D)	3	\$0	
<i>child all day allergy 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child allergy rlf 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>child cetirizine 10 mg chew tb chewable, allergy *</i>	(cetirizine)	3	\$0	
<i>child cetirizine hcl 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>child loratadine 5 mg/5 ml sol *</i>	(Wal-itin)	3	\$0	
<i>child wal-itin 5 mg/5 ml soln *</i>	(loratadine)	3	\$0	
<i>child wal-zyr 1 mg/ml solution grape *</i>	(cetirizine)	3	\$0	
<i>child's aller-tec 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>child's wal-dryl 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>child's wal-zyr 10 mg chew tab *</i>	(cetirizine)	3	\$0	
CLARITIN 10 MG TABLET (OTC) *	(loratadine)	3	\$0	
<i>clemastine oral tablet 2.68 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>complt allergy med 25 mg cp *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy (diphen) 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy (fexo) 60 mg tab *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy 50 mg/20 ml liq maximum strength 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cvs allergy relief 180 mg tab indoor/outdoor *</i>	(fexofenadine)	3	\$0	
<i>cvs allergy relief 5 mg tablet *</i>	(levocetirizine)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphedryl 12.5 mg/5 ml elixir *</i>	(diphenhydramine hcl)	3	\$0	
<i>diphenhist 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 12.5 mg/5 ml cup inner *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 25 mg tablet *</i>	(Allergy Medicine)	3	\$0	
<i>diphenhydramine 25 mg/10 ml cup inner 12.5 mg/5 ml *</i>	(Allergy (diphenhydramine))	3	\$0	
<i>diphenhydramine 50 mg capsule (otc) *</i>	(Banophen)	3	\$0	
<i>diphenhydramine 50 mg capsule u-d, 10x10 (otc) *</i>	(Banophen)	3	\$0	
<i>diphenhydramine hcl injection solution 50 mg/ml</i>		1	\$0	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>		1	\$0	
<i>diphenhydramine hcl oral elixir 12.5 mg/5 ml</i>	(Diphen)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>eq allergy relief 1 mg/ml soln *</i>	(cetirizine)	3	\$0	
<i>eq child allergy 12.5 mg/5 ml children, cherry *</i>	(diphenhydramine hcl)	3	\$0	
<i>eql chld all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>fexofenadine hcl 180 mg tablet (otc) *</i>	(Aller-Ease)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fexofenadine hcl 60 mg tablet (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>fexofenadine hcl 60 mg tablet (rx) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>fexofenadine hcl 60 mg tablet indoor/outdoor (otc) *</i>	(Allergy Relief (fexofenadine))	3	\$0	
<i>geri-dryl 12.5 mg/5 ml liquid *</i>	(diphenhydramine hcl)	3	\$0	
<i>gnp child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>gs aller-ease 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>gs aller-ease 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>gs child all day aller 1 mg/ml *</i>	(cetirizine)	3	\$0	
<i>gs child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>hydroxyzine hcl intramuscular solution 25 mg/ml, 50 mg/ml</i>		1	\$0	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>		1	\$0	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>		1	\$0	
<i>levocetirizine 5 mg tablet (otc) *</i>	(Allergy Relief (levocetirizin))	3	\$0	
<i>levocetirizine oral solution 2.5 mg/5 ml</i>	(Xyzal)	1	\$0	
<i>levocetirizine oral tablet 5 mg</i>	(Allergy Relief (levocetirizin))	1	\$0	
<i>loradamed 10 mg tablet outer *</i>	(loratadine)	3	\$0	
<i>loratadine 10 mg tablet *</i>	(Claritin)	3	\$0	
<i>loratadine-d 12 hour tablet 5-120 mg *</i>		3	\$0	
<i>maxallergy kids 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0	
<i>m-dryl 12.5 mg/5 ml solution *</i>	(diphenhydramine hcl)	3	\$0	
<i>pharbedryl 50 mg capsule *</i>	(diphenhydramine hcl)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pub allergy 12.5 mg/5 ml liq cherry flavor *</i>	(diphenhydramine hcl)	3	\$0
<i>pub children's allergy 1 mg/ml *</i>	(cetirizine)	3	\$0
<i>qc child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0
<i>ra all day allergy 10 mg sftgl *</i>		3	\$0
<i>ra allergy med 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0
<i>ra allergy med 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0
<i>ra allergy med capsule 25 mg *</i>	(diphenhydramine hcl)	3	\$0
<i>ra allergy relief 25 mg cap *</i>	(diphenhydramine hcl)	3	\$0
<i>ra child allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0
<i>ra child allergy relf 1 mg/ml *</i>	(cetirizine)	3	\$0
<i>ra diphedryl 12.5 mg/5 ml elix *</i>	(diphenhydramine hcl)	3	\$0
<i>sm child all day aller 1 mg/ml cherry *</i>	(cetirizine)	3	\$0
<i>sm child allergy 12.5 mg/5 ml dye-free, bubblegum *</i>	(diphenhydramine hcl)	3	\$0
<i>sudogest cold and allergy tab 4-60 mg *</i>		3	\$0
<i>total allergy 25 mg tablet *</i>	(diphenhydramine hcl)	3	\$0
<i>wal-act d cold & allergy tab 2.5-60 mg *</i>	(triprolidine-pseudoephedrine)	3	\$0
<i>wal-dryl allergy 12.5 mg/5 ml *</i>	(diphenhydramine hcl)	3	\$0
<i>wal-dryl allergy 25 mg capsule *</i>	(diphenhydramine hcl)	3	\$0
<i>wal-dryl allergy 25 mg minitab minitab, coated *</i>	(diphenhydramine hcl)	3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>wal-fex allergy 180 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>wal-fex allergy 60 mg tablet *</i>	(fexofenadine)	3	\$0	
<i>wal-itin 10 mg tablet non-drowsy *</i>	(loratadine)	3	\$0	
<i>wal-itin 5 mg/5 ml syrup children's, grape *</i>	(loratadine)	3	\$0	
<i>wal-itin d 12 hour tablet 5-120 mg *</i>		3	\$0	
<i>wal-itin d 24 hour tablet 10-240 mg *</i>	(loratadine-pseudoephedrine)	3	\$0	
<i>wal-zyr 10 mg softgel *</i>		3	\$0	
<i>wal-zyr 10 mg tablet *</i>	(cetirizine)	3	\$0	
<i>wal-zyr d tablet 12 hr relief 5-120 mg *</i>	(cetirizine-pseudoephedrine)	3	\$0	
ZYRTEC 10 MG LIQUID GELS *		3	\$0	
Anti-Infectives (Skin And Mucous Membrane)				
Anti-Infectives (Skin And Mucous Membrane)				
<i>clindamycin phosphate vaginal cream 2 %</i>	(Cleocin)	1	\$0	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i>	(Vandazole)	1	\$0	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>		1	\$0	
<i>terconazole vaginal suppository 80 mg</i>		1	\$0	
Antivirals (Skin And Mucous Membrane)				
ABREVA 10% CREAM *	(docosanol)	3	\$0	
<i>docosanol 10% cream *</i>	(Abreva)	3	\$0	
Antimigraine Agents				
Antimigraine Agents				
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML		2	\$0	PA; QL (1.5 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	2	\$0	PA; QL (1.5 per 30 days)
<i>dihydroergotamine injection solution 1 mg/ml</i>	1	\$0	QL (24 per 28 days); NDS
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (Migranal) (4 mg/ml)</i>	1	\$0	ST; QL (8 per 28 days); NDS
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	2	\$0	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	1	\$0	QL (9 per 30 days)
NURTEC ODT ORAL TABLET, DISINTEGRATING 75 MG	2	\$0	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	2	\$0	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet 5 mg</i>	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 10 mg</i> (Maxalt-MLT)	1	\$0	QL (12 per 30 days)
<i>rizatriptan oral tablet, disintegrating 5 mg</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation</i>	1	\$0	QL (12 per 30 days)
<i>sumatriptan nasal spray, non-aerosol 5 mg/actuation</i>	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	1	\$0	QL (9 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	1	\$0	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml</i> (Imitrex STATdose Refill)	2	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 6 mg/0.5 ml</i> (Imitrex STATdose Refill)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	1	\$0	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>	1	\$0	QL (4 per 28 days)
<i>sumatriptan-naproxen oral tablet 85-500 mg</i> (Treximet)	1	\$0	QL (9 per 27 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (16 per 30 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)	1	\$0	QL (6 per 30 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	1	\$0	QL (6 per 30 days)
Antimycobacterials			
Antimycobacterials			
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	\$0	
<i>ethambutol oral tablet 100 mg</i>	1	\$0	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)	1	\$0	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	\$0	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	\$0	
PRETOMANID ORAL TABLET 200 MG	2	\$0	QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	2	\$0	
<i>pyrazinamide oral tablet 500 mg</i>	1	\$0	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	\$0	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>rifampin oral capsule 150 mg, 300 mg</i>	1	\$0	
SIRTURO ORAL TABLET 100 MG, 20 MG	2	\$0	PA; NDS
TRECTOR ORAL TABLET 250 MG	2	\$0	
Antinausea Agents			
Antinausea Agents			
AKYNZEO (FOSNETUPITANT) INTRAVENOUS RECON SOLN 235-0.25 MG	2	\$0	
AKYNZEO (FOSNETUPITANT) INTRAVENOUS SOLUTION 235 MG-0.25 MG /20 ML	2	\$0	
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	2	\$0	PA BvD
APONVIE INTRAVENOUS EMULSION 7.2 MG/ML	2	\$0	QL (4.4 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	1	\$0	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i>	1	\$0	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	1	\$0	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	\$0	PA BvD
<i>compro rectal suppository 25 mg</i> (prochlorperazine)	1	\$0	
<i>cvs motion sickness 25 mg tab *</i> (meclizine)	3	\$0	
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	\$0	
<i>dramamine less drowsy 25 mg tb *</i> (meclizine)	3	\$0	
<i>driminate 50 mg tablet *</i> (dimenhydrinate)	3	\$0	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	\$0	PA; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>droperidol injection solution 2.5 mg/ml</i>	1	\$0	
EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.)	2	\$0	PA BvD; QL (6 per 28 days); NDS
<i>fosaprepitant intravenous recon soln 150 mg</i> (Emend (fosaprepitant))	1	\$0	QL (2 per 28 days)
<i>granisetron (pf) intravenous solution 1 mg/ml (1 ml), 100 mcg/ml</i>	1	\$0	
<i>granisetron hcl intravenous solution 1 mg/ml</i>	1	\$0	
<i>granisetron hcl oral tablet 1 mg</i>	1	\$0	PA BvD
<i>meclizine 12.5 mg caplet (otc) *</i>	3	\$0	
<i>meclizine 12.5 mg caplet caplet (otc) *</i>	3	\$0	
<i>meclizine 25 mg tablet (otc) *</i> (Dramamine Less Drowsy)	3	\$0	
<i>meclizine oral tablet 12.5 mg</i>	1	\$0	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	\$0	
<i>medi-meclizine 25 mg tablet outer, flc *</i> (meclizine)	3	\$0	
<i>motion sickness rlf 25 mg tab *</i> (meclizine)	3	\$0	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	\$0	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	\$0	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	\$0	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	1	\$0	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	1	\$0	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>		1	\$0	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	(Compazine)	1	\$0	
<i>prochlorperazine rectal suppository 25 mg</i>	(Compro)	1	\$0	
<i>promethazine injection solution 25 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine injection solution 50 mg/ml</i>	(Phenergan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>		1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethazine rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(Promethegan)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	(promethazine)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	1	\$0	PA-HRM; QL (10 per 30 days); AGE (Max 64 Years)
<i>travel-ease 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>verticalm 25 mg tablet *</i>	(meclizine)	3	\$0	
<i>wal-dram-2 25 mg tablet *</i>	(meclizine)	3	\$0	
Antiparasite Agents				
Antiparasite Agents				
<i>albendazole oral tablet 200 mg</i>		1	\$0	NDS
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	1	\$0	
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	1	\$0	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	1	\$0	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		1	\$0	
COARTEM ORAL TABLET 20-120 MG		2	\$0	
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	1	\$0	QL (90 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
IMPAVIDO ORAL CAPSULE 50 MG	2	\$0	PA; QL (84 per 28 days); NDS
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	\$0	
KRINTAFEL ORAL TABLET 150 MG	2	\$0	
<i>mefloquine oral tablet 250 mg</i>	1	\$0	
<i>nitazoxanide oral tablet 500 mg</i> (Alinia)	1	\$0	NDS
<i>paromomycin oral capsule 250 mg</i> (Humatin)	1	\$0	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	1	\$0	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	1	\$0	
PRIMAQUINE ORAL TABLET 26.3 MG	2	\$0	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	1	\$0	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	\$0	PA; QL (42 per 7 days)
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	\$0	

Antiparkinsonian Agents

Antiparkinsonian Agents

<i>amantadine hcl oral capsule 100 mg</i>	1	\$0	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	\$0	
<i>amantadine hcl oral tablet 100 mg</i>	1	\$0	
<i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN)	1	\$0	PA; QL (60 per 30 days); NDS
<i>benztropine injection solution 1 mg/ml</i>	1	\$0	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	\$0	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	\$0	
<i>cabergoline oral tablet 0.5 mg</i>	1	\$0	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	1	\$0	
<i>carbidopa-levodopa oral tablet 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	\$0	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	\$0	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i>	1	\$0	
<i>entacapone oral tablet 200 mg</i>	1	\$0	
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	2	\$0	PA; QL (300 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; QL (150 per 30 days); NDS
KYNMOBI SUBLINGUAL FILM 10-15-20-25-30 MG	2	\$0	PA; NDS
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days)
ONGENTYS ORAL CAPSULE 25 MG, 50 MG	2	\$0	PA; QL (30 per 30 days)
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 129 MG, 193 MG, 258 MG	2	\$0	ST; QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OSMOLEX ER ORAL TABLET, IR - ER, BIPHASIC 24HR 322 MG/DAY(129 MG X1-193MG X1)	2	\$0	ST; QL (60 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	1	\$0	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	\$0	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>	1	\$0	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	1	\$0	
<i>selegiline hcl oral capsule 5 mg</i>	1	\$0	
<i>selegiline hcl oral tablet 5 mg</i>	1	\$0	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	\$0	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	\$0	
XADAGO ORAL TABLET 100 MG, 50 MG	2	\$0	PA; QL (30 per 30 days); NDS
Antipsychotic Agents			
Antipsychotic Agents			
<i>aripiprazole oral solution 1 mg/ml</i>	1	\$0	
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	\$0	
<i>aripiprazole oral tablet, disintegrating 10 mg</i>	1	\$0	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet, disintegrating 15 mg</i>	1	\$0	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	2	\$0	QL (4.8 per 365 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	2	\$0	QL (3.9 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	2	\$0	QL (1.6 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	2	\$0	QL (2.4 per 14 days); NDS
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	2	\$0	QL (3.2 per 14 days); NDS
<i>asenapine maleate sublingual tablet</i> (Saphris) 10 mg, 2.5 mg, 5 mg	1	\$0	QL (60 per 30 days)
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	2	\$0	ST; QL (30 per 30 days); NDS
<i>chlorpromazine injection solution</i> 25 mg/ml	1	\$0	
<i>chlorpromazine oral concentrate</i> 100 mg/ml, 30 mg/ml	1	\$0	
<i>chlorpromazine oral tablet 10 mg,</i> 100 mg, 200 mg, 25 mg, 50 mg	1	\$0	
<i>clozapine oral tablet 100 mg, 200</i> (Clozaril) <i>mg, 25 mg, 50 mg</i>	1	\$0	
<i>clozapine oral tablet, disintegrating</i> 100 mg, 12.5 mg, 25 mg	1	\$0	ST; QL (90 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 150 mg	1	\$0	ST; QL (180 per 30 days)
<i>clozapine oral tablet, disintegrating</i> 200 mg	1	\$0	ST; QL (120 per 30 days); NDS
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	2	\$0	ST; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	2	\$0	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	\$0	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	\$0	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	\$0	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	\$0	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 50 mg/ml</i> (Haldol Decanoate)	1	\$0	
<i>haloperidol lactate injection solution 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	\$0	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	\$0	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	\$0	
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	2	\$0	QL (3.5 per 166 days); NDS
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	2	\$0	QL (5 per 166 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	2	\$0	QL (0.75 per 21 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	2	\$0	QL (1 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	2	\$0	QL (1.5 per 21 days); NDS
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	2	\$0	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	2	\$0	QL (0.5 per 21 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	2	\$0	QL (0.88 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	2	\$0	QL (1.32 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	2	\$0	QL (1.75 per 70 days); NDS
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	2	\$0	QL (2.63 per 70 days); NDS
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>lurasidone oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> (Latuda)	1	\$0	QL (30 per 30 days); NDS
<i>lurasidone oral tablet 80 mg</i> (Latuda)	1	\$0	QL (60 per 30 days); NDS
LYBALVI ORAL TABLET 10- 10 MG, 15-10 MG, 20-10 MG, 5- 10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>molindone oral tablet 10 mg</i>	1	\$0	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i>	1	\$0	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i>	1	\$0	QL (120 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NUPLAZID ORAL CAPSULE 34 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
NUPLAZID ORAL TABLET 10 MG	2	\$0	PA NSO; QL (30 per 30 days); NDS
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	\$0	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	\$0	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	\$0	
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i>	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	1	\$0	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	\$0	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	\$0	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	2	\$0	QL (1 per 30 days); NDS
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>prochlorperazine 10 mg/2 ml v1 outer 10 mg/2 ml (5 mg/ml)</i>	1	\$0	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	1	\$0	
<i>quetiapine oral tablet 150 mg</i>	1	\$0	QL (30 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	\$0	
REXULTI ORAL TABLET 0.25 MG	2	\$0	ST; QL (120 per 30 days); NDS
REXULTI ORAL TABLET 0.5 MG	2	\$0	ST; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REXULTI ORAL TABLET 1 MG, 2 MG, 3 MG, 4 MG	2	\$0	ST; QL (30 per 30 days); NDS
<i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml, 25 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days)
<i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Risperdal Consta)	1	\$0	QL (2 per 28 days); NDS
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet 0.25 mg</i>	1	\$0	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	1	\$0	
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	1	\$0	
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	2	\$0	ST; QL (30 per 30 days); NDS
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML	2	\$0	QL (0.28 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML	2	\$0	QL (0.35 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML	2	\$0	QL (0.42 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML	2	\$0	QL (0.56 per 56 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	2	\$0	QL (0.7 per 56 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	2	\$0	QL (0.14 per 28 days); NDS
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	2	\$0	QL (0.21 per 28 days); NDS
VERSACLOZ ORAL SUSPENSION 50 MG/ML	2	\$0	ST; QL (540 per 30 days); NDS
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	2	\$0	ST; QL (30 per 30 days); NDS
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	2	\$0	ST
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	\$0	
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	1	\$0	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	2	\$0	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	2	\$0	QL (2 per 28 days); NDS
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	2	\$0	QL (1 per 28 days); NDS
Antivirals (Systemic)			
Antiretrovirals			
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	\$0	
<i>abacavir oral tablet 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	1	\$0	
APRETUDE INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 600 MG/3 ML (200 MG/ML) (cabotegravir)	2	\$0	QL (24 per 365 days); NDS
APTIVUS ORAL CAPSULE 250 MG	2	\$0	NDS
<i>atazanavir oral capsule 150 mg</i>	1	\$0	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	1	\$0	
BIKTARVY ORAL TABLET 30- 120-15 MG, 50-200-25 MG	2	\$0	QL (30 per 30 days); NDS
CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	2	\$0	NDS
<i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>	2	\$0	QL (24 per 365 days); NDS
<i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)	2	\$0	QL (24 per 365 days); NDS
CIMDUO ORAL TABLET 300- 300 MG	2	\$0	NDS
COMPLERA ORAL TABLET 200-25-300 MG	2	\$0	NDS
<i>darunavir oral tablet 600 mg, 800 mg</i> (Prezista)	1	\$0	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	2	\$0	NDS
DESCOVY ORAL TABLET 120- 15 MG, 200-25 MG	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>didanosine oral capsule, delayed release(dr/lec) 250 mg, 400 mg</i>	1	\$0	
DOVATO ORAL TABLET 50-300 MG	2	\$0	NDS
EDURANT ORAL TABLET 25 MG	2	\$0	NDS
<i>efavirenz oral capsule 200 mg, 50 mg</i>	1	\$0	
<i>efavirenz oral tablet 600 mg</i>	1	\$0	
<i>efavirenz-emtricitabine-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	1	\$0	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi Lo)	1	\$0	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	1	\$0	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	\$0	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> (Truvada)	1	\$0	NDS
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	1	\$0	
EMTRIVA ORAL SOLUTION 10 MG/ML	2	\$0	
EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)	2	\$0	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	1	\$0	NDS
EVOTAZ ORAL TABLET 300-150 MG	2	\$0	NDS
<i>fosamprenavir oral tablet 700 mg</i>	1	\$0	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	2	\$0	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	2	\$0	NDS
INTELENCE ORAL TABLET 25 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INVIRASE ORAL TABLET 500 MG	2	\$0	NDS
ISENTRESS HD ORAL TABLET 600 MG	2	\$0	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET 400 MG	2	\$0	NDS
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	2	\$0	NDS
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	2	\$0	
JULUCA ORAL TABLET 50-25 MG	2	\$0	NDS
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	\$0	
<i>lamivudine oral tablet 100 mg</i>	1	\$0	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	1	\$0	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i>	1	\$0	
LEXIVA ORAL SUSPENSION 50 MG/ML	2	\$0	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	\$0	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	1	\$0	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	1	\$0	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	1	\$0	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i>	1	\$0	
<i>nevirapine oral tablet 200 mg</i>	1	\$0	
<i>nevirapine oral tablet extended release 24 hr 100 mg, 400 mg</i>	1	\$0	
NORVIR ORAL POWDER IN PACKET 100 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NORVIR ORAL SOLUTION 80 MG/ML	2	\$0	
ODEFSEY ORAL TABLET 200-25-25 MG	2	\$0	NDS
PIFELTRO ORAL TABLET 100 MG	2	\$0	NDS
PREZCOBIX ORAL TABLET 800-150 MG-MG	2	\$0	NDS
PREZISTA ORAL SUSPENSION 100 MG/ML	2	\$0	NDS
PREZISTA ORAL TABLET 150 MG, 75 MG	2	\$0	NDS
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	
REYATAZ ORAL POWDER IN PACKET 50 MG	2	\$0	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i>	2	\$0	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	\$0	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	2	\$0	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	2	\$0	NDS
SELZENTRY ORAL TABLET 25 MG	2	\$0	
SELZENTRY ORAL TABLET 75 MG	2	\$0	NDS
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	\$0	
STRIBILD ORAL TABLET 150-150-200-300 MG	2	\$0	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK)	2	\$0	NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	2	\$0	PA BvD; NDS
SYMTUZA ORAL TABLET 800-150-200-10 MG	2	\$0	NDS
TEMIXYS ORAL TABLET 300- 300 MG	2	\$0	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	\$0	
TIVICAY ORAL TABLET 10 MG	2	\$0	
TIVICAY ORAL TABLET 25 MG, 50 MG	2	\$0	NDS
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	2	\$0	NDS
TRIUMEQ ORAL TABLET 600- 50-300 MG	2	\$0	QL (30 per 30 days); NDS
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	2	\$0	NDS
TRIZIVIR ORAL TABLET 300- 150-300 MG	2	\$0	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	2	\$0	NDS
VEMLIDY ORAL TABLET 25 MG	2	\$0	ST; QL (30 per 30 days); NDS
VIRACEPT ORAL TABLET 250 MG, 625 MG	2	\$0	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	2	\$0	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	\$0	NDS
VOCABRIA ORAL TABLET 30 MG	2	\$0	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	\$0	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	\$0	
<i>zidovudine oral tablet 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Antivirals, Miscellaneous			
BEYFORTUS INTRAMUSCULAR SYRINGE 100 MG/ML, 50 MG/0.5 ML	2	\$0	PA
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	\$0	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	\$0	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	\$0	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	\$0	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	\$0	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150-100 MG, 300 MG (150 MG X 2)-100 MG	2	\$0	\$0 copay; QL (30 per 5 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML	2	\$0	PA; QL (336 per 28 days); NDS
PREVYMIS INTRAVENOUS SOLUTION 480 MG/24 ML	2	\$0	PA; QL (672 per 28 days); NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG	2	\$0	PA; QL (28 per 28 days); NDS
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	\$0	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	\$0	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	2	\$0	PA; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	2	\$0	QL (4 per 180 days)
XOFLUZA ORAL TABLET 80 MG	2	\$0	QL (2 per 180 days)
Hcv Antivirals			
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	2	\$0	PA; QL (56 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EPCLUSA ORAL TABLET 200-50 MG	2	\$0	PA; QL (28 per 28 days); NDS
EPCLUSA ORAL TABLET 400-100 MG (sofosbuvir-velpatasvir)	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL PELLETS IN PACKET 45-200 MG	2	\$0	PA; QL (56 per 28 days); NDS
HARVONI ORAL TABLET 45-200 MG	2	\$0	PA; QL (28 per 28 days); NDS
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	2	\$0	PA; QL (28 per 28 days); NDS
MAVYRET ORAL TABLET 100-40 MG	2	\$0	PA; QL (84 per 28 days); NDS
VOSEVI ORAL TABLET 400-100-100 MG	2	\$0	PA; QL (28 per 28 days); NDS
Interferons			
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	2	\$0	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	2	\$0	PA; NDS
Nucleosides And Nucleotides			
<i>acyclovir oral capsule 200 mg</i>	1	\$0	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	\$0	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	\$0	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	\$0	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	\$0	
<i>cidofovir intravenous solution 75 mg/ml</i>	1	\$0	NDS
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	\$0	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ganciclovir sodium intravenous recon soln 500 mg</i>	1	\$0	PA BvD; NDS
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	\$0	PA BvD; NDS
<i>lagevrio (eua) oral capsule 200 mg</i>	2	\$0	QL (40 per 5 days)
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	2	\$0	PA BvD; NDS
<i>ribavirin oral capsule 200 mg</i>	1	\$0	
<i>ribavirin oral tablet 200 mg</i>	1	\$0	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	\$0	
<i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)	1	\$0	NDS
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	\$0	
VEKLURY INTRAVENOUS RECON SOLN 100 MG (remdesivir)	2	\$0	PA BvD; NDS

Blood Products/Modifiers/Volume Expanders

Anticoagulants			
<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	1	\$0	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	\$0	
ELIQUIS ORAL TABLET 2.5 MG	2	\$0	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	\$0	QL (74 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	\$0	QL (30 per 30 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)	1	\$0	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	\$0	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	1	\$0	QL (18 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>enoxaparin subcutaneous syringe</i> 40 mg/0.4 ml (Lovenox)	1	\$0	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe</i> 60 mg/0.6 ml (Lovenox)	1	\$0	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 10 mg/0.8 ml (Arixtra)	1	\$0	QL (24 per 30 days); NDS
<i>fondaparinux subcutaneous syringe</i> 2.5 mg/0.5 ml (Arixtra)	1	\$0	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe</i> 5 mg/0.4 ml (Arixtra)	1	\$0	QL (12 per 30 days); NDS
<i>fondaparinux subcutaneous syringe</i> 7.5 mg/0.6 ml (Arixtra)	1	\$0	QL (18 per 30 days); NDS
<i>heparin (porcine) injection cartridge</i> 5,000 unit/ml (1 ml)	1	\$0	
<i>heparin (porcine) injection solution</i> 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml	1	\$0	
<i>heparin, porcine (pf) injection solution</i> 1,000 unit/ml	1	\$0	
<i>heparin, porcine (pf) injection syringe</i> 5,000 unit/0.5 ml, 5,000 unit/ml	1	\$0	
<i>jantoven oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (warfarin)	1	\$0	
<i>warfarin oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg (Jantoven)	1	\$0	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS, DOSE PACK 15 MG (42)- 20 MG (9)	2	\$0	
XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML	2	\$0	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, 20 MG	2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	\$0	QL (60 per 30 days)
Blood Formation Modifiers			
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	2	\$0	PA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	2	\$0	PA; QL (60 per 30 days); NDS
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
FYLNETRA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	2	\$0	PA; QL (30 per 30 days); NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	2	\$0	PA; QL (20 per 30 days); NDS
LEUKINE INJECTION RECON SOLN 250 MCG	2	\$0	NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML) (plerixafor)	2	\$0	NDS
NEULASTA ONPRO SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	2	\$0	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
<i>plerixafor subcutaneous solution 24 mg/1.2 ml (20 mg/ml)</i> (Mozobil)	2	\$0	NDS
PROMACTA ORAL POWDER IN PACKET 12.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL POWDER IN PACKET 25 MG	2	\$0	PA; QL (180 per 30 days); NDS
PROMACTA ORAL TABLET 12.5 MG	2	\$0	PA; QL (90 per 30 days); NDS
PROMACTA ORAL TABLET 25 MG	2	\$0	PA; QL (30 per 30 days); NDS
PROMACTA ORAL TABLET 50 MG, 75 MG	2	\$0	PA; QL (60 per 30 days); NDS
RELEUKO INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	2	\$0	PA; NDS
RELEUKO SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	\$0	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	\$0	PA; QL (4 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ROLVEDON SUBCUTANEOUS SYRINGE 13.2 MG/0.6 ML	2	\$0	PA; NDS
STIMUFEND SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	2	\$0	PA; NDS
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
ZARXIO INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	2	\$0	PA; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	2	\$0	PA; NDS
Hematologic Agents, Miscellaneous			
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	\$0	
<i>anagrelide oral capsule 1 mg</i>	1	\$0	
CABLIVI INJECTION KIT 11 MG	2	\$0	PA; QL (30 per 30 days); NDS
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	2	\$0	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	2	\$0	PA; NDS
<i>protamine intravenous solution 10 mg/ml</i>	1	\$0	
TAVALISSE ORAL TABLET 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	1	\$0	
<i>tranexamic acid oral tablet 650 mg</i>	1	\$0	
Platelet-Aggregation Inhibitors			
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	1	\$0	QL (60 per 30 days)
BRILINTA ORAL TABLET 60 MG, 90 MG	2	\$0	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	\$0	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	\$0	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	\$0	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	\$0	QL (30 per 30 days)
Caloric Agents			
Caloric Agents			
CLINIMIX 5%/D15W SULFITE FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX 4.25%/D10W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 4.25%/D5W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	2	\$0	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	2	\$0	PA BvD
CLINIMIX E 2.75%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 2.75 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D10W SUL FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 4.25%/D5W SULF FREE INTRAVENOUS PARENTERAL SOLUTION 4.25 %	2	\$0	PA BvD
CLINIMIX E 5%/D15W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 5%/D20W SULFIT FREE INTRAVENOUS PARENTERAL SOLUTION 5 %	2	\$0	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	2	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8- 14 %	2	\$0	PA BvD
<i>cvs glucose 4 gram tablet chew orange, gluten-free (rx) *</i> (Dex4 Glucose)	3	\$0	
<i>dex4 glucose 4 gm tablet chew grape flavor (rx) 4 gram *</i> (glucose)	3	\$0	
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	\$0	PA BvD
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	2	\$0	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	\$0	
<i>dextrose 5%-water iv soln single use</i>	1	\$0	
<i>glucose 3.75 gram tablet chew (rx) 4 gram *</i> (Dex4 Glucose)	3	\$0	
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	2	\$0	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	2	\$0	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	2	\$0	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	\$0	PA BvD
<i>trueplus glucose 3.75 g tb chw 4 gram *</i> (glucose)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Cardiovascular Agents			
Alpha-Adrenergic Agents			
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	1	\$0	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	\$0	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	\$0	QL (4 per 28 days)
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	\$0	QL (8 per 28 days)
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	\$0	
<i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> (Northera)	1	\$0	PA; QL (180 per 30 days); NDS
<i>gs nasal decong pe 10 mg tab *</i> (phenylephrine hcl)	3	\$0	
<i>guanfacine oral tablet 1 mg, 2 mg</i>	1	\$0	
<i>methyldopa oral tablet 250 mg, 500 mg</i>	1	\$0	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	\$0	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	1	\$0	
<i>ra sinus pres-cng rlf pe 10 mg *</i> (phenylephrine hcl)	3	\$0	
<i>wal-phed pe 10 mg tablet non-drowsy *</i> (phenylephrine hcl)	3	\$0	
Angiotensin II Receptor Antagonists			
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	1	\$0	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	\$0	
EDARBI ORAL TABLET 40 MG, 80 MG	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	2	\$0	
ENTRESTO ORAL TABLET 24-26 MG	2	\$0	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG, 97-103 MG	2	\$0	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	\$0	
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	\$0	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	\$0	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	\$0	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	\$0	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	1	\$0	
<i>olmesartan-amlodipin-hcthiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	1	\$0	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	\$0	
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	\$0	
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	1	\$0	
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	\$0	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	1	\$0	
Angiotensin-Converting Enzyme Inhibitors			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	\$0	
<i>benazepril oral tablet 5 mg</i>	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	\$0	
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	\$0	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	\$0	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	\$0	
<i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)	1	\$0	ST; QL (1200 per 30 days)
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	\$0	
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	\$0	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	\$0	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	\$0	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	\$0	
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	\$0	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	\$0	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	\$0	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	\$0	
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	\$0	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	\$0	
<i>trandolapril-verapamil oral tablet, ir - er, biphasic 24hr 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg</i>	1	\$0	
Antiarrhythmic Agents			
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	1	\$0	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	\$0	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	\$0	
<i>lidocaine (pf) intravenous syringe 100 mg/5 ml (2%), 50 mg/5 ml (1%)</i>	1	\$0	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	\$0	
MULTAQ ORAL TABLET 400 MG	2	\$0	
<i>pacерone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	\$0	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	\$0	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	1	\$0	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	\$0	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	\$0	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	\$0	
Beta-Adrenergic Blocking Agents			
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	\$0	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	\$0	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	\$0	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	\$0	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	1	\$0	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	\$0	
<i>labetalol intravenous solution 5 mg/ml</i>	1	\$0	
<i>labetalol intravenous syringe 10 mg/2 ml (5 mg/ml), 20 mg/4 ml (5 mg/ml)</i>	1	\$0	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	\$0	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>	1	\$0	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	1	\$0	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	\$0	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	\$0	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	\$0	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	1	\$0	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propranolol intravenous solution 1 mg/ml</i>	1	\$0	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	\$0	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	\$0	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	\$0	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)	1	\$0	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)	1	\$0	
<i>sotalol oral tablet 240 mg</i> (Betapace)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	\$0	
Calcium-Channel Blocking Agents			
<i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)	1	\$0	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	\$0	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg</i> (Taztia XT)	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiadylt ER)	1	\$0	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	\$0	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	\$0	
<i>diltiazem hcl oral tablet 90 mg</i>	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)	1	\$0	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	1	\$0	
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)	1	\$0	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)	1	\$0	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	\$0	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	\$0	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>	1	\$0	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i>	2	\$0	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	\$0	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	1	\$0	
Cardiovascular Agents, Miscellaneous			
CORLANOR ORAL SOLUTION 5 MG/5 ML	2	\$0	QL (600 per 30 days)
CORLANOR ORAL TABLET 5 MG, 7.5 MG	2	\$0	QL (60 per 30 days)
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	\$0	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (digoxin)	1	\$0	
<i>digoxin injection solution 250 mcg/ml (0.25 mg/ml)</i> (Lanoxin)	1	\$0	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	\$0	
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)	1	\$0	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml, 0.3 mg/0.3 ml</i> (Auvi-Q)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	\$0	QL (4 per 30 days)
<i>epinephrine injection solution 1 mg/ml</i> (Adrenalin)	1	\$0	
<i>hydralazine injection solution 20 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	\$0	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)	1	\$0	PA; QL (18 per 30 days); NDS
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	\$0	NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>	1	\$0	QL (60 per 30 days)
<i>ranolazine oral tablet extended release 12 hr 500 mg</i>	1	\$0	QL (120 per 30 days)
<i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)	1	\$0	PA; QL (18 per 30 days); NDS
SYMJEPI INJECTION SYRINGE 0.15 MG/0.3 ML	2	\$0	QL (4 per 30 days)
SYMJEPI INJECTION SYRINGE 0.3 MG/0.3 ML (epinephrine)	2	\$0	QL (4 per 30 days)
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	2	\$0	PA; QL (30 per 30 days)
Dihydropyridines			
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	\$0	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel)	1	\$0	
<i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>	1	\$0	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	1	\$0	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	\$0	
<i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	\$0	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	\$0	
KATERZIA ORAL SUSPENSION 1 MG/ML	2	\$0	ST; QL (300 per 30 days)
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	\$0	
<i>nifedipine oral capsule 10 mg, 20 mg</i>	1	\$0	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	\$0	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i>	1	\$0	
Diuretics			
<i>amiloride oral tablet 5 mg</i>	1	\$0	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	\$0	
<i>bumetanide injection solution 0.25 mg/ml</i>	1	\$0	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	\$0	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i>	1	\$0	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	\$0	
<i>furosemide injection solution 10 mg/ml</i>	1	\$0	
<i>furosemide injection syringe 10 mg/ml</i>	1	\$0	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	\$0	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	\$0	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	\$0	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	\$0	
JYNARQUE ORAL TABLET 15 MG, 30 MG	2	\$0	PA; QL (120 per 30 days); NDS
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	2	\$0	PA; QL (56 per 28 days); NDS
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	\$0	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	\$0	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>	1	\$0	
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	1	\$0	
<i>toremide oral tablet 20 mg</i> (Soaanz)	1	\$0	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>	1	\$0	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	\$0	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	\$0	
Dyslipidemics			
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	1	\$0	
<i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	\$0	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	\$0	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	\$0	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cholestyramine light oral powder in packet 4 gram</i>	(cholestyramine-aspartame)	1	\$0	
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	1	\$0	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	1	\$0	
<i>colestipol oral packet 5 gram</i>		1	\$0	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	1	\$0	
<i>endur-acin er 500 mg tablet *</i>	(niacin)	3	\$0	
EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG		2	\$0	ST; QL (30 per 30 days)
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	1	\$0	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	1	\$0	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		1	\$0	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	1	\$0	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		1	\$0	
<i>fenofibric acid (choline) oral capsule, delayed release (drlec) 135 mg, 45 mg</i>	(Trilipix)	1	\$0	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>		1	\$0	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i>	(Lescol XL)	1	\$0	
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	1	\$0	
JUXTAPID ORAL CAPSULE 10 MG, 40 MG, 5 MG, 60 MG		2	\$0	PA; QL (28 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
JUXTAPID ORAL CAPSULE 20 MG, 30 MG	2	\$0	PA; QL (56 per 28 days); NDS
LIVALO ORAL TABLET 1 MG, (pitavastatin 2 MG, 4 MG calcium)	1	\$0	QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>	1	\$0	
NEXLETOL ORAL TABLET 180 MG	2	\$0	QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	2	\$0	QL (30 per 30 days)
<i>niacin 500 mg capsule sa (rx) *</i>	3	\$0	
<i>niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
<i>niacin oral tablet 500 mg</i> (Niacor)	1	\$0	
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	1	\$0	
<i>niacin tr 500 mg capsule (rx) *</i>	3	\$0	
<i>niacin tr 500 mg tablet (rx) *</i> (Endur-Acin)	3	\$0	
<i>niacor oral tablet 500 mg</i> (niacin)	1	\$0	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	\$0	ST; QL (120 per 30 days)
<i>plain niacin 500 mg tablet (rx) *</i> (Niacor)	3	\$0	
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	2	\$0	QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg, 80 mg</i>	1	\$0	
<i>pravastatin oral tablet 20 mg, 40 mg</i>	1	\$0	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i> (cholestyramine- aspartame)	1	\$0	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	\$0	QL (7 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	\$0	QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	\$0	QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	\$0	QL (30 per 30 days)
<i>simvastatin oral tablet 5 mg, 80 mg</i>	1	\$0	QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM (icosapent ethyl)	1	\$0	QL (240 per 30 days)
VASCEPA ORAL CAPSULE 1 GRAM (icosapent ethyl)	1	\$0	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors			
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	\$0	
<i>epplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	\$0	
KERENDIA ORAL TABLET 10 MG, 20 MG	2	\$0	PA; QL (30 per 30 days)
<i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)	1	\$0	ST; QL (600 per 30 days)
Vasodilators			
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	\$0	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)	1	\$0	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	\$0	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	\$0	
<i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)	1	\$0	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	\$0	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	\$0	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/1hr, 0.2 mg/1hr, 0.4 mg/1hr, 0.6 mg/1hr</i> (Nitro-Dur)	1	\$0	
Central Nervous System			
Agents			
Central Nervous System Agents			
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	1	\$0	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	1	\$0	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	2	\$0	PA; QL (120 per 30 days); NDS
AUSTEDO ORAL TABLET 6 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	2	\$0	PA; QL (90 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 24 MG	2	\$0	PA; QL (60 per 30 days); NDS
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	2	\$0	PA; QL (210 per 30 days); NDS
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 6 MG (14)-12 MG (14)-24 MG (14)	2	\$0	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BETASERON SUBCUTANEOUS KIT 0.3 MG	2	\$0	PA; QL (15 per 30 days); NDS
<i>caffeine citrate intravenous solution</i> (Cafcit) 60 mg/3 ml (20 mg/ml)	1	\$0	PA BvD
<i>caffeine citrate oral solution</i> 60 mg/3 ml (20 mg/ml)	1	\$0	
<i>clonidine hcl oral tablet extended release</i> 12 hr 0.1 mg	1	\$0	
COPAXONE SUBCUTANEOUS SYRINGE (glatiramer) 20 MG/ML	2	\$0	PA; QL (30 per 30 days); NDS
COPAXONE SUBCUTANEOUS SYRINGE (glatiramer) 40 MG/ML	2	\$0	PA; QL (12 per 28 days); NDS
<i>dalfampridine oral tablet extended release</i> 12 hr 10 mg (Ampyra)	1	\$0	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral tablet</i> 10 mg, 2.5 mg, 5 mg (Focalin)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release</i> 10 mg (Dexedrine Spansule)	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral capsule, extended release</i> 15 mg, 5 mg	1	\$0	QL (120 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 10 mg (Zenzedi)	1	\$0	QL (180 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 15 mg, 5 mg (Zenzedi)	1	\$0	QL (90 per 30 days)
<i>dextroamphetamine sulfate oral tablet</i> 20 mg, 30 mg (Zenzedi)	1	\$0	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 10 mg, 15 mg, 5 mg (Adderall XR)	1	\$0	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule, extended release</i> 24hr 20 mg, 25 mg, 30 mg (Adderall XR)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	\$0	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg</i> (Tecfidera)	1	\$0	PA; QL (14 per 7 days); NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	1	\$0	PA; NDS
<i>dimethyl fumarate oral capsule, delayed release (drlec) 240 mg</i> (Tecfidera)	1	\$0	PA; QL (60 per 30 days); NDS
ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML	2	\$0	PA; NDS
<i>fingolimod oral capsule 0.5 mg</i> (Gilenya)	1	\$0	PA; QL (30 per 30 days); NDS
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	\$0	
GILENYA ORAL CAPSULE 0.25 MG	2	\$0	PA; QL (60 per 30 days); NDS
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	2	\$0	PA; QL (12 per 28 days); NDS
<i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)	2	\$0	PA; QL (30 per 30 days); NDS
<i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)	2	\$0	PA; QL (12 per 28 days); NDS
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	\$0	
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)	2	\$0	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	2	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	2	\$0	PA; QL (1.2 per 28 days); NDS
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	\$0	
<i>lithium carbonate oral tablet 300 mg</i>	1	\$0	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	\$0	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	\$0	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	\$0	
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	2	\$0	PA; NDS
MAYZENT ORAL TABLET 0.25 MG	2	\$0	PA; QL (112 per 28 days); NDS
MAYZENT ORAL TABLET 1 MG, 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	2	\$0	PA

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)		2	\$0	PA; NDS
<i>metadate er oral tablet extended release 20 mg</i>	(methylphenidate hcl)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i>	(Metadate CD)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i>	(Metadate CD)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg, 20 mg, 40 mg</i>	(Ritalin LA)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 30 mg</i>	(Ritalin LA)	1	\$0	QL (60 per 30 days)
<i>methylphenidate hcl oral capsule,er biphasic 50-50 60 mg</i>		1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i>	(Methylin)	1	\$0	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>	(Ritalin)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 10 mg</i>		1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 20 mg</i>	(Metadate ER)	1	\$0	QL (90 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i>		1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i>	(Concerta)	1	\$0	QL (30 per 30 days)
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i>	(Concerta)	1	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>	1	\$0	QL (60 per 30 days)
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	2	\$0	PA; QL (20 per 180 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	\$0	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	2	\$0	PA; QL (1 per 28 days); NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	2	\$0	PA; NDS
RADICAVA INTRAVENOUS SOLUTION 30 MG/100 ML	2	\$0	PA; QL (2800 per 28 days); NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	\$0	QL (60 per 30 days)
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	\$0	QL (60 per 30 days)
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	\$0	
TASCENSO ODT ORAL TABLET,DISINTEGRATING 0.25 MG, 0.5 MG	2	\$0	PA; QL (30 per 30 days); NDS
<i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)	1	\$0	PA; QL (30 per 30 days); NDS
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	1	\$0	PA; QL (112 per 28 days); NDS
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	2	\$0	PA; QL (120 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Contraceptives				
Contraceptives				
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>after pill 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>aftera 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>apri oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>		1	\$0	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>aubra eq oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ayuna oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>camila oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>caziant (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>		1	\$0	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>deblitane oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>desog-e.estradiolle.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Azurette (28))	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Apri)	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>	(Jasmiel (28))	1	\$0	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>	(Syeda)	1	\$0	
<i>econtra one-step 1.5 mg tablet outer *</i>	(levonorgestrel)	3	\$0	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
ELLA ORAL TABLET 30 MG		2	\$0	QL (6 per 365 days)
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>errin oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Kelnor 1/35 (28))	1	\$0	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Kelnor 1-50 (28))	1	\$0	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(EluRyng)	1	\$0	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hailey oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(etonogestrel-ethinyl estradiol)	1	\$0	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>her style 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>iclevia oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>isibloom oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>jaimiess oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>jencycla oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>juleber oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>kalliga oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kelnor 1-50 (28) oral tablet 1-50 mg-mcg</i>	(ethynodiol diac-eth estradiol)	1	\$0	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(LoJaimiess)	1	\$0	QL (91 per 84 days)
<i>l norgestle.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(Amethia)	1	\$0	QL (91 per 84 days)
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(norethindrone ac-eth estradiol)	1	\$0	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>levonorgestrel 1.5 mg tablet (otc) *</i>	(After Pill)	3	\$0	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i>	(Afirmelle)	1	\$0	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i>	(Altavera (28))	1	\$0	
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Iclevia)	1	\$0	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Enpresse)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>lojaimiess oral tablets, dose pack, 3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>	(l norgest/e.estradiol -e.estrad)	1	\$0	QL (91 per 84 days)
<i>loryna (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>lyleq oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>lyza oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>mili oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>my choice 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>my way 1.5 mg tablet (otc) *</i>	(levonorgestrel)	3	\$0	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>new day 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>nikki (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Xulane)	1	\$0	QL (3 per 28 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Camila)	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>	(Aurovela 1.5/30 (21))	1	\$0	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>	(Aurovela 1/20 (21))	1	\$0	
<i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>	(Merzee)	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1-20 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Aurovela Fe 1.5/30 (28))	1	\$0	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Tri-Legest Fe)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(Tri-Lo-Estarylla)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Tri-Estarylla)	1	\$0	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i>	(Estarylla)	1	\$0	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>		1	\$0	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>opcicon one-step 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>option 2 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>philith oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 10.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg</i>		1	\$0	
<i>pirmella oral tablet 1-35 mg-mcg</i>	(norethindrone-ethin estradiol)	1	\$0	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(desogestrel-ethinyl estradiol)	1	\$0	
<i>setlakin oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(levonorgestrel-ethinyl estrad)	1	\$0	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 10.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>simpesse oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	(1 norgest/e.estradiol-e.estrad)	1	\$0	QL (91 per 84 days)
SLYND ORAL TABLET 4 MG (28)		2	\$0	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>syeda oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>take action 1.5 mg tablet *</i>	(levonorgestrel)	3	\$0	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(norethindrone-e.estradiol-iron)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(norethindrone-e.estradiol-iron)	1	\$0	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(levonorg-eth estrad triphasic)	1	\$0	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>tulana oral tablet 0.35 mg</i>	(norethindrone (contraceptive))	1	\$0	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(norgestrel-ethinyl estradiol)	1	\$0	
<i>tyblume oral tablet, chewable 0.1 mg- 20 mcg</i>		2	\$0	
VCF CONTRACEPTIVE FILM 28 % *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>velivet triphasic regimen (28) oral tablet 0.11.125/1.15-25 mg-mcg</i>		1	\$0	
<i>vestura (28) oral tablet 3-0.02 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(levonorgestrel-ethinyl estrad)	1	\$0	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(desog-e.estradiol/e.estradiol)	1	\$0	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>		1	\$0	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	(norgestimate-ethinyl estradiol)	1	\$0	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>		1	\$0	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(norelgestromin-ethin.estradiol)	1	\$0	QL (3 per 28 days)
<i>zarah oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(ethynodiol diacetate estradiol)	1	\$0	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	(drospirenone-ethinyl estradiol)	1	\$0	
Cough And Cold Products				
Cough And Cold Products				
<i>adult wal-tussin dm max liq cherry menthol 10-200 mg/5 ml *</i>		3	\$0	
<i>benzonatate 100 mg capsule *</i>		3	\$0	
<i>benzonatate 150 mg capsule *</i>		3	\$0	
<i>benzonatate 200 mg capsule *</i>		3	\$0	
<i>chest cong rlf pe 400-10 mg tb 10-400 mg *</i>	(phenylephrine-guaifenesin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>chest congest rlf 400 mg tab *</i>	(guaifenesin)	3	\$0	
<i>chest congestion relief dm syr 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>chest congst-cough relief tab 20-400 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>cvs chest congest relief dm tb 20-400 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>cvs chest congestion rlf tab 400 mg *</i>	(guaifenesin)	3	\$0	
<i>cvs mucus er 1,200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>cvs tussin 100 mg/5 ml liquid *</i>	(guaifenesin)	3	\$0	
DELSYM 30 MG/5 ML SUSPENSION FOR ADULT *	(dextromethorphan polistirex)	3	\$0	
<i>dextromethorphan er 30 mg/5 ml *</i>	(Delsym 12 hour)	3	\$0	
<i>diabetic tussin 200 mg/10 ml 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>diabetic tussin dm max-str liq 10-200 mg/5 ml *</i>		3	\$0	
<i>diabetic tussin ex liquid dlf,n 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>dimaphen dm elixir grape,gluten-f 1-2.5-5 mg/5 ml *</i>		3	\$0	
<i>expectorant 100 mg/5 ml syrup *</i>	(guaifenesin)	3	\$0	
<i>expectorant 200 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>gs tussin dm max liquid 10-200 mg/5 ml *</i>		3	\$0	
<i>guaifenesin 100 mg/5 ml liquid *</i>	(Expectorant)	3	\$0	
<i>guaifenesin 200 mg tablet (otc) *</i>	(Expectorant)	3	\$0	
MUCINEX DM ER 1,200-60 MG TAB BI-LAYER, MAX-STR 60-1,200 MG *	(dextromethorphan-guaifenesin)	3	\$0	
MUCINEX ER 600 MG TABLET *	(guaifenesin)	3	\$0	
<i>mucinex fast-max chest-congest 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>mucus relief er 600 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>mucus rlf chest congest 200 mg *</i>	(guaifenesin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mucus relief dm er 600-30 mg tab 30-600 mg *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>neo-tuss liquid 30-200 mg/5 ml *</i>		3	\$0	
<i>pseudoephedrine 30 mg tablet *</i>	(Sudogest)	3	\$0	
<i>pseudoephedrine er 120 mg tab *</i>	(Suphedrine 12 Hour)	3	\$0	
<i>ra expectorant cough syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>ra suphedrine 12hr 120 mg cplt caplet, mx-str *</i>	(pseudoephedrine hcl)	3	\$0	
<i>ra tussin chest congestion syr non-drowsy 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>ra tussin cough liquid dlf 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>ra tussin dm max liquid 10-200 mg/5 ml *</i>		3	\$0	
<i>ra tussin dm syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>refenesen 400 mg tablet *</i>	(guaifenesin)	3	\$0	
<i>robafen 200 mg/10 ml syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>robafen cf liquid multi-cld symptm 5-10-100 mg/5 ml *</i>		3	\$0	
<i>robafen dm peak cold oral liquid 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>robitussin cough-chest dm liq 5-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>robitussin cough-cold cf liq 2.5-5-50 mg/5 ml *</i>		3	\$0	
ROBITUSSIN SEVERE COUGH-SORE THROAT LIQUID 325-10 MG/10 ML *		3	\$0	
<i>scot-tussin expectorant liquid 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
<i>sm mucus relief cough liquid childrens 5-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sudogest 30 mg tablet boxed *</i>	(pseudoephedrine hcl)	3	\$0	
<i>suphedrin liquid 15 mg/5 ml *</i>		3	\$0	
THERAFLU MS SEVERE COLD PCKT 10-20-500 MG *		3	\$0	
<i>tussin dm max liquid non-drowsy 10-200 mg/5 ml *</i>		3	\$0	
VANATAB DM CAPLET 5-9-198 MG *		3	\$0	
<i>wal-phed 30 mg tablet non-drowsy *</i>	(pseudoephedrine hcl)	3	\$0	
<i>wal-phed d er 120 mg tablet *</i>	(pseudoephedrine hcl)	3	\$0	
<i>wal-tussin dm clear syrup 10-100 mg/5 ml *</i>	(dextromethorphan-guaifenesin)	3	\$0	
<i>wal-tussin syrup 100 mg/5 ml *</i>	(guaifenesin)	3	\$0	
Dental And Oral Agents				
Dental And Oral Agents				
<i>cevimeline oral capsule 30 mg</i>	(Evoxac)	1	\$0	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i>	(Paroex Oral Rinse)	1	\$0	
<i>denta 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	\$0	
<i>dentagel dental gel 1.1 %</i>	(fluoride (sodium))	1	\$0	
KOURZEQ DENTAL PASTE 0.1 %	(triamcinolone acetonide)	1	\$0	
<i>oralone dental paste 0.1 %</i>	(triamcinolone acetonide)	1	\$0	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	\$0	
<i>periogard mucous membrane mouthwash 0.12 %</i>	(chlorhexidine gluconate)	1	\$0	
PHOS-FLUR ORAL RINSE 6'S,10ML DOSAGE CUP 0.02 % (0.044 % SOD. FLUORIDE) *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>	(Salagen (pilocarpine))	1	\$0	
<i>sf 5000 plus dental cream 1.1 %</i>	(fluoride (sodium))	1	\$0	
<i>sodium fluoride dental solution 0.2 %</i>	(PreviDent)	1	\$0	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>	(Denta 5000 Plus Sensitive)	1	\$0	
<i>triamcinolone acetonide dental paste 0.1 %</i>	(Kourzeq)	1	\$0	
Dermatological Agents				
Dermatological Agents, Other				
A AND D DIAPER RASH CREAM 1-10 % *		3	\$0	
<i>a and d ointment *</i>	(vits a and d-white pet-lanolin)	3	\$0	
<i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	(isotretinoin)	1	\$0	
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>		1	\$0	
<i>acne foaming 10% wash *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acne medication 5% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>acneclear gel 10 % *</i>	(benzoyl peroxide)	3	\$0	
<i>acyclovir topical cream 5 %</i>	(Zovirax)	1	\$0	QL (5 per 4 days)
<i>acyclovir topical ointment 5 %</i>	(Zovirax)	1	\$0	QL (30 per 30 days)
<i>ameriphor moist ointment *</i>		3	\$0	
<i>ammonium lactate 12% cream (otc) *</i>		3	\$0	
<i>ammonium lactate 12% cream fragrance free (otc) *</i>		3	\$0	
<i>ammonium lactate 12% lotion (otc) *</i>	(Skin Treatment)	3	\$0	
<i>ammonium lactate 12% lotion fragrance free (otc) *</i>	(Skin Treatment)	3	\$0	
<i>ammonium lactate topical cream 12 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ammonium lactate topical lotion 12 %</i> (Skin Treatment)	1	\$0	
AQUAPHOR 41% HEALING OINTMENT *	3	\$0	
<i>aquaphor baby diaper rash 40% *</i> (zinc oxide)	3	\$0	
<i>aquaphor healing ointment *</i>	3	\$0	
<i>arthritis pain relief 0.1% crm high potency str *</i> (capsaicin)	3	\$0	
<i>arthritis pain rlf 0.075% crm *</i> (capsaicin)	3	\$0	
<i>astringent solution powder pkt 952-1,347 mg *</i>	3	\$0	
<i>aveeno baby cream 1 % *</i>	3	\$0	
AVEENO ECZEMA THERAPY 1% CREAM *	3	\$0	
<i>balmex adult care 11.3% cream *</i>	3	\$0	
<i>balmex cmplt protect 11.3% crm *</i>	3	\$0	
<i>benzoyl peroxide 10% gel (otc) *</i> (Acne Medication)	3	\$0	
<i>benzoyl peroxide 10% gel max-str, aqueous (otc) *</i> (Acne Medication)	3	\$0	
<i>benzoyl peroxide 10% wash (otc) *</i> (Acne Control Cleanser)	3	\$0	
<i>benzoyl peroxide 5% wash (otc) *</i> (Advanced Exfoliating Cleanser)	3	\$0	
BETADINE 5% SPRAY *	3	\$0	
<i>biofreeze 5% overnight patch inner *</i>	3	\$0	
<i>bp 10% gel *</i> (benzoyl peroxide)	3	\$0	
BP WASH 10% LIQUID * (benzoyl peroxide)	3	\$0	
<i>calcipotriene scalp solution 0.005 %</i>	1	\$0	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i>	1	\$0	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i>	1	\$0	QL (120 per 30 days)
CALDESENE MEDICATED 15-81% PWD *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CALMOSEPTINE OINTMENT 0.44-20.6 % *	(menthol-zinc oxide)	3	\$0	
<i>capsaicin 0.1% cream *</i>	(Arthritis Pain Relief(capsaic))	3	\$0	
<i>capsaicin 0.15% liquid *</i>	(Capzasin)	3	\$0	
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	\$0	
CASTELLANI PAINT 1.5% COLORLESS, MODIFIED *		3	\$0	
<i>cold and hot pain relief topical adhesive patch,medicated 5 % *</i>		3	\$0	
<i>cutter lemon eucalyptus spray 30 % *</i>		3	\$0	
<i>cvs acne control 10 % cleanser *</i>	(benzoyl peroxide)	3	\$0	
<i>cvs acne treatment 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>cvs adv exfoliating 5% cleansr *</i>	(benzoyl peroxide)	3	\$0	
<i>cvs advanced healing 41% oint *</i>		3	\$0	
<i>cvs capsaicin 0.1% cream *</i>	(Arthritis Pain Relief(capsaic))	3	\$0	
<i>cvs diaper cream 1-10 % *</i>		3	\$0	
<i>cvs diaper rash 40% ointment *</i>	(zinc oxide)	3	\$0	
<i>cvs eczema relief 1% cream *</i>		3	\$0	
<i>cvs foaming acne face 10% wash *</i>	(benzoyl peroxide)	3	\$0	
CVS PETROLEUM JELLY *	(Lip Treatment)	3	\$0	
<i>cvs skin treatment body lotion 12 % *</i>	(ammonium lactate)	3	\$0	
<i>cvs wound wash saline spray 0.9 % *</i>		3	\$0	
DAKIN'S 0.125% SOLUTION *		3	\$0	
<i>dakin's 0.25% solution *</i>		3	\$0	
<i>daylogic acne foaming 10% wash *</i>	(benzoyl peroxide)	3	\$0	
<i>daylogic acne treatmnt 10% gel *</i>	(benzoyl peroxide)	3	\$0	
<i>daylogic advanced healing oint 41 % *</i>		3	\$0	
<i>dermaphor ointment *</i>		3	\$0	
DESITIN 40% PASTE *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DESITIN DAILY DEFENSE 13% CRM *	3	\$0	
<i>dhs sal 3% shampoo *</i>	3	\$0	
DHS TAR 0.5% SHAMPOO *	3	\$0	
<i>diaper rash 13% cream *</i>	3	\$0	
<i>diaper rash 40% ointment *</i> (zinc oxide)	3	\$0	
<i>diaper rash 40% paste *</i>	3	\$0	
DOMEBORO POWDER PACKET 952-1,347 MG *	3	\$0	
DROPSAFE ALCOHOL 70% PREP PADS (alcohol swabs)	1	\$0	
<i>dry skin treatment 41 % *</i>	3	\$0	
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	\$0	
<i>eucerin eczema relief 1% cream *</i>	3	\$0	
<i>fluorouracil topical cream 0.5 %</i> (Carac)	2	\$0	NDS
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	\$0	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	\$0	
<i>gnp saline wound wash spray 0.9 % *</i>	3	\$0	
<i>gs diaper rash 40% paste *</i> (zinc oxide)	3	\$0	
<i>gs hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>h-chlor 12 0.125% solution *</i>	3	\$0	
HEB INCONTROL ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
<i>hemorrhoidal ointment 0.25-14-74.9 % *</i>	3	\$0	
<i>hysept 0.25% solution *</i>	3	\$0	
<i>icy hot medicated patch extra strength 5 % *</i>	3	\$0	
<i>imiquimod topical cream in packet 5 %</i>	1	\$0	QL (24 per 30 days)
ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD (Alcohol Pads) TOPICAL PADS, MEDICATED	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KLISYRI TOPICAL OINTMENT IN PACKET 1 %	2	\$0	QL (5 per 5 days)
<i>lintera 10% wash *</i> (benzoyl peroxide)	3	\$0	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>	1	\$0	NDS
NATRAPEL 20% SPRAY *	3	\$0	
NEOSPORIN MOISTURIZING TOPICAL CREAM 1 % *	3	\$0	
<i>neutrogena t-sal 3% shampoo *</i>	3	\$0	
<i>panoxyl 10% acne foaming wash *</i> (benzoyl peroxide)	3	\$0	
PANRETIN TOPICAL GEL 0.1 %	2	\$0	QL (180 per 30 days); NDS
<i>penciclovir topical cream 1 %</i> (Denavir)	1	\$0	
<i>periguard ointment *</i>	3	\$0	
<i>persa-gel 10% 12's, max-strength *</i> (benzoyl peroxide)	3	\$0	
<i>petrolatum base ointment *</i>	3	\$0	
PETROLATUM JELLY WHITE (RX) 100 % *	3	\$0	
PETROLEUM JELLY * (white petrolatum)	3	\$0	
PETROLEUM JELLY LIP TREATMENT * (white petrolatum)	3	\$0	
<i>podofilox topical solution 0.5 %</i>	1	\$0	
<i>povidone-iodine 10% solution *</i>	3	\$0	
<i>povidone-iodine 10% solution *</i> (Antiseptic)	3	\$0	
PRO COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
<i>protective ointment w/ vitamins a&d *</i> (white petrolatum)	3	\$0	
PURE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
<i>ra antiseptic 10% solution *</i> (povidone-iodine)	3	\$0	
<i>ra vitamin a and d ointment *</i> (A and D (lan, pet))	3	\$0	
<i>ra zinc oxide ointment *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
REGRANEX TOPICAL GEL 0.01 %	2	\$0	PA; QL (30 per 30 days); NDS
<i>repel lemon eucalyptus 30% spr *</i>	3	\$0	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	\$0	QL (180 per 30 days)
<i>selsun blue deep clean shampoo 3 % *</i>	3	\$0	
SURE-PREP ALCOHOL PREP PADS (alcohol swabs)	1	\$0	
<i>thera-gel 0.5% shampoo *</i>	3	\$0	
<i>therapeutic t+plus shampoo 3 % *</i>	3	\$0	
<i>t-plus 0.5% therapeutic shmpoo *</i>	3	\$0	
TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)	1	\$0	
TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)	1	\$0	
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	\$0	
VALCHLOR TOPICAL GEL 0.016 %	2	\$0	PA NSO; NDS
VASELINE PETROLEUM JELLY 12'S * (white petrolatum)	3	\$0	
<i>vaseline white petroleum jelly *</i> (white petrolatum)	3	\$0	
VASELINE WHITE PETROLEUM JELLY * (white petrolatum)	3	\$0	
WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)	1	\$0	
WHITE PETROLEUM JELLY * (Lip Treatment)	3	\$0	
WHITE PETROLEUM JELLY 144'S * (white petrolatum)	3	\$0	
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)	1	\$0	
<i>zinc oxide 20% ointment (otc) *</i>	3	\$0	
<i>zostrix hp 0.1% cream *</i> (capsaicin)	3	\$0	
<i>zostrix hp 0.1% foot cream *</i> (capsaicin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Dermatological Antibacterials			
<i>bacitracin 500 unit/gm ointmnt 500 unit/gram *</i> (Bacitraycin Plus)	3	\$0	
<i>bacitracin zn 500 unit/gm oint 500 unit/gram *</i> (Antibiotic (bacitracin zinc))	3	\$0	
<i>bacitraycin plus 500 unit/gm 500 unit/gram *</i> (bacitracin)	3	\$0	
<i>clindamycin phosphate topical foam 1 %</i> (Clindacin)	1	\$0	QL (100 per 30 days)
<i>clindamycin phosphate topical solution 1 %</i>	1	\$0	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	1	\$0	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac)	1	\$0	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>	1	\$0	
<i>ery pads topical swab 2 %</i> (erythromycin with ethanol)	1	\$0	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	\$0	QL (180 per 30 days)
<i>erythromycin with ethanol topical solution 2 %</i>	1	\$0	QL (180 per 30 days)
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	1	\$0	
<i>gentamicin topical cream 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	1	\$0	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	\$0	
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	\$0	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	\$0	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	\$0	QL (220 per 30 days)
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	\$0	
<i>rosadan topical cream 0.75 %</i> (metronidazole)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>selenium sulfide topical lotion 2.5 %</i>		1	\$0	
<i>silver sulfadiazine topical cream 1 %</i>	(SSD)	1	\$0	
<i>ssd topical cream 1 %</i>	(silver sulfadiazine)	2	\$0	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i>	(Klaron)	1	\$0	
<i>triple antibiotic ointment 3.5mg-400 unit- 5,000 unit/gram *</i>	(neomycin-bacitraczn-polymyxnb)	3	\$0	
Dermatological Anti-Inflammatory Agents				
<i>ala-cort topical cream 1 %</i>	(hydrocortisone)	1	\$0	
<i>ala-scalp topical lotion 2 %</i>		1	\$0	
<i>alclometasone topical cream 0.05 %</i>		1	\$0	
<i>alclometasone topical ointment 0.05 %</i>		1	\$0	
<i>aquanil hc 1% lotion *</i>	(hydrocortisone)	3	\$0	
<i>aquaphor itch relief 1% oint *</i>	(hydrocortisone)	3	\$0	
<i>beta hc 1% lotion *</i>	(hydrocortisone)	3	\$0	
<i>betamethasone dipropionate topical cream 0.05 %</i>		1	\$0	
<i>betamethasone dipropionate topical lotion 0.05 %</i>		1	\$0	
<i>betamethasone dipropionate topical ointment 0.05 %</i>		1	\$0	
<i>betamethasone valerate topical cream 0.1 %</i>		1	\$0	
<i>betamethasone valerate topical foam 0.12 %</i>	(Luxiq)	1	\$0	
<i>betamethasone valerate topical lotion 0.1 %</i>		1	\$0	
<i>betamethasone valerate topical ointment 0.1 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>betamethasone, augmented topical cream 0.05 %</i>	1	\$0	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	\$0	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	\$0	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	1	\$0	
<i>clobetasol scalp solution 0.05 %</i>	1	\$0	
<i>clobetasol topical cream 0.05 %</i>	1	\$0	
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	\$0	
<i>clobetasol topical gel 0.05 %</i>	1	\$0	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	\$0	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	1	\$0	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	\$0	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	\$0	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	1	\$0	
<i>cortizone-10 1% ointment *</i> (hydrocortisone)	3	\$0	
<i>cortizone-10 with aloe 1% crm *</i> (hydrocortisone-aloe vera)	3	\$0	
<i>cvs cortisone 1% cream *</i> (hydrocortisone)	3	\$0	
<i>cvs cortisone with aloe 1% crm *</i> (hydrocortisone-aloe vera)	3	\$0	
<i>desonide topical cream 0.05 %</i> (DesOwen)	1	\$0	
<i>desonide topical lotion 0.05 %</i>	1	\$0	
<i>desonide topical ointment 0.05 %</i>	1	\$0	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	\$0	QL (120 per 30 days)
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	1	\$0	QL (120 per 30 days)
<i>diflorasone topical ointment 0.05 %</i>	1	\$0	QL (180 per 30 days)
EUCRISA TOPICAL OINTMENT 2 %	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fluocinolone topical cream 0.01 %</i>	1	\$0	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	\$0	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	\$0	
<i>fluocinonide topical cream 0.05 %</i>	1	\$0	
<i>fluocinonide topical gel 0.05 %</i>	1	\$0	
<i>fluocinonide topical ointment 0.05 %</i>	1	\$0	
<i>fluocinonide topical solution 0.05 %</i>	1	\$0	
<i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)	1	\$0	
<i>fluticasone propionate topical cream 0.05 %</i>	1	\$0	
<i>fluticasone propionate topical ointment 0.005 %</i>	1	\$0	
<i>halobetasol propionate topical cream 0.05 %</i>	1	\$0	
<i>halobetasol propionate topical ointment 0.05 %</i>	1	\$0	
<i>hm hydrocortisone 1% cream (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 0.5% ointment *</i>	3	\$0	
<i>hydrocortisone 1% cream (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 1% cream *</i> (Vanicream HC)	3	\$0	
<i>hydrocortisone 1% cream anti-itch (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 1% cream maximum strength (otc) *</i> (Ala-Cort)	3	\$0	
<i>hydrocortisone 1% lotion (otc) *</i> (Aquanil HC)	3	\$0	
<i>hydrocortisone 1% ointment *</i>	3	\$0	
<i>hydrocortisone 1% ointment maximum strength (otc) *</i> (Anti-Itch (HC))	3	\$0	
<i>hydrocortisone 2.5% cream</i>	1	\$0	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical lotion 0.1 %</i> (Locoid)	1	\$0	QL (236 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>hydrocortisone butyrate topical solution 0.1 %</i>	1	\$0	QL (120 per 30 days)
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	\$0	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Proctosol HC)	1	\$0	
<i>hydrocortisone topical lotion 2.5 %</i>	1	\$0	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	\$0	
<i>hydrocortisone topical ointment 2.5 %</i>	1	\$0	
<i>hydrocortisone valerate topical cream 0.2 %</i>	1	\$0	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	1	\$0	
<i>hydrocortisone-aloe 1% cream *</i> (Anti-Itch(hydrocortisone)-Aloe)	3	\$0	
<i>hydrocortisone-min oil-wht pet topical ointment 1 %</i>	1	\$0	
<i>mometasone topical cream 0.1 %</i>	1	\$0	
<i>mometasone topical ointment 0.1 %</i>	1	\$0	
<i>mometasone topical solution 0.1 %</i>	1	\$0	
<i>monistat care 1% cream *</i> (hydrocortisone)	3	\$0	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	1	\$0	QL (100 per 30 days)
<i>prednicarbate topical ointment 0.1 %</i>	1	\$0	
<i>preparation h hc 1% cream *</i> (hydrocortisone)	3	\$0	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	\$0	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)	1	\$0	
<i>pub hydrocream 1% *</i> (hydrocortisone)	3	\$0	
<i>qc anti-itch with aloe 1% crm *</i> (hydrocortisone-aloe vera)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra anti-itch 1% cream maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>ra anti-itch 1% ointment maximum strength *</i>	(hydrocortisone)	3	\$0	
<i>sm hydrocortisone 1% ointment maximum strength (otc) *</i>	(Anti-Itch (HC))	3	\$0	
<i>sm hydrocortisone plus 1% crm *</i>	(hydrocortisone-aloe vera)	3	\$0	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>		1	\$0	QL (100 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>		1	\$0	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	(Triderm)	1	\$0	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		1	\$0	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>		1	\$0	
<i>triamcinolone acetonide topical ointment 0.05 %</i>	(Trianex)	1	\$0	
<i>vanicream hc 1% cream *</i>	(hydrocortisone acetate)	3	\$0	
Dermatological Retinoids				
<i>adapalene topical cream 0.1 %</i>	(Differin)	1	\$0	
<i>adapalene topical gel 0.1 %</i>	(Differin)	1	\$0	
ALTRENO TOPICAL LOTION 0.05 %		2	\$0	PA
<i>tazarotene topical cream 0.1 %</i>	(Tazorac)	1	\$0	
TAZORAC TOPICAL CREAM 0.05 %		2	\$0	
<i>tretinoin topical cream 0.025 %</i>	(Avita)	1	\$0	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i>	(Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.01 %</i>	(Retin-A)	1	\$0	PA
<i>tretinoin topical gel 0.025 %</i>	(Avita)	1	\$0	PA
<i>tretinoin topical gel 0.05 %</i>	(Atralin)	1	\$0	PA

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Scabicides And Pediculicides			
<i>complete lice treatment kit shamp,gel,comb,spray 4-0.33-0.5 % *</i>	3	\$0	
<i>lice treatment 1% creme rinse 1 nit removal comb *</i> (permethrin)	3	\$0	
<i>lice treatment shampoo 1 nit comb included 0.33-4 % *</i>	3	\$0	
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	\$0	
<i>permethrin topical cream 5 %</i> (Elimite)	1	\$0	QL (60 per 30 days)
Devices			
Devices			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE- USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0
ABOUTTIME PEN NEEDLE 30G X 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0
ABOUTTIME PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0
ABOUTTIME PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0
ABOUTTIME PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 0.3 ML 29GX1/2 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 0.5 ML 29GX1/2 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ADVOCATE PEN NDL 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		1	\$0	
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		1	\$0	
ASSURE ID PEN NEEDLE 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		1	\$0	
ASSURE ID PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	\$0	
ASSURE ID SYR 0.5 ML 29GX1/2" (RX) 0.5 ML 29 GAUGE X 1/2"		1	\$0	
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"		1	\$0	
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"		1	\$0	
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"		1	\$0	
BD ECLIPSE 30GX1/2" SYRINGE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
BD ECLIPSE NEEDLE 30GX1/2" (OTC) 30 X 1/2 "		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	
BD INS SYRINGE 1/2 ML 6MMX31G (ONLY FOR 500 UNIT/ML INSULIN) 1/2 ML 31 GAUGE X 15/64"	1	\$0	
BD INS SYRN UF 1 ML 12.7MMX30G NOT FOR RETAIL SALE 1 ML 30 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)
BD INSULIN SYR 1 ML 25GX1" 1 ML 25 X 1"	1	\$0	
BD INSULIN SYR 1 ML 25GX5/8" 1 ML 25 GAUGE X 5/8"	1	\$0	(insulin syringe- needle u-100)
BD INSULIN SYR 1 ML 26GX1/2" 1 ML 26 X 1/2"	1	\$0	
BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8"	1	\$0	
BD INSULIN SYR 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	1	\$0	(Comfort EZ Insulin Syringe)
BD INSULIN SYRINGE 1 ML W/O NEEDLE	1	\$0	(insulin syringe needleless)
BD LUER-LOK SYRINGE 1 ML	1	\$0	(Easy Touch Luer Lock Insulin)
BD NANO 2 GEN PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	(pen needle, diabetic)
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	1	\$0	
BD SAFETGLD INS 0.5 ML 13MMX29G 0.5 ML 29 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	1	\$0	
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	1	\$0	
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	1	\$0	
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	\$0	
BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8"	1	\$0	
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	1	\$0	
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	1	\$0	
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	1	\$0	
BD UF MICRO PEN NEEDLE (pen needle, 6MMX32G 32 GAUGE X 1/4" diabetic)	1	\$0	
BD UF MINI PEN NEEDLE (pen needle, 5MMX31G 31 GAUGE X 3/16" diabetic)	1	\$0	
BD UF NANO PEN NEEDLE (pen needle, 4MMX32G 32 GAUGE X 5/32" diabetic)	1	\$0	
BD UF ORIG PEN NDL (pen needle, 12.7MMX29G 29 GAUGE X 1/2" diabetic)	1	\$0	
BD UF SHORT PEN NEEDLE (pen needle, 8MMX31G 31 GAUGE X 5/16" diabetic)	1	\$0	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BD VEO INS SYRN 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
BORDERED GAUZE 2"X2" 2 X 2 "	(gauze bandage)	1	\$0	
CAREFINE PEN NEEDLE 12.7MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLE 8MM 30G 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CAREONE SYR 0.3 ML 31GX5/16" SHORT, HRI 0.3 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		1	\$0	
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		1	\$0	
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
CLICKFINE 31G X 5/16" NEEDLES 8MM, UNIVERSAL 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
CLICKFINE PEN NEEDLE 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
CLICKFINE UNIVERSAL 31G X 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFEEL PLUS CLEAR DRESSING 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
COMFORT EZ INS 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		1	\$0	
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	1	\$0	
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
COMFORT EZ SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"		1	\$0	
COMFORT TOUCH PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
COMFORT TOUCH PEN NDL 33GX5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
CURAD GAUZE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	\$0	
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "		1	\$0	
CURITY GUAZE PADS 1'S(12 PLY) 2 X 2 "	(gauze bandage)	1	\$0	
CUTINOVA HYDRO 6"X8" DRESSING 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
DERMACEA 2"X2" GAUZE 12 PLY, USP TYPE VII 2 X 2 "	(gauze bandage)	1	\$0	
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	\$0	
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	1	\$0	
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	1	\$0	
DROPLET INS 0.3 ML 29GX12.5MM 0.3 ML 29 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS 0.3 ML 30GX12.5MM 0.3 ML 30 GAUGE X 1/2"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	1	\$0	
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	1	\$0	
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	1	\$0	
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	1	\$0	
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	1	\$0	
DROPLET INS SYR 0.3 ML 30GX8MM 0.3 ML 30 GAUGE X 5/16"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	1	\$0	(insulin syringe- needle u-100)
DROPLET INS SYR 0.3 ML 31GX8MM 0.3 ML 31 GAUGE X 5/16"	1	\$0	(insulin syringe- needle u-100)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET INS SYR 1 ML 29GX12.5MM 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 30GX12.5MM 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 30GX6MM 1 ML 30 GAUGE X 15/64"		1	\$0	
DROPLET INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
DROPLET INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		1	\$0	
DROPLET PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		1	\$0	
DROPLET PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DROPLET PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
DROPLET PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		1	\$0	
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		1	\$0	
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"		1	\$0	
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	\$0	
DROPSAFE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
DROPSAFE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
DUODERM CGF 2.5"X2.5" DRESSING 2 1/2 X 2 1/2 " *		3	\$0	
DUODERM CGF 6"X8" DRESSING REF#187643 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"		1	\$0	
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"		1	\$0	
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	1	\$0	
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"	1	\$0	
EASY TOUCH 1 ML SYR 27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe- needle u-100)	1	\$0	
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"	1	\$0	
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"	1	\$0	
EASY TOUCH FLIPLK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"	1	\$0	
EASY TOUCH INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 1 ML 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		1	\$0	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	\$0	
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		1	\$0	
EASY TOUCH LUER LOK INSUL 1 ML	(insulin syringe needleless)	1	\$0	
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"		1	\$0	
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"		1	\$0	
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"		1	\$0	
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"		1	\$0	
EASY TOUCH SYR 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH SYR 1 ML 29G 12.7MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
EASY TOUCH UNI-SLIP SYR 1 ML	(insulin syringe needleless)	1	\$0	
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		1	\$0	
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
EQL INSULIN 0.3 ML SYRINGE SHORT NEEDLE 0.3 ML 30	(Ultra Comfort Insulin Syringe)	1	\$0	
EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE 1/2 ML 30 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	
EQL INSULIN 1 ML SYRINGE SHORT NEEDLE 1 ML 30 GAUGE X 7/16"	(Ultra Comfort Insulin Syringe)	1	\$0	
EXEL INSULIN SYRINGE 27G-1 ML 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
FIFTY50 INS 0.5 ML 31GX5/16" SHORT NEEDLE 0.5 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
FIFTY50 INS SYR 1 ML 31GX5/16" SHORT NEEDLE (OTC) 1 ML 31 GAUGE X 5/16"	(Advocate Syringes)	1	\$0	
FIFTY50 PEN 31G X 3/16" NEEDLE (OTC) 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
FP INSULIN 1 ML SYRINGE 1 ML 28 GAUGE	(Ultra Comfort Insulin Syringe)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
FREESTYLE PREC 0.5 ML 30GX5/16 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
FREESTYLE PREC 0.5 ML 31GX5/16 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
FREESTYLE PREC 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
FREESTYLE PREC 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
GAUZE PADS & DRESSINGS - PADS 2 X 2 TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	\$0	
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		1	\$0	
GNP ULTRA COMFORT 0.5 ML SYR 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe- needle u-100)	1	\$0	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe- needle u-100)	1	\$0	
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE		1	\$0	
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		1	\$0	
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
INCONTROL PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	2	\$0	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	2	\$0	
INSULIN SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	\$0	
INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (UltiCare Insuln Syr(half unit))	1	\$0	
INSULIN SYRIN 0.3 ML 30GX1/2" SHORT NEEDLE 0.3 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 30GX1/2" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	1	\$0	
INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	1	\$0	
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe- needle u-100)	1	\$0	
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE		1	\$0	
INSULIN SYRINGE 1 ML 30GX1/2" (RX) 1 ML 30 GAUGE X 1/2"	(BD Eclipse Luer-Lok)	1	\$0	
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16	(Advocate Syringes)	1	\$0	
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(Sure Comfort Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	(Ultilet Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	(Monoject Syringe)	1	\$0	
INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN 32G 6MM PEN NEEDLE 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
INSUPEN PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
INSUPEN PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
LISCO SPONGES 100/BAG 2 X 2 "		1	\$0	
LITE TOUCH 31GX1/4" PEN NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
LITE TOUCH INSULIN 0.5 ML SYR 1/2 ML 28 GAUGE, 1/2 ML 29 , 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH INSULIN 1 ML SYR 1 ML 29 GAUGE		1	\$0	
LITE TOUCH INSULIN SYR 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
LITE TOUCH PEN NEEDLE 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
LITE TOUCH PEN NEEDLE 31G 31 GAUGE X 3/16", 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
LITETOUCH INS 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		1	\$0	
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		1	\$0	
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		1	\$0	
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		1	\$0	
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		1	\$0	
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		1	\$0	
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		1	\$0	
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"		1	\$0	
MINI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(1st Tier Unifine Pentips)	1	\$0	
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	1	\$0	
MINI PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(BD Ultra-Fine Micro Pen Needle)	1	\$0	
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	1	\$0	
MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(Advocate Pen Needle)	1	\$0	
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	1	\$0	
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe- needle u-100)	1	\$0	
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	1	\$0	
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT INSULIN SYR U-100 29 GAUGE X 1/2"		1	\$0	
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
NOVOFINE 30 NEEDLE		1	\$0	
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"		1	\$0	
NOVOTWIST NEEDLE 32G 5MM 32 GAUGE X 1/5"		1	\$0	
OMNIPOD 5 G6 INTRO KIT (GEN 5) SUBCUTANEOUS CARTRIDGE		2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE		2	\$0	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE		2	\$0	QL (10 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	2	\$0	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 10 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 15 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 20 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 25 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 30 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS 40 UNITS/DAY SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
OMNIPOD GO PODS SUBCUTANEOUS CARTRIDGE	2	\$0	QL (10 per 30 days)
PC UNIFINE PENTIPS 8MM NEEDLE SHORT 31 GAUGE X 5/16" (pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PEN NEEDLE 30G 5MM OUTER 30 GAUGE X 3/16"	(Embrace Pen Needle)	1	\$0	
PEN NEEDLE 30G 8MM INNER 30 GAUGE X 5/16"	(CareFine Pen Needle)	1	\$0	
PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	(1st Tier Unifine Pentips Plus)	1	\$0	
PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
PEN NEEDLES 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PEN NEEDLES 6MM 31G 31GX6MM, STRL 31 GAUGE X 1/4"	(1st Tier Unifine Pentips)	1	\$0	
PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PENTIPS PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"		1	\$0	
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"		1	\$0	
PRO COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRO COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	1	\$0	
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"		1	\$0	
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"		1	\$0	
RAYA SURE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort Touch Pen Needle)	1	\$0	
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"		1	\$0	
RAYA SURE PEN NEEDLE 31G 6MM 31 GAUGE X 15/64"		1	\$0	
RELION INS SYR 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELION INS SYR 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	
RELION INS SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	(BD Veo Insulin Syringe UF)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RELI-ON INSULIN 0.5 ML SYR 1/2 ML 29	(Ultilet Insulin Syringe)	1	\$0	
RELI-ON INSULIN 1 ML SYR 1 ML 29 GAUGE X 7/16"		1	\$0	
RELION MINI PEN 31G X 1/4" NDL 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
RELION NEEDLES NEEDLE 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
RELION PEN NEEDLES NEEDLE 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
REPLICARE THIN 6"X8" DRESSING (RX) 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
RESTORE EX THIN 6"X8" DRESSING HYDROCOLLOID,STERILE 6 X 8 " *	(hydrocolloid dressing)	3	\$0	
RESTORE HYDROCOLLOID 6"X8" FOAM BACKING 6 X 8 " *	(Comfeel Plus Clear Dressing)	3	\$0	
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"		1	\$0	
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"		1	\$0	
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"		1	\$0	
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"		1	\$0	
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"		1	\$0	
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32"	(Comfort EZ PRO Safety Pen Ndl)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)	1	\$0	
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	1	\$0	
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	1	\$0	
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	1	\$0	
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	1	\$0	
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	1	\$0	
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	1	\$0	
SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"	1	\$0	
STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)	1	\$0	
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	\$0	
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	1	\$0	
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use	
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		1	\$0	
TECHLITE 0.3 ML 30GX12MM (1/2) 0.3 ML 30 GAUGE X 1/2"		1	\$0	
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		1	\$0	
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		1	\$0	
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		1	\$0	
TECHLITE 0.5 ML 29GX12MM (1/2) 0.5 ML 29 GAUGE X 1/2"		1	\$0	
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		1	\$0	
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		1	\$0	
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		1	\$0	
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 30GX8MM 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe- needle u-100)	1	\$0	
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		1	\$0	
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TERUMO INS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(Comfort EZ Insulin Syringe)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use	
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	1	\$0	
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"		1	\$0	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"		1	\$0	
THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	(insulin syringe-needle u-100)	1	\$0	
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"		1	\$0	
TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	1	\$0	
TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	1	\$0	
TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	1	\$0	
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	1	\$0	
TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	1	\$0	
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	1	\$0	
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	1	\$0	
TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	1	\$0	
TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	1	\$0	
TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	1	\$0	
TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16"	1	\$0	
TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4"	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"		1	\$0	
TRUE COMFORT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
TRUEPLUS PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"		1	\$0	
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"		1	\$0	
ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	
ULTICARE SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe- needle u-100)	1	\$0	
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	1	\$0	
ULTIGUARD SAFE PACK 29G 12.7MM 29 GAUGE X 1/2"	1	\$0	
ULTIGUARD SAFE PACK 32G 4MM 32 GAUGE X 5/32"	1	\$0	
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	1	\$0	
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	1	\$0	
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	1	\$0	
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	1	\$0	
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	1	\$0	
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	1	\$0	
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	1	\$0	
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	1	\$0	
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" (insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTILET PEN NEEDLE 29 GAUGE		1	\$0	
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe- needle u-100)	1	\$0	
ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe- needle u-100)	1	\$0	
ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"		1	\$0	
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"		1	\$0	
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTRA FLO SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA FLO SYR 0.3 ML 30G 5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA FLO SYR 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRA FLO SYR 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRA THIN PEN NDL 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRACARE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe- needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	1	\$0	
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
ULTRA-THIN II PEN NDL 31GX5/16 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 12MM 29G 29GX12MM, STRL 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 32GX5/32" 32GX4MM, STRL, NANO 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS MAX 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS NEEDLES 29G 29 GAUGE		1	\$0	
UNIFINE PENTIPS PLUS 29GX1/2" 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 30GX3/16" 30 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
UNIFINE PENTIPS PLUS 31GX3/16" MINI 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 31GX5/16" SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PENTIPS PLUS 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"		1	\$0	
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"		1	\$0	
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"		1	\$0	
UNIFINE SAFECONTROL 30GX3/16" 30 GAUGE X 3/16"		1	\$0	
UNIFINE SAFECONTROL 30GX5/16" 30 GAUGE X 5/16"		1	\$0	
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"		1	\$0	
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2"	(insulin syringe- needle u-100)	1	\$0	
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	1	\$0	
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"		1	\$0	
VERIFINE SYRING 0.5 ML 29G 1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRING 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	
VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	\$0	
V-GO 20 DEVICE	2	\$0	QL (30 per 30 days)
V-GO 30 DEVICE	2	\$0	QL (30 per 30 days)
V-GO 40 DEVICE	2	\$0	QL (30 per 30 days)
Enzyme Replacement/Modifiers			
Enzyme Replacement/Modifiers			
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	2	\$0	NDS
CERDELGA ORAL CAPSULE 84 MG	2	\$0	PA; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	2	\$0	NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 -60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	\$0	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	2	\$0	NDS
ELFABRIO INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	2	\$0	NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	2	\$0	PA; NDS
GALAFOLD ORAL CAPSULE 123 MG	2	\$0	PA; QL (14 per 28 days); NDS
<i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)	1	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
KANUMA INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
KRYSTEXXA INTRAVENOUS SOLUTION 8 MG/ML	2	\$0	PA BvD; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	2	\$0	PA; NDS
<i>miglustat oral capsule 100 mg</i> (Yargesa)	1	\$0	PA; QL (90 per 30 days); NDS
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	2	\$0	NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)	1	\$0	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	2	\$0	PA; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML	2	\$0	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	2	\$0	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	2	\$0	PA; NDS
<i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)	1	\$0	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	2	\$0	PA; LA; NDS
VIMIZIM INTRAVENOUS SOLUTION 5 MG/5 ML (1 MG/ML)	2	\$0	PA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	2	\$0	NDS
<i>yargesa oral capsule 100 mg</i> (miglustat)	1	\$0	PA; QL (90 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 -42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT	2	\$0	
Eye, Ear, Nose, Throat Agents			
Eye, Ear, Nose, Throat Agents, Miscellaneous			
<i>alaway 0.025% eye drops 0.025 % (0.035 %) *</i>	(ketotifen fumarate)	3	\$0
<i>alcaine ophthalmic (eye) drops 0.5 %</i>	(proparacaine)	1	\$0
<i>altamist 0.65% nose spray *</i>	(sodium chloride)	3	\$0
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>		1	\$0
<i>artificial eye lub 15-83% oint 83-15 % *</i>		3	\$0
<i>artificial tears drops 0.5-0.6 % *</i>		3	\$0
<i>artificial tears drops 1-0.2-0.2 % *</i>		3	\$0
<i>artificial tears drops sterile, plf 0.1-0.3 % *</i>		3	\$0
<i>atropine ophthalmic (eye) drops 1 %</i>	(Isopto Atropine)	1	\$0
<i>ayr saline 0.65% nose spray *</i>	(sodium chloride)	3	\$0
AYR SALINE NASAL RINSE KIT 50 PKTS & 1 APP BTL *		3	\$0
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>		1	\$0
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i>	(Astepro Allergy)	1	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	\$0	
<i>baby ayr saline 0.65% drops *</i>	3	\$0	
<i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)	1	\$0	ST
<i>clear eyes natural tears drop 0.5-0.6 % *</i>	3	\$0	
<i>clear eyes once daily 0.2% drp *</i> (olopatadine)	3	\$0	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	\$0	
<i>cvs allergy nasal mist 0.05% *</i>	3	\$0	
<i>cvs artificial tears drops 1-0.3 % *</i>	3	\$0	
<i>cvs eye itch relief 0.025% drp 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
<i>cvs lubricant 0.5% eye drop sterile *</i> (carboxymethylcellulose sodium)	3	\$0	
<i>cvs nasal wash squeeze bottle *</i>	3	\$0	
<i>cvs natural tears drop 0.1-0.3 % *</i>	3	\$0	
<i>cvs olopatadine 0.2% eye drop (otc) *</i> (Eye Allergy Itch Relief)	3	\$0	
<i>cvs overnight lubricating eye 94-3 % *</i>	3	\$0	
<i>cvs saline 0.65% nasal spray *</i> (sodium chloride)	3	\$0	
<i>cvs saline 3% nasal mist *</i>	3	\$0	
<i>cvs sodium chloride 5% eye ont *</i> (Muro 128)	3	\$0	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	\$0	
CYSTADROPS OPHTHALMIC (EYE) DROPS 0.37 %	2	\$0	PA; QL (20 per 28 days); NDS
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	2	\$0	PA; QL (60 per 28 days); NDS
<i>deep sea 0.65% nose spray *</i> (sodium chloride)	3	\$0	
<i>dristan 0.05% nasal spray *</i> (oxymetazoline)	3	\$0	
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	\$0	
<i>eq nasal 0.65% spray *</i> (sodium chloride)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>eye allergy itch rlf 0.2% drop *</i>	(olopatadine)	3	\$0	
<i>eye allergy itch-red 0.1% drop *</i>	(olopatadine)	3	\$0	
<i>for sty relief eye ointment *</i>		3	\$0	
<i>freshkote eye drop 2.7-2 % *</i>		3	\$0	
GENTEAL TEARS 0.1%-0.2%-0.3% 0.1-0.3-0.2 % *	(artificial tear(dxtrn-hpm-gly))	3	\$0	
GENTEAL TEARS 0.1%-0.3% DROP 0.1-0.3 % *		3	\$0	
GENTEAL TEARS SEVERE 0.3% GEL *		3	\$0	
<i>gonak 2.5% solution *</i>	(hypromellose)	3	\$0	
<i>goniotaire 2.5% eye drop *</i>	(hypromellose)	3	\$0	
<i>gs nasal moist 0.65% spray *</i>	(sodium chloride)	3	\$0	
<i>gs nasal spray 0.05% *</i>	(oxymetazoline)	3	\$0	
<i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>		1	\$0	QL (30 per 28 days)
<i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>		1	\$0	QL (15 per 10 days)
<i>isopto tears 0.5% eye drops *</i>		3	\$0	
<i>levofloxacin ophthalmic (eye) drops 1.5 %</i>		1	\$0	
<i>little remedies saline spray 0.65 % *</i>	(sodium chloride)	3	\$0	
<i>lubricant 0.5% eye drop *</i>	(carboxymethylcellulose sodium)	3	\$0	
<i>lubricant 0.5-0.9% eye drops *</i>		3	\$0	
<i>lubricant eye 0.4%-0.3% drop 0.4-0.3 % *</i>		3	\$0	
<i>lubrifresh pm eye ointment 83-15 % *</i>		3	\$0	
<i>muro-128 2% eye drops *</i>		3	\$0	
<i>muro-128 5% eye drops *</i>	(sodium chloride)	3	\$0	
<i>muro-128 5% eye ointment *</i>	(sodium chloride)	3	\$0	
<i>neilmed sinus rinse kit *</i>		3	\$0	
<i>neilmed sinus rinse kit refill *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ocean 0.65% nasal spray *</i>	(sodium chloride)	3	\$0	
OCUSOFT LID SCRUB PADS *		3	\$0	
OCUSOFT LID SCRUB PLUS PADS *		3	\$0	
<i>olopatadine hcl 0.1% eye drops (otc) *</i>	(Eye Allergy Itch-Redness Rlf)	3	\$0	
<i>olopatadine hcl 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>olopatadine nasal spray, non-aerosol 0.6 %</i>	(Patanase)	1	\$0	QL (30.5 per 30 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i>	(Eye Allergy Itch-Redness Rlf)	1	\$0	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i>	(Eye Allergy Itch Relief)	1	\$0	
<i>polyvinyl alcohol 1.4% eyedrop *</i>	(Artificial Tears (polyvin alc))	3	\$0	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	(Alcaine)	1	\$0	
<i>qc olopatadine 0.2% eye drop (otc) *</i>	(Eye Allergy Itch Relief)	3	\$0	
<i>ra 12hr nasal spray 0.05% for sinus *</i>	(oxymetazoline)	3	\$0	
<i>ra artificial tears drops dry eye formula 1-0.3 % *</i>		3	\$0	
<i>ra nasal rlf sinus wash refill *</i>		3	\$0	
<i>ra saline 0.65% nose spray *</i>	(sodium chloride)	3	\$0	
REFRESH CLASSIC EYE DROPS U-D,P/F,30X.4ML 1.4-0.6 % *		3	\$0	
REFRESH LACRI-LUBE OINTMENT 56.8-42.5 % *		3	\$0	
REFRESH LIQUIGEL 1% EYE DROP *	(carboxymethylcel lulose sodium)	3	\$0	
REFRESH P.M. OINTMENT 57.3-42.5 % *		3	\$0	
REFRESH TEARS 0.5% EYE DROP *	(carboxymethylcel lulose sodium)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sinus relief nasal spray 0.05% *</i> (oxymetazoline)	3	\$0	
<i>sinus rinse premixed packet plf *</i>	3	\$0	
<i>sinus rinse starter kit *</i>	3	\$0	
<i>sm nasal spray sinus 0.05 % *</i> (oxymetazoline)	3	\$0	
<i>sm olopatadine 0.2% eye drop (otc) *</i> (Eye Allergy Itch Relief)	3	\$0	
<i>sodium chloride 5% eye drop *</i> (Muro 128)	3	\$0	
SYSTANE 0.3% EYE GEL *	3	\$0	
SYSTANE 0.4-0.3% EYE DROP *	3	\$0	
SYSTANE BALANCE 0.6% EYE DROP CLINICAL STRENGTH *	3	\$0	
SYSTANE GEL EYE DROPS 0.4-0.3 % *	3	\$0	
SYSTANE NIGHTTIME EYE OINTMENT 94-3 % *	3	\$0	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	2	\$0	PA; NDS
THERA TEARS 0.25% EYE DROPS *	3	\$0	
<i>vicks sinex 12 hour mist 0.05 % *</i>	3	\$0	
<i>wal-zyr 0.025% eye drops 0.025 % (0.035 %) *</i> (ketotifen fumarate)	3	\$0	
Eye, Ear, Nose, Throat Anti-Infectives Agents			
<i>acetic acid otic (ear) solution 2 %</i>	1	\$0	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	\$0	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	1	\$0	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>	1	\$0	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>	1	\$0	QL (7.5 per 7 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>debrox 6.5% ear drops *</i>	(carbamide peroxide)	3	\$0	
<i>ear drops 6.5% *</i>	(carbamide peroxide)	3	\$0	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>		1	\$0	QL (3.5 per 4 days)
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>		1	\$0	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>		1	\$0	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>		1	\$0	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>		1	\$0	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>		1	\$0	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i>	(Vigamox)	1	\$0	
<i>murine 6.5% ear drops *</i>	(carbamide peroxide)	3	\$0	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %		2	\$0	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neo-Polycin HC)	1	\$0	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neo-Polycin)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i>	(Maxitrol)	1	\$0	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>	(Maxitrol)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	\$0	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	\$0	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	\$0	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	\$0	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(neomycin-bacitracin-poly-hc)	1	\$0
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(neomycin-bacitracin-polymyxin)	1	\$0
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox)	1	\$0
<i>ofloxacin otic (ear) drops 0.3 %</i>		1	\$0
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(bacitracin-polymyxin b)	1	\$0
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>		1	\$0
REFRESH OPTIVE MEGA-3 DROPS 0.5-1-0.5 % *		3	\$0
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>		1	\$0
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>		1	\$0
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>		1	\$0
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>		1	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	1	\$0	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	\$0	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	2	\$0	
ZYLET OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.5 %	2	\$0	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents			
<i>24 hour allergy 50 mcg spray 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	
<i>aller-cort 55 mcg nasal spray inner *</i> (triamcinolone acetonide)	3	\$0	
<i>aller-flo 50 mcg spray inner 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	
<i>allergy relief 50 mcg spray 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	
<i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)	2	\$0	
<i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)	2	\$0	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	\$0	
<i>clarispray 50 mcg nasal spray 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	\$0	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	\$0	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	1	\$0	
<i>eql fluticasone prop 50 mcg sp (otc) 50 mcglactuation *</i> (24 Hour Allergy Relief)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	2	\$0	QL (8.3 per 14 days)
FLONASE ALLERGY RLF 50 MCG SPR 50 MCG/ACTUATION * (fluticasone propionate)	3	\$0	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	\$0	QL (50 per 25 days)
<i>fluocinolone acetone oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	1	\$0	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	2	\$0	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	\$0	
<i>fluticasone prop 50 mcg spray (otc) 50 mcglactuation *</i> (24 Hour Allergy Relief)	3	\$0	
<i>fluticasone propionate nasal spray,suspension 50 mcglactuation</i> (24 Hour Allergy Relief)	1	\$0	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	2	\$0	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	\$0	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	\$0	QL (10 per 25 days)
<i>kro 24hr allergy rlf 50 mcg spr 50 mcglactuation *</i> (fluticasone propionate)	3	\$0	
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	2	\$0	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	2	\$0	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	1	\$0	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	\$0	ST; QL (10 per 25 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	1	\$0	QL (15 per 19 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mometasone nasal spray, non-aerosol 50 mcg/actuation</i>	(Nasonex 24hr Allergy)	1	\$0	QL (34 per 30 days)
<i>prednisolone acetate ophthalmic (eye) drops, suspension 1 %</i>	(Pred Forte)	2	\$0	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>		1	\$0	
RESTASIS MULTIDOSE OPTHALMIC (EYE) DROPS 0.05 %		2	\$0	QL (5.5 per 28 days)
RESTASIS OPTHALMIC (EYE) DROPPERETTE 0.05 %	(cyclosporine)	1	\$0	QL (60 per 30 days)
<i>triamcinolone 55 mcg nasal spr (otc) *</i>	(Aller-Cort)	3	\$0	
XHANCE NASAL AEROSOL BREATH ACTIVATED 93 MCG/ACTUATION		2	\$0	ST; QL (32 per 30 days)
XIIDRA OPTHALMIC (EYE) DROPPERETTE 5 %		2	\$0	QL (60 per 30 days)
Gastrointestinal Agents				
Antiflatulents				
<i>cvs gas relf (simeth) 80 mg chw *</i>	(simethicone)	3	\$0	
<i>gas relief (simethicone) oral drops, suspension 40 mg/0.6 ml *</i>	(simethicone)	3	\$0	
<i>gas relief 125 mg softgel *</i>	(simethicone)	3	\$0	
<i>gas-x extra strength softgel softgel, ex-strength 125 mg *</i>	(simethicone)	3	\$0	
<i>gnp gas rlf (simeth) 80 mg chew *</i>	(simethicone)	3	\$0	
<i>infants' simethicone drops 40 mg/0.6 ml *</i>	(simethicone)	3	\$0	
<i>little remedies gas relief drp 40 mg/0.6 ml *</i>	(simethicone)	3	\$0	
PHAZYME 250 MG SOFTGEL MAX-STRENGTH, SOFTGEL *		3	\$0	
<i>simethicone 125 mg tab chew *</i>	(Gas Relief (simethicone))	3	\$0	
<i>simethicone 180 mg softgel *</i>	(Anti-Gas Ultra Strength)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Antiulcer Agents And Acid Suppressants			
<i>acid controller 20 mg tablet outer *</i> (famotidine)	3	\$0	
<i>acid reducer dr 20 mg cap *</i> (omeprazole magnesium)	3	\$0	
<i>acid-pep 20 mg tablet *</i> (famotidine)	3	\$0	
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	1	\$0	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	\$0	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	\$0	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	1	\$0	
<i>cvs acid controller 20 mg tab *</i> (famotidine)	3	\$0	
<i>cvs lansoprazole dr 15 mg cap (otc) *</i> (Acid Reducer (lansoprazole))	3	\$0	
<i>eq famotidine 20 mg tablet (otc) *</i> (Acid Controller)	3	\$0	
<i>eq lansoprazole dr 15 mg cap outer (otc) *</i> (Acid Reducer (lansoprazole))	3	\$0	
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 20 mg</i> (Nexium)	1	\$0	QL (30 per 30 days)
<i>esomeprazole magnesium oral capsule, delayed release (drlec) 40 mg</i> (Nexium)	1	\$0	QL (60 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)	1	\$0	ST; QL (30 per 30 days)
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)	1	\$0	ST; QL (60 per 30 days)
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	\$0	
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
famotidine (pf) intravenous solution 20 mg/2 ml	1	\$0	
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml	1	\$0	
famotidine 20 mg tablet (otc) * (Acid Controller)	3	\$0	
famotidine intravenous solution 10 mg/ml	1	\$0	
famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)	1	\$0	
famotidine oral tablet 20 mg (Acid Controller)	1	\$0	
famotidine oral tablet 40 mg (Pepcid)	1	\$0	
gnp omeprazole mag dr 20 mg cp * (Acid Reducer (omeprazole))	3	\$0	
gs acid reducer 20 mg tablet * (famotidine)	3	\$0	
heartburn relief 10 mg tablet * (famotidine)	3	\$0	
heartburn relief 20 mg tablet * (famotidine)	3	\$0	
hm famotidine 20 mg tablet maximum strength (otc) * (Acid Controller)	3	\$0	
kro heartburn preven 20 mg tab * (famotidine)	3	\$0	
lansoprazole dr 15 mg capsule (otc) * (Acid Reducer (lansoprazole))	3	\$0	
lansoprazole dr 15 mg capsule 24hr, 3 bottles (otc) * (Acid Reducer (lansoprazole))	3	\$0	
lansoprazole dr 15 mg capsule 3x14, glutenlf, n (otc) * (Acid Reducer (lansoprazole))	3	\$0	
lansoprazole oral capsule, delayed release(drlec) 15 mg (Acid Reducer (lansoprazole))	1	\$0	QL (30 per 30 days)
lansoprazole oral capsule, delayed release(drlec) 30 mg (Prevacid)	1	\$0	QL (60 per 30 days)
misoprostol oral tablet 100 mcg, 200 mcg (Cytotec)	1	\$0	
nizatidine oral capsule 150 mg, 300 mg	1	\$0	
omeprazole dr 20 mg tablet *	3	\$0	
omeprazole mag dr 20.6 mg cap 20 mg * (Acid Reducer (omeprazole))	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>omeprazole mag dr 20.6 mg cap two 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>omeprazole oral capsule, delayed release (drlec) 10 mg, 20 mg, 40 mg</i>		1	\$0	
<i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram, 40-1.1 mg-gram</i>	(Zegerid)	1	\$0	ST; QL (30 per 30 days)
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	1	\$0	
<i>pantoprazole oral tablet, delayed release (drlec) 20 mg</i>	(Protonix)	1	\$0	QL (30 per 30 days)
<i>pantoprazole oral tablet, delayed release (drlec) 40 mg</i>	(Protonix)	1	\$0	QL (60 per 30 days)
<i>pub famotidine 20 mg tablet max strength (otc) *</i>	(Acid Controller)	3	\$0	
<i>qc omeprazole mag dr 20.6 mg 14-day course 20 mg *</i>	(Acid Reducer (omeprazole))	3	\$0	
<i>ra lansoprazole dr 15 mg cap 14capsx3 bottles (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>ra omeprazole dr 20 mg tablet delayed release *</i>		3	\$0	
<i>rabeprazole oral tablet, delayed release (drlec) 20 mg</i>	(AcipHex)	1	\$0	QL (30 per 30 days)
<i>sm acid reducer 20 mg tablet *</i>	(famotidine)	3	\$0	
<i>sm acid reducer 20 mg tablet maximum strength *</i>	(famotidine)	3	\$0	
<i>sm lansoprazole dr 15 mg cap (otc) *</i>	(Acid Reducer (lansoprazole))	3	\$0	
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	1	\$0	
<i>zantac 75 oral tablet 75 mg *</i>		3	\$0	
<i>zantac-360 (famotidine) 20 mg tb *</i>	(famotidine)	3	\$0	
Gastrointestinal Agents, Other				
<i>acid gone antacid liquid 95-358 mg/15 ml *</i>		3	\$0	
<i>acid gone tablet chew 160-105 mg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>alka-seltzer heartburn chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>aluminum hydroxide gel 320 mg/5 ml *</i>		3	\$0	
<i>antacid ex-str tablet chew 160-105 mg *</i>		3	\$0	
<i>antacid ultra tablet chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	
<i>anti-diarrheal 2 mg caplet caplet *</i>	(loperamide)	3	\$0	
<i>anti-diarrheal 2 mg softgel *</i>	(loperamide)	3	\$0	
<i>calcium 500 mg chewable tablet tab chew,plf (rx) 500 mg calcium (1,250 mg) *</i>	(Calcium 500)	3	\$0	
<i>calcium antacid 500 mg chw tab assorted fruit 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>calcium antacid 750 mg tb chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cal-gest 500 mg tablet chew 200 mg calcium (500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>carglumic acid oral tablet, dispersible 200 mg</i>	(Carbaglu)	1	\$0	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i>	(lactulose)	1	\$0	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	1	\$0	
<i>cvs antacid ex-str 750 mg chew 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs antacid ultra str tab chew 400 mg calcium (1,000 mg) *</i>	(calcium carbonate)	3	\$0	
<i>cvs anti-diarrheal 2 mg sftgel *</i>	(loperamide)	3	\$0	
<i>cvs anti-diarrheal suspension 262 mg/15 ml *</i>	(bismuth subsalicylate)	3	\$0	
<i>cvs epsom salt granules 495 mg/5 gram *</i>		3	\$0	
<i>cvs flavor chew antacid 750 mg 300 mg (750 mg) *</i>	(calcium carbonate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs heartburn relief chew tab 160-105 mg *</i>	3	\$0	
<i>diamode 2 mg caplet inner *</i> (loperamide)	3	\$0	
<i>dicyclomine oral capsule 10 mg</i>	1	\$0	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	\$0	
<i>dicyclomine oral tablet 20 mg</i>	1	\$0	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>emulose oral solution 10 gram/15 ml</i> (lactulose)	1	\$0	
<i>epsom salt granules 495 mg/5 gram *</i>	3	\$0	
<i>eq anti-diarrheal 2 mg sftgel *</i> (loperamide)	3	\$0	
<i>eql antacid ultra str tab chew 400 mg calcium (1,000 mg) *</i> (calcium carbonate)	3	\$0	
<i>foaming antacid liquid 95-358 mg/15 ml *</i>	3	\$0	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	2	\$0	PA; NDS
<i>gelusil 200-200-25 mg chew tab cool mint *</i>	3	\$0	
<i>generlac oral solution 10 gram/15 ml</i> (lactulose)	1	\$0	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	1	\$0	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	1	\$0	
<i>hm anti-diarrheal 2 mg softgel *</i> (loperamide)	3	\$0	
<i>imodium a-d 2 mg softgel *</i> (loperamide)	3	\$0	
<i>kaopectate 262 mg/15 ml susp *</i> (bismuth subsalicylate)	3	\$0	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	\$0	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	\$0	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	2	\$0	QL (34 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LOKELMA ORAL POWDER IN PACKET 5 GRAM		2	\$0	QL (30 per 30 days)
<i>loperamide 1 mg/7.5 ml soln *</i>	(Anti-Diarrheal (loperamide))	3	\$0	
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	1	\$0	
<i>lubiprostone oral capsule 24 mcg, 8 mcg</i>	(Amitiza)	2	\$0	QL (60 per 30 days)
<i>magnesium 400 mg tablet gluten-free 400 mg magnesium *</i>		3	\$0	
<i>magnesium oxide 400 mg tablet (rx) 400 mg (241.3 mg magnesium) *</i>	(MgO)	3	\$0	
<i>magnesium oxide 420 mg tablet (rx) *</i>		3	\$0	
<i>magnesium oxide 500 mg tablet plf,lactose-free (rx) 500 mg magnesium *</i>	(Phillips)	3	\$0	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		1	\$0	
<i>metoclopramide hcl injection solution 5 mg/ml</i>		1	\$0	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		1	\$0	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		1	\$0	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>	(Reglan)	1	\$0	
<i>mgo 400 mg tablet 400 mg (241.3 mg magnesium) *</i>	(magnesium oxide)	3	\$0	
<i>mintox plus tablet chewable 200-200-25 mg *</i>		3	\$0	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG		2	\$0	QL (30 per 30 days)
OICALIVA ORAL TABLET 10 MG, 5 MG		2	\$0	PA; QL (30 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>phillips 500 mg caplet 500 mg magnesium *</i>	(magnesium oxide)	3	\$0	
<i>pink bismuth 262 mg tab chew *</i>	(bismuth subsalicylate)	3	\$0	
<i>pub calcium carb 1,000 mg tab 400 mg calcium (1,000 mg) *</i>	(Antacid Ultra Strength)	3	\$0	
<i>qc anti-diarrheal 2 mg softgel *</i>	(loperamide)	3	\$0	
<i>ra anti-diarrheal 2 mg caplet caplet *</i>	(loperamide)	3	\$0	
<i>ra stomach relief 262 mg/15 ml reg strength *</i>	(bismuth subsalicylate)	3	\$0	
RAVICTI ORAL LIQUID 1.1 GRAM/ML		2	\$0	PA; NDS
RELISTOR ORAL TABLET 150 MG		2	\$0	PA; QL (90 per 30 days); NDS
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML		2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML		2	\$0	PA; QL (16.8 per 28 days); NDS
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML		2	\$0	PA; QL (11.2 per 28 days); NDS
<i>sm anti-diarrheal 2 mg softgel *</i>	(loperamide)	3	\$0	
<i>sodium bicarb 650 mg tablet *</i>		3	\$0	
<i>sodium phenylbutyrate oral tablet 500 mg</i>	(Buphenyl)	1	\$0	PA; NDS
<i>sodium polystyrene sulfonate oral powder</i>		1	\$0	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>		1	\$0	
<i>stomach rlf 525 mg/30 ml susp 262 mg/15 ml *</i>	(bismuth subsalicylate)	3	\$0	
<i>ursodiol oral capsule 300 mg</i>		1	\$0	
<i>ursodiol oral tablet 250 mg</i>	(URSO 250)	1	\$0	
<i>ursodiol oral tablet 500 mg</i>	(URSO Forte)	1	\$0	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM		2	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XERMELO ORAL TABLET 250 MG	2	\$0	PA; QL (84 per 28 days); NDS
Laxatives			
<i>alophen pills 5 mg *</i> (bisacodyl)	3	\$0	
<i>best fiber powder 3 gram/3.5 gram *</i>	3	\$0	
<i>bisacodyl 10 mg suppository *</i> (Dulcolax (bisacodyl))	3	\$0	
<i>bisacodyl ec 5 mg tablet *</i> (Alophen (bisacodyl))	3	\$0	
<i>citroma solution *</i> (magnesium citrate)	3	\$0	
CITRUCEL POWDER S-F *	3	\$0	
<i>clearlax powder packet 17 gram *</i> (polyethylene glycol 3350)	3	\$0	
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM- 12 GRAM/160 ML, 10 MG-3.5 GRAM- 12 GRAM/175 ML	2	\$0	
COLACE 100 MG CAPSULE * (docusate sodium)	3	\$0	
<i>cvs enema disposable 19-7 gram/118 ml *</i>	3	\$0	
<i>cvs fiber laxative 625 mg cplt caplet *</i> (calcium polycarbophil)	3	\$0	
<i>cvs fiber therapy 500 mg caplt soluble, caplet *</i>	3	\$0	
<i>cvs gentle laxative ec 5 mg tb comfort coated *</i> (bisacodyl)	3	\$0	
<i>cvs glycerin suppository child size *</i>	3	\$0	
<i>cvs magnesium citrate solution *</i> (Citrates of Magnesia)	3	\$0	
<i>cvs mini enema 283-20 mg/5 ml *</i>	3	\$0	
<i>cvs natural daily fiber powder 3.4 gram/7 gram *</i>	3	\$0	
<i>cvs purelax powder 17 gram/dose *</i> (polyethylene glycol 3350)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs purelax powder packet 10 daily doses 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>cvs senna plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>daily fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>docusate cal 240 mg softgel *</i>	(Kaopectate (docusate calcium))	3	\$0	
<i>docusate sodium 100 mg softgel softgel *</i>	(Colace)	3	\$0	
<i>docusate sodium 50 mg/5 ml liq *</i>	(OneLAX Docusate Sodium)	3	\$0	
<i>docusate sodium mini enema 283 mg/5 ml *</i>	(Enemeez)	3	\$0	
<i>docusil oral capsule 100 mg *</i>	(docusate sodium)	3	\$0	
<i>dok 100 mg tablet *</i>	(docusate sodium)	3	\$0	
<i>dok 250 mg softgel *</i>	(docusate sodium)	3	\$0	
<i>ducodyl (bisacodyl) oral tablet, delayed release (drlec) 5 mg *</i>	(bisacodyl)	3	\$0	
DULCOLAX 10 MG SUPPOSITORY *	(bisacodyl)	3	\$0	
<i>enema disposable 19-7 gram/118 ml *</i>		3	\$0	
<i>enemeez mini enema 5cc tubes, outer 283 mg/5 ml *</i>	(docusate sodium)	3	\$0	
<i>enemeez plus mini enema outer 283-20 mg/5 ml *</i>		3	\$0	
<i>eq magnesium citrate solution cherry *</i>	(Citrate of Magnesia)	3	\$0	
<i>eql fiber therapy powder 3.4 gram/7 gram *</i>		3	\$0	
<i>eql milk of magnesia susp 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>evac-u-gen 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>fiber tablet unboxed 625 mg *</i>	(calcium polycarbophil)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>fiber therapy 500 mg caplet caplet *</i>		3	\$0	
<i>fiber therapy powder 2 gram/19 gram *</i>		3	\$0	
<i>fiber-lax 625 mg tablet 500mg polycarbophil *</i>	(calcium polycarbophil)	3	\$0	
<i>fiber-tabs 625 mg caplet *</i>	(calcium polycarbophil)	3	\$0	
FLEET BISACODYL 10 MG ENEMA 10 MG/30 ML *		3	\$0	
<i>gavilax 8.5 gram powder packet *</i>	(polyethylene glycol 3350)	3	\$0	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	(peg 3350-electrolytes)	1	\$0	
<i>gentlelax powder 30 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>glycerin pediatric suppository infants & children *</i>		3	\$0	
<i>glycerin suppository child size *</i>		3	\$0	
<i>gnp stool softener 250 mg sfgl *</i>	(docusate sodium)	3	\$0	
<i>gs senna laxative 8.6 mg tab *</i>	(sennosides)	3	\$0	
<i>healthylax powder packet outer 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
KONSYL ORIGINAL 6 GM POWD PKT (OTC) 6 GRAM *		3	\$0	
<i>konsyl psyllium fiber packet orange, gluten free 3.4 gram *</i>		3	\$0	
<i>laxacin tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>laxaclear powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>magic bullet 10 mg suppos *</i>	(bisacodyl)	3	\$0	
<i>magnesium citrate solution *</i>	(Citrate of Magnesia)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
METAMUCIL CAPSULE 0.4 GRAM *	(psyllium husk)	3	\$0	
METAMUCIL FIBER SINGLES PACKET 3.4 GRAM *		3	\$0	
METAMUCIL POWDER 3.4 GRAM/7 GRAM *		3	\$0	
<i>milk of magnesia concentrated 2,400 mg/10 ml cup outer *</i>	(magnesium hydroxide)	3	\$0	
<i>milk of magnesia suspension 400 mg/5 ml *</i>	(magnesium hydroxide)	3	\$0	
<i>mineral oil *</i>	(Mineral Oil Extra Heavy)	3	\$0	
<i>mineral oil enema *</i>	(Fleet Mineral Oil)	3	\$0	
<i>mineral oil heavy heavy (otc) *</i>	(mineral oil)	3	\$0	
<i>mineral oil, heavy usp, heavy (rx) *</i>	(mineral oil)	3	\$0	
MIRALAX POWDER 7 DAY (OTC) 17 GRAM/DOSE *	(polyethylene glycol 3350)	3	\$0	
MIRALAX POWDER PACKET (OTC) 17 GRAM *	(polyethylene glycol 3350)	3	\$0	
<i>natural fiber lax powder original texture 3.4 gram/7 gram *</i>		3	\$0	
<i>natural psyllium fiber oral powder 3.4 gram/5.8 gram *</i>		3	\$0	
<i>peg-3350 8.5 gram powder cup *</i>	(Gavilax)	3	\$0	
<i>peg-3350 4 gram powder packet *</i>		3	\$0	
<i>peg-3350 4.25 gram powder pkt *</i>		3	\$0	
<i>peg-electrolyte soln oral recon soln 420 gram</i>		1	\$0	
<i>phillips' lax liqui-gels 100 mg *</i>	(docusate sodium)	3	\$0	
PHILLIPS' MILK OF MAGNESIA 400 MG/5 ML *	(magnesium hydroxide)	3	\$0	
<i>polyethylene glycol 3350 powd (otc) 17 gram/dose *</i>	(GentleLax)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>polyethylene glycol 3350 powd 17 grams pkts, outer (otc) *</i>	(ClearLax)	3	\$0	
<i>polyethylene glycol 3350 powd 30 once-daily doses (otc) 17 gram/dose *</i>	(GentleLax)	3	\$0	
<i>polyethylene glycol 3350 powd outer (otc) 17 gram *</i>	(ClearLax)	3	\$0	
<i>powderlax 17 g powder packet 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>powderlax powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>promolaxin 100 mg tablet *</i>	(docusate sodium)	3	\$0	
<i>psyllium fiber capsule 0.4 gram *</i>	(Daily Fiber)	3	\$0	
<i>qc natura-lax 17 gm powder 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>ra citrate of magnesia soln *</i>	(magnesium citrate)	3	\$0	
<i>ra enema twin pack 2 x 4.5oz, rtu 19-7 gram/118 ml *</i>		3	\$0	
<i>ra fast relief lax 10 mg supp *</i>	(bisacodyl)	3	\$0	
<i>ra laxative 25 mg pill *</i>		3	\$0	
<i>ra laxative peg 3350 powder 30 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>ra mineral oil extra-heavy extra-heavy *</i>	(mineral oil)	3	\$0	
<i>ra p-col rite tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>ra senna-lax 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>reguloid capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
REGULOID POWDER 3 GRAM/12 GRAM *		3	\$0	
<i>reguloid, sugar free oral powder *</i>	(psyllium)	3	\$0	
<i>senexon-s 50-8.6 mg tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>senna 8.8 mg/5 ml liquid *</i>	(sennosides)	3	\$0	
<i>senna-time 8.6 mg tablet *</i>	(sennosides)	3	\$0	
<i>senno oral tablet 8.6 mg *</i>	(sennosides)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sennosides-docusate sodium tab 8.6-50 mg *</i>	(Laxacin)	3	\$0	
<i>senokot-s tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>silace 60 mg/15 ml syrup *</i>	(docusate sodium)	3	\$0	
<i>sm fiber capsule 0.4 gram *</i>	(psyllium husk)	3	\$0	
<i>sm fiber powder (rx) 3.4 gram/12 gram *</i>		3	\$0	
<i>smoothlax powder 14 once-daily doses 17 gram/dose *</i>	(polyethylene glycol 3350)	3	\$0	
<i>smoothlax powder packet 10 daily doses 17 gram *</i>	(polyethylene glycol 3350)	3	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i>	(Suprep Bowel Prep Kit)	2	\$0	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>		2	\$0	
<i>stimulant laxative plus tablet 8.6-50 mg *</i>	(sennosides-docusate sodium)	3	\$0	
<i>stool softener 100 mg tablet *</i>	(docusate sodium)	3	\$0	
SUTAB ORAL TABLET 1.479-0.188- 0.225 GRAM		2	\$0	
WAL-MUCIL 100% NATURAL FIBER 114 DOSES,ORANGE 3.4 GRAM/5.8 GRAM *		3	\$0	
Phosphate Binders				
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>		1	\$0	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>		1	\$0	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i>	(Fosrenol)	1	\$0	NDS
MAGNEBIND 300 TABLET 250-300 MG *		3	\$0	
PHOSLYRA ORAL SOLUTION 667 MG (169 MG CALCIUM)/5 ML		2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	\$0	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	\$0	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i>	1	\$0	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	2	\$0	
Genitourinary Agents			
Antispasmodics, Urinary			
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	\$0	
<i>fesoterodine oral tablet extended release 24 hr 4 mg, 8 mg</i> (Toviaz)	1	\$0	
<i>flavoxate oral tablet 100 mg</i>	1	\$0	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	\$0	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	\$0	
<i>oxybutynin chloride oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>	1	\$0	
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	\$0	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	\$0	
<i>trospium oral capsule,extended release 24hr 60 mg</i>	1	\$0	
<i>trospium oral tablet 20 mg</i>	1	\$0	
Genitourinary Agents, Miscellaneous			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	\$0	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn)	1	\$0	
ENTADFI ORAL CAPSULE 5-5 MG	2	\$0	PA; QL (30 per 30 days)
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	\$0	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	\$0	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	\$0	
<i>tiopronin oral tablet 100 mg</i> (Thiola)	1	\$0	NDS
Heavy Metal Antagonists			
Heavy Metal Antagonists			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	\$0	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg</i> (Jadenu)	1	\$0	PA; NDS
<i>deferasirox oral tablet 90 mg</i> (Jadenu)	1	\$0	PA
<i>deferasirox oral tablet, dispersible 125 mg</i> (Exjade)	1	\$0	PA
<i>deferasirox oral tablet, dispersible 250 mg, 500 mg</i> (Exjade)	1	\$0	PA; NDS
<i>deferiprone oral tablet 1,000 mg, 500 mg</i> (Ferriprox)	1	\$0	PA; NDS
<i>deferoxamine injection recon soln 2 gram</i>	1	\$0	PA; NDS
<i>deferoxamine injection recon soln 500 mg</i> (Desferal)	1	\$0	PA; NDS
FERRIPROX (2 TIMES A DAY) ORAL TABLET, MODIFIED RELEASE 1,000 MG	2	\$0	PA; NDS
FERRIPROX ORAL SOLUTION 100 MG/ML	2	\$0	PA; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	\$0	PA; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	1	\$0	PA; QL (240 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	\$0	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	\$0	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	\$0	PA
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	\$0	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/1.25 gram (1%)</i> (Vogelxo)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62%)</i> (AndroGel)	1	\$0	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1% (25 mg/2.5gram), 1% (50 mg/5 gram)</i> (AndroGel)	1	\$0	PA; QL (300 per 30 days)
<i>testosterone transdermal solution in metered pump w/lapp 30 mg/lactuation (1.5 ml)</i>	1	\$0	PA; QL (180 per 30 days)
XYOSTED SUBCUTANEOUS AUTO-INJECTOR 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML	2	\$0	PA; QL (2 per 28 days)
Estrogens And Antiestrogens			
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
DUAVEE ORAL TABLET 0.45-20 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	\$0	PA-HRM; QL (4 per 28 days); AGE (Max 64 Years)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	\$0	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	1	\$0	QL (18 per 28 days)
<i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	\$0	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Amabelz)	1	\$0	PA-HRM; AGE (Max 64 Years)
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	2	\$0	QL (1 per 84 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)	1	\$0	PA-HRM; QL (8 per 28 days); AGE (Max 64 Years)
<i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)	1	\$0	PA-HRM; AGE (Max 64 Years)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)	1	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN INJECTION RECON SOLN 25 MG	2	\$0	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.9 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN ORAL TABLET 0.625 MG, 1.25 MG (conjugated estrogens)	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	\$0	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	\$0	PA-HRM; AGE (Max 64 Years)
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	\$0	PA-HRM; AGE (Max 64 Years)
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	\$0	
<i>yuvafem vaginal tablet 10 mcg</i> (estradiol)	1	\$0	QL (18 per 28 days)
Glucocorticoids/Mineralocorticoids			
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	\$0	
<i>dexamethasone oral solution 0.5 mg/5 ml</i>	1	\$0	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>	1	\$0	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phos (pf) injection syringe 10 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	\$0	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	\$0	
<i>fludrocortisone oral tablet 0.1 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HEMADY ORAL TABLET 20 MG	2	\$0	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	\$0	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	\$0	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	1	\$0	
<i>methylprednisolone oral tablet 32 mg</i>	1	\$0	
<i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))	1	\$0	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	\$0	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	\$0	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>	1	\$0	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	\$0	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	\$0	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	1	\$0	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	\$0	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	\$0	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	\$0	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	\$0	
Pituitary			
ACTHAR INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	2	\$0	PA; QL (35 per 28 days); NDS
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin ac 4 mcg/ml ampul plf, outer, sdv</i> (DDAVP)	1	\$0	NDS
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	\$0	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	\$0	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	\$0	
EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG	2	\$0	PA; QL (30 per 30 days); NDS
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	2	\$0	NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	2	\$0	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	2	\$0	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	2	\$0	PA; NDS
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	2	\$0	PA; NDS
<i>octreotide acetate injection solution 1,000 mcg/ml, 200 mcg/ml</i>	1	\$0	
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin)	1	\$0	
<i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin)	1	\$0	NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	1	\$0	
ORGOVYX ORAL TABLET 120 MG	2	\$0	PA NSO; NDS
ORLISSA ORAL TABLET 150 MG	2	\$0	PA; QL (28 per 28 days); NDS
ORLISSA ORAL TABLET 200 MG	2	\$0	PA; QL (56 per 28 days); NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	2	\$0	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	2	\$0	PA; QL (60 per 30 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML (lanreotide)	2	\$0	PA NSO; QL (0.5 per 28 days); NDS
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	2	\$0	PA NSO; QL (0.2 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	2	\$0	PA NSO; QL (0.3 per 28 days); NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	2	\$0	PA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	2	\$0	PA; NDS
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	2	\$0	PA; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	2	\$0	PA; NDS
Progestins			
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	2	\$0	QL (1 per 84 days)
<i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i>	1	\$0	NDS
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	1	\$0	NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	\$0	QL (1 per 84 days)
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	\$0	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>norethindrone acetate oral tablet 5 mg</i>	1	\$0	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	\$0	
Thyroid And Antithyroid Agents			
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	\$0	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	\$0	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	\$0	
<i>methimazole oral tablet 10 mg, 5 mg</i>	1	\$0	
<i>propylthiouracil oral tablet 50 mg</i>	1	\$0	
Immunological Agents			
Immunological Agents			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	2	\$0	PA; NDS
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	2	\$0	PA; NDS
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	2	\$0	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	2	\$0	NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	2	\$0	PA BvD
AVSOLA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	\$0	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	2	\$0	PA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	2	\$0	PA; QL (8 per 28 days); NDS
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	2	\$0	PA NSO; QL (2 per 28 days); NDS
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	2	\$0	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML (150 MG/ML)	2	\$0	PA; NDS
<i>cyclosporine intravenous solution</i> 250 mg/5 ml (Sandimmune)	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 100 mg, 25 mg (Gengraf)	1	\$0	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	\$0	PA BvD
<i>cyclosporine modified oral solution</i> 100 mg/ml (Gengraf)	1	\$0	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune)	1	\$0	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	2	\$0	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	2	\$0	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	2	\$0	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	2	\$0	PA; NDS
<i>everolimus (immunosuppressive)</i> <i>oral tablet 0.25 mg, 0.5 mg, 0.75</i> <i>mg, 1 mg</i> (Zortress)	1	\$0	PA BvD; NDS
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	2	\$0	PA BvD; NDS
GAMIFANT INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA; NDS
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	2	\$0	PA BvD; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	2	\$0	PA BvD; NDS
GAMMAPLEX (WITH SORBITOL) INTRAVENOUS SOLUTION 5 %	2	\$0	PA BvD; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	2	\$0	PA BvD; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	2	\$0	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)	1	\$0	PA BvD
<i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)	1	\$0	PA BvD
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	2	\$0	PA; NDS
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	2	\$0	PA; NDS
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	2	\$0	PA; NDS
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	2	\$0	PA BvD; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	2	\$0	PA; NDS
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
<i>infliximab intravenous recon soln 100 mg</i> (Remicade)	2	\$0	PA; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	2	\$0	PA; NDS
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	2	\$0	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	2	\$0	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	\$0	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	\$0	PA BvD

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>mycophenolate mofetil oral capsule</i> 250 mg (CellCept)	1	\$0	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution</i> 200 mg/ml (CellCept)	1	\$0	PA BvD; NDS
<i>mycophenolate mofetil oral tablet</i> 500 mg (CellCept)	1	\$0	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (drlec)</i> 180 mg, 360 mg (Myfortic)	1	\$0	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA BvD; NDS
OCTAGAM INTRAVENOUS SOLUTION 10 %, 5 %	2	\$0	PA BvD; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG, 4 MG	2	\$0	PA; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	2	\$0	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	2	\$0	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	2	\$0	PA; NDS
OTEZLA ORAL TABLET 30 MG	2	\$0	PA; NDS
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG (19)	2	\$0	PA; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	2	\$0	PA BvD; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	2	\$0	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	2	\$0	PA BvD; ST

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	2	\$0	
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	2	\$0	PA; NDS
REZUROCK ORAL TABLET 200 MG	2	\$0	PA NSO; NDS
RIDAURA ORAL CAPSULE 3 MG	2	\$0	NDS
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	2	\$0	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	\$0	PA BvD; NDS
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	\$0	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.83 ML	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	2	\$0	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	2	\$0	PA; NDS
STELARA INTRAVENOUS SOLUTION 130 MG/26 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	2	\$0	PA; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	2	\$0	PA; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	\$0	PA BvD
TALTZ AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 80 MG/ML	2	\$0	PA; NDS
TALTZ SYRINGE SUBCUTANEOUS SYRINGE 80 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	2	\$0	PA; LA; NDS
XELJANZ ORAL SOLUTION 1 MG/ML	2	\$0	PA; NDS
XELJANZ ORAL TABLET 10 MG, 5 MG	2	\$0	PA; NDS
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	2	\$0	PA; NDS
Vaccines			
ABRYSVO INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	2	\$0	
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	\$0	
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	2	\$0	
AREXVY ANTIGEN COMPONENT 120 MCG	2	\$0	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	2	\$0	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	2	\$0	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	\$0	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML	2	\$0	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	2	\$0	QL (3 per 365 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	\$0	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	\$0	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	\$0	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	2	\$0	QL (1.5 per 365 days)
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	2	\$0	QL (1.5 per 365 days)
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	\$0	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	2	\$0	PA BvD
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	\$0	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	\$0	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	\$0	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	2	\$0	
IXCHIQ INTRAMUSCULAR RECON SOLN 1,000 TCID50/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	\$0	
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	2	\$0	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	\$0	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	\$0	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	2	\$0	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	\$0	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	\$0	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	\$0	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	\$0	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	2	\$0	
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	
PENTACEL (PF) INTRAMUSCULAR KIT 15LF-48MCG-62DU -10 MCG/0.5ML	2	\$0	
PREHEVBRIO (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML	2	\$0	PA BvD
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	2	\$0	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 5 LF UNIT/0.5ML (58 UNT/ML)	2	\$0	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	\$0	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	\$0	PA BvD
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	2	\$0	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	\$0	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	\$0	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	\$0	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	\$0	(tetanus- diphtheria toxoids-td)
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	2	\$0	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	\$0	
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	2	\$0	QL (0.75 per 365 days)
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	2	\$0	QL (1.5 per 365 days)
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	2	\$0	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	\$0	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	\$0	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	2	\$0	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	2	\$0	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	2	\$0	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	\$0	QL (2 per 365 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL)		2	\$0	
Inflammatory Bowel Disease				
Agents				
Inflammatory Bowel Disease Agents				
<i>alose tron oral tablet 0.5 mg</i>	(Lotronex)	1	\$0	
<i>alose tron oral tablet 1 mg</i>	(Lotronex)	1	\$0	NDS
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	1	\$0	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>		1	\$0	
<i>budesonide rectal foam 2 mg/lactuation</i>	(Uceris)	1	\$0	
DIPENTUM ORAL CAPSULE 250 MG		2	\$0	ST; NDS
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	1	\$0	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	1	\$0	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i>	(Apriso)	1	\$0	
<i>mesalamine oral tablet, delayed release (drlec) 1.2 gram</i>	(Lialda)	1	\$0	QL (120 per 30 days)
<i>mesalamine oral tablet, delayed release (drlec) 800 mg</i>		1	\$0	
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	1	\$0	
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	1	\$0	
<i>sulfasalazine oral tablet, delayed release (drlec) 500 mg</i>	(Azulfidine EN-tabs)	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
<i>alendronate oral solution 70 mg/75 ml</i>	1	\$0	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	\$0	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	\$0	QL (4 per 28 days)
<i>calcitonin (salmon) injection solution 200 unit/ml</i> (Miacalcin)	1	\$0	NDS
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/lactuation</i>	1	\$0	QL (3.7 per 28 days)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	\$0	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	\$0	
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	\$0	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	1	\$0	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	1	\$0	QL (120 per 30 days)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	\$0	
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	\$0	QL (3 per 84 days)
<i>ibandronate intravenous syringe 3 mg/3 ml</i>	1	\$0	QL (3 per 84 days)
<i>ibandronate oral tablet 150 mg</i>	1	\$0	QL (1 per 28 days)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	2	\$0	PA; QL (2 per 28 days); NDS
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	\$0	
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	\$0	
<i>paricalcitol oral capsule 4 mcg</i>	1	\$0	
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	2	\$0	QL (1 per 180 days)
RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG	2	\$0	QL (60 per 30 days)
<i>risedronate oral tablet 150 mg</i> (Actonel)	1	\$0	QL (1 per 28 days)
<i>risedronate oral tablet 30 mg, 5 mg</i>	1	\$0	QL (30 per 30 days)
<i>risedronate oral tablet 35 mg</i> (Actonel)	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	\$0	QL (4 per 28 days)
<i>risedronate oral tablet,delayed release (drlec) 35 mg</i> (Atelvia)	1	\$0	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (620mcg/2.48ml)</i>	1	\$0	QL (2.48 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	2	\$0	QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	2	\$0	PA; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	\$0	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	\$0	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	\$0	QL (100 per 300 days)
Miscellaneous Therapeutic Agents			
Miscellaneous Therapeutic Agents			
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	2	\$0	PA; NDS
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	1	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	\$0	
CARBOXYMETHYL SOD GRANULE MEDIUM VISCOSITY, USP (RX) *	3	\$0	
CARBOXYMETHYL SOD GRANULE USP, MED VISCOSITY (RX) *	3	\$0	
COSENTYX INTRAVENOUS SOLUTION 25 MG/ML	2	\$0	PA; NDS
CVS TRANSPARENT DRESSING 4X4 3/4" 4 X 4 3/4 " *	(IV3000 Frame Delivery Dressing) 3	\$0	
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	1	\$0	NDS
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	1	\$0	
ELMIRON ORAL CAPSULE 100 MG	2	\$0	QL (90 per 30 days)
ENDARI ORAL POWDER IN PACKET 5 GRAM	2	\$0	PA; QL (180 per 30 days); NDS
EVRYSDI ORAL RECON SOLN 0.75 MG/ML	2	\$0	PA; NDS
EXCILON DRESSING SPONGE 4 X 3 " *	3	\$0	
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	2	\$0	PA; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	1	\$0	NDS
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	2	\$0	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 1 MG/0.2 ML	2	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML		2	\$0	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML		2	\$0	
<i>hydroxyzine pamoate oral capsule</i> 100 mg, 50 mg		1	\$0	
<i>hydroxyzine pamoate oral capsule</i> 25 mg	(Vistaril)	1	\$0	
IV3000 FRAME DELIVERY 4X4 3/4" 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
<i>leucovorin calcium injection recon soln</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg		1	\$0	
<i>leucovorin calcium injection solution</i> 10 mg/ml		1	\$0	
<i>leucovorin calcium oral tablet</i> 10 mg, 15 mg, 25 mg, 5 mg		1	\$0	
<i>levocarnitine (with sugar) oral solution</i> 100 mg/ml	(Carnitor)	1	\$0	
<i>levocarnitine oral tablet</i> 330 mg	(Carnitor)	1	\$0	
<i>levoleucovorin calcium intravenous recon soln</i> 50 mg	(Fusilev)	1	\$0	NDS
<i>mesna intravenous solution</i> 100 mg/ml	(Mesnex)	1	\$0	
MESNEX ORAL TABLET 400 MG		2	\$0	NDS
NEXCARE TEGADERM DRESSING 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
<i>nitroglycerin rectal ointment</i> 0.4 % (w/w)	(Rectiv)	1	\$0	QL (30 per 30 days)
NON-STICK PAD 3"X4" 4 X 3 " *		3	\$0	
OPSITE FLEXIGRID DRESSING 4 X 4 3/4 " *	(transparent dressings)	3	\$0	
OPSITE FLEXIGRID DRESSING 6 X 8 " *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
OXLUMO SUBCUTANEOUS SOLUTION 94.5 MG/0.5 ML	2	\$0	PA; NDS
POLYSKIN II TRANSPRNT DRESS 4'S, 6"X8", STERILE 6 X 8 " *	3	\$0	
POLYSKIN II TRANSPRNT DRESS 4'S,4"X4-3/4",STRL 4 X 4 3/4 " * (transparent dressings)	3	\$0	
<i>pyridostigmine bromide oral syrup</i> 60 mg/5 ml (Mestinon)	1	\$0	
<i>pyridostigmine bromide oral tablet</i> 30 mg	1	\$0	
<i>pyridostigmine bromide oral tablet</i> 60 mg (Mestinon)	1	\$0	
<i>pyridostigmine bromide oral tablet extended release</i> 180 mg (Mestinon Timespan)	1	\$0	
RECTIV RECTAL OINTMENT 0.4 % (W/W) (nitroglycerin)	2	\$0	QL (30 per 30 days)
RELIAMED TRANSPRNT I.V. DRESS 4 X 4 3/4 " * (IV3000 Frame Delivery Dressing)	3	\$0	
RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5 ML (160 MG/ML)	2	\$0	PA; NDS
RIVFLOZA SUBCUTANEOUS SYRINGE 128 MG/0.8 ML, 160 MG/ML	2	\$0	PA; NDS
SURESITE MATRIX TRANSPRNT DRES 6 X 8 " *	3	\$0	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML	2	\$0	PA; QL (2 per 28 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)	2	\$0	PA; QL (4 per 28 days); NDS
TELFANON-ADHERENT DRESSING 50/CTN 1'S 4 X 3 " *	3	\$0	
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	2	\$0	PA NSO; QL (56 per 28 days); NDS
TOTECT INTRAVENOUS RECON SOLN 500 MG	2	\$0	NDS
TRIAD WOUND DRESSING PASTE 12'S *	3	\$0	
TYBOST ORAL TABLET 150 MG	2	\$0	QL (30 per 30 days)
VISTOGARD ORAL GRANULES IN PACKET 10 GRAM	2	\$0	QL (24 per 14 days); NDS
VOWST ORAL CAPSULE	2	\$0	PA; QL (12 per 30 days); NDS
ZEGALOGUE AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 0.6 MG/0.6 ML	2	\$0	
ZEGALOGUE SYRINGE SUBCUTANEOUS SYRINGE 0.6 MG/0.6 ML	2	\$0	
ZYMFENTRA SUBCUTANEOUS PEN INJECTOR KIT 120 MG/ML	2	\$0	PA; NDS
ZYMFENTRA SUBCUTANEOUS SYRINGE KIT 120 MG/ML	2	\$0	PA; NDS
Mouthwashes And Gargles			
Mouthwashes And Gargles			
<i>cvs hydrogen peroxide 3% soln (otc) *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>hm hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>hydrogen peroxide 3% solution (otc) *</i>	3	\$0	
<i>hydrogen peroxide 3% solution usp (rx) *</i>	3	\$0	
<i>qc hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
<i>sm hydrogen peroxide 3% soln (otc) *</i>	3	\$0	
Ophthalmic Agents			
Antiglaucoma Agents			
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	\$0	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	\$0	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	\$0	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % (brinzolamide)	1	\$0	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	\$0	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	\$0	QL (2.5 per 25 days)
<i>brimonidine ophthalmic (eye) drops 0.1 %, 0.15 %</i> (Alphagan P)	1	\$0	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	\$0	
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	1	\$0	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	\$0	
<i>dorzolamide ophthalmic (eye) drops 2 %</i>	1	\$0	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>latanoprost ophthalmic (eye) drops</i> 0.005 % (Xalatan)	1	\$0	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	\$0	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	2	\$0	QL (2.5 per 25 days)
<i>methazolamide oral tablet</i> 25 mg, 50 mg	1	\$0	
<i>pilocarpine hcl ophthalmic (eye) drops</i> 1 %, 2 %, 4 %	1	\$0	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	2	\$0	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	2	\$0	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	\$0	
<i>tafluprost (pf) ophthalmic (eye) dropperette</i> 0.0015 % (Zioptan (PF))	1	\$0	QL (30 per 30 days)
<i>timolol maleate ophthalmic (eye) drops</i> 0.25 %, 0.5 %	1	\$0	
<i>timolol maleate ophthalmic (eye) gel forming solution</i> 0.25 %, 0.5 %	1	\$0	
<i>travoprost ophthalmic (eye) drops</i> 0.004 % (Travatan Z)	1	\$0	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	2	\$0	QL (5 per 30 days)

Replacement Preparations

Replacement Preparations			
<i>calcium 500 mg tablet</i> 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *	(Oyster Shell Calcium 500)	3	\$0
<i>calcium 500-vit d3</i> 10 mcg chew 500 mg-10 mcg (400 unit) *	(Calcium 500 + D)	3	\$0
<i>calcium 500-vit d3</i> 125 caplet 500 mg-3.125 mcg (125 unit) *		3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>calcium 500-vit d3 400 chew tb 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>calcium 600 mg tablet (rx) 600 mg calcium (1,500 mg) *</i>	(Calcium 600)	3	\$0	
<i>calcium carb 1,250 mg/5 ml sus n (otc) 500 mg/5 ml (1,250 mg/5 ml) *</i>		3	\$0	
<i>calcium carbonate 648 mg tab 260 mg calcium (648 mg) *</i>		3	\$0	
<i>calcium chloride intravenous syringe 100 mg/ml (10%)</i>		1	\$0	
<i>calcium cit 315 mg-d3 250 unit (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>calcium citrate - vit d caplet caplet, coated (rx) 315 mg-5 mcg (200 unit) *</i>	(Calcium Citrate + D)	3	\$0	
<i>calcium citrate 200 mg tablet (rx) 200 mg (950 mg) *</i>		3	\$0	
<i>calcium citrate-vit d caplet maximum (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>calcium citrate-vit d3 caplet plf (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>citracal + d maximum caplet (rx) 315 mg-6.25 mcg (250 unit) *</i>	(calcium citrate-vitamin d3)	3	\$0	
CITRACAL-D3 MAXIMUM PLUS CAPLT 325 MG-12.5 MCG -2.75 MG *	(calcium-d3-zinc-copper-mangan)	3	\$0	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>		1	\$0	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		1	\$0	
<i>electrolyte-148 intravenous parenteral solution</i>	(Plasma-Lyte 148)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>eq calcium citrate-d tablet</i> <i>plf,gluten-free (rx) 315 mg-6.25</i> <i>mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>gnp electrolyte solution (rx) *</i>	(Hydralyte)	3	\$0	
<i>hydralyte electrolyte soln *</i>	(electrolytes- dextrose)	3	\$0	
ISOLYTE S IV SOLUTION- EXCEL SINGLE USE		2	\$0	
ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION		2	\$0	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %		2	\$0	
<i>klor-con m10 oral tablet,er</i> <i>particles/crystals 10 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m15 oral tablet,er</i> <i>particles/crystals 15 meq</i>	(potassium chloride)	1	\$0	
<i>klor-con m20 oral tablet,er</i> <i>particles/crystals 20 meq</i>	(potassium chloride)	1	\$0	
<i>mag64 dr 64 mg tablet (rx) *</i>	(magnesium chloride)	3	\$0	
<i>magnesium chloride 64 mg tab 64</i> <i>mg magnesium *</i>		3	\$0	
<i>magnesium chloride ec 70 mg tb *</i>		3	\$0	
<i>magnesium sulfate in d5w</i> <i>intravenous piggyback 1 gram/100</i> <i>ml</i>		1	\$0	
<i>magnesium sulfate in water</i> <i>intravenous parenteral solution 20</i> <i>gram/500 ml (4 %), 40 gram/1,000</i> <i>ml (4 %)</i>		1	\$0	
<i>magnesium sulfate in water</i> <i>intravenous piggyback 2 gram/50</i> <i>ml (4 %), 4 gram/100 ml (4 %), 4</i> <i>gram/50 ml (8 %)</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>magnesium sulfate injection solution 500 mg/ml (50%)</i>		2	\$0	
<i>magnesium sulfate injection syringe 500 mg/ml (50%)</i>		1	\$0	
NORMOSOL-M IN 5% DEXTROSE INTRAVENOUS PARENTERAL SOLUTION		2	\$0	
<i>nu-mag 71.5 mg tablet *</i>		3	\$0	
<i>oralyte solution *</i>	(electrolytes-dextrose)	3	\$0	
<i>oyster shell calcium 500 mg tb 500mg elemental ca (rx) 500 mg calcium (1,250 mg) *</i>	(calcium carbonate)	3	\$0	
<i>pediatric electrolyte solution (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>phospha 250 neutral tablet 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0	
<i>phosphorous 250 mg tablet *</i>	(sod phos di, mono-k phos mono)	3	\$0	
<i>phospho-trin 250 neutral tab 250 mg *</i>	(sod phos di, mono-k phos mono)	3	\$0	
PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION	(electrolyte-a)	2	\$0	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>		1	\$0	PA BvD
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>		1	\$0	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>		1	\$0	
<i>potassium chloride oral tablet extended release 10 meq</i>	(Klor-Con 10)	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>potassium chloride oral tablet extended release 20 meq</i>	(K-Tab)	1	\$0	
<i>potassium chloride oral tablet extended release 8 meq</i>	(Klor-Con 8)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i>	(Klor-Con M10)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 15 meq</i>	(Klor-Con M15)	1	\$0	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i>	(Klor-Con M20)	1	\$0	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>		1	\$0	
<i>potassium cit-citric acid soln 1,100-334 mg/5 ml *</i>	(Cytra-K)	3	\$0	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i>	(Urocit-K 10)	1	\$0	
<i>potassium citrate oral tablet extended release 15 meq</i>	(Urocit-K 15)	1	\$0	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>	(Urocit-K 5)	1	\$0	
<i>ra calcium 600 mg tablet plf (rx) 600 mg calcium (1,500 mg) *</i>	(calcium carbonate)	3	\$0	
<i>ra calcium citrate - vit d tab plf, dlf (rx) 315 mg-6.25 mcg (250 unit) *</i>	(Citracal + D Maximum)	3	\$0	
<i>ra magnesium 250 mg tablet (rx) *</i>		3	\$0	
<i>ra pediatric electrolyte soln (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>ra pediatric freezer pops *</i>	(electrolytes-dextrose)	3	\$0	
<i>sm pediatric electrolyte soln (rx) *</i>	(electrolytes-dextrose)	3	\$0	
<i>sod citrate-citric acid soln (rx) 500-334 mg/5 ml *</i>	(Cytra-2)	3	\$0	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>sodium chloride 0.9% intravenous parenteral solution</i>	1	\$0	
<i>sodium chloride 0.9% solution mini-bag, single use</i>	1	\$0	
<i>sodium chloride 1 gm tablet (otc) *</i>	3	\$0	
<i>super calcium 600 mg tablet 600 mg calcium (1,500 mg) *</i>	(calcium carbonate)	3	\$0
<i>tricitrates oral solution 550-500-334 mg/5 ml *</i>	(pot,sodium citrate-citric acid)	3	\$0
Respiratory Tract Agents			
Anti-Inflammatories, Inhaled Corticosteroids			
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	(fluticasone propion-salmeterol)	2	\$0
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION		2	\$0
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	(fluticasone furoate-vilanterol)	2	\$0
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE		2	\$0
<i>breynd inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(budesonide-formoterol)	1	\$0
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml</i>	(Pulmicort)	1	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>budesonide inhalation suspension for nebulization 1 mg/2 ml</i>	(Pulmicort)	1	\$0	PA BvD; QL (60 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i>	(Breyana)	1	\$0	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>		1	\$0	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>		1	\$0	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>		1	\$0	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	1	\$0	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(fluticasone propion-salmeterol)	1	\$0	QL (60 per 30 days)
Antileukotrienes				
<i>montelukast oral tablet 10 mg</i>	(Singulair)	1	\$0	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	1	\$0	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	1	\$0	
Bronchodilators				
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION		2	\$0	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	(Ventolin HFA)	1	\$0	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>		1	\$0	QL (13.4 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>	1	\$0	QL (36 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %)</i>	1	\$0	PA BvD; QL (360 per 30 days)
<i>albuterol sulfate inhalation solution for nebulization 2.5 mg/0.5 ml</i>	1	\$0	PA BvD; QL (120 per 30 days)
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	\$0	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	\$0	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	\$0	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	\$0	QL (60 per 30 days)
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	\$0	QL (25.8 per 28 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION	2	\$0	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	\$0	QL (8 per 30 days)
<i>elixophyllin oral elixir 80 mg/15 ml (theophylline)</i>	1	\$0	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	\$0	PA BvD; QL (312.5 per 30 days)
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	\$0	PA BvD; QL (540 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	\$0	QL (2 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	\$0	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	1	\$0	QL (30 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	\$0	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	\$0	QL (4 per 28 days)
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	\$0	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	\$0	NDS
<i>theophylline oral solution 80 mg/15 ml</i>	1	\$0	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	\$0	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	\$0	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200- 62.5-25 MCG	2	\$0	QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
Respiratory Tract Agents, Other			
<i>acetylcysteine intravenous solution 200 mg/ml (20%)</i> (Acetadote)	1	\$0	
<i>acetylcysteine solution 100 mg/ml (10%), 200 mg/ml (20%)</i>	1	\$0	PA BvD
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	2	\$0	QL (560 per 28 days); NDS
CINQAIR INTRAVENOUS SOLUTION 10 MG/ML	2	\$0	PA; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	\$0	PA BvD
<i>cromolyn sodium nasal spray 5.2 mg/spray (4%) *</i> (Nasalcrom)	3	\$0	
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	2	\$0	PA; QL (1 per 28 days); NDS
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	2	\$0	PA; QL (56 per 28 days); NDS
KALYDECO ORAL TABLET 150 MG	2	\$0	PA; QL (56 per 28 days); NDS
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	2	\$0	PA; LA; QL (3 per 28 days); NDS
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	2	\$0	PA; LA; QL (0.4 per 28 days); NDS
OFEV ORAL CAPSULE 100 MG, 150 MG	2	\$0	PA; QL (60 per 30 days); NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG	2	\$0	PA; QL (56 per 28 days); NDS
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	2	\$0	PA; QL (112 per 28 days); NDS
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	1	\$0	PA; QL (270 per 30 days); NDS
<i>pirfenidone oral tablet 534 mg</i>	1	\$0	PA; QL (90 per 30 days); NDS
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	1	\$0	PA; QL (90 per 30 days); NDS
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,SUV	2	\$0	PA BvD; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	2	\$0	PA BvD; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	1	\$0	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	1	\$0	QL (30 per 30 days)
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	2	\$0	PA; QL (56 per 28 days); NDS
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	2	\$0	PA; QL (84 per 28 days); NDS
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	2	\$0	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	2	\$0	PA; NDS
Skeletal Muscle Relaxants			
Skeletal Muscle Relaxants			
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	\$0	
<i>chlorzoxazone oral tablet 250 mg</i>	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years); NDS
<i>chlorzoxazone oral tablet 500 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>chlorzoxazone oral tablet 750 mg</i> (Lorzone)	1	\$0	PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>dantrolene oral capsule 100 mg, 50 mg</i>	1	\$0	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	1	\$0	
<i>methocarbamol oral tablet 500 mg, 750 mg</i>	1	\$0	PA-HRM; AGE (Max 64 Years)
<i>revonto intravenous recon soln 20 mg</i> (dantrolene)	1	\$0	
<i>tizanidine oral tablet 2 mg</i>	1	\$0	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	\$0	
Sleep Disorder Agents			
Sleep Disorder Agents			
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	\$0	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	2	\$0	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	1	\$0	QL (30 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
HETLIOZ LQ ORAL SUSPENSION 4 MG/ML		2	\$0	PA; QL (150 per 30 days); NDS
<i>modafinil oral tablet 100 mg</i>	(Provigil)	1	\$0	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i>	(Provigil)	1	\$0	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i>	(Xyrem)	2	\$0	PA; LA; QL (540 per 30 days); NDS
SUNOSI ORAL TABLET 150 MG, 75 MG		2	\$0	PA; QL (30 per 30 days)
<i>tasimelteon oral capsule 20 mg</i>	(Hetlioz)	1	\$0	PA; QL (30 per 30 days); NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>		1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	(Ambien)	1	\$0	QL (30 per 30 days)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	(Ambien CR)	1	\$0	QL (30 per 30 days)

Vasodilating Agents

Vasodilating Agents

ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		2	\$0	PA; QL (90 per 30 days); NDS
<i>alyq oral tablet 20 mg</i>	(tadalafil (pulm. hypertension))	1	\$0	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	(Letairis)	1	\$0	PA; QL (30 per 30 days); NDS
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	(Tracleer)	1	\$0	PA; LA; QL (60 per 30 days); NDS
<i>epoprostenol intravenous recon soln 0.5 mg, 1.5 mg</i>	(Veletri)	1	\$0	PA; NDS
OPSUMIT ORAL TABLET 10 MG		2	\$0	PA; QL (30 per 30 days); NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i>	(Revatio)	1	\$0	PA; QL (37.5 per 1 day); NDS
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i>	(Revatio)	1	\$0	PA; QL (360 per 30 days)
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i>	(Alyq)	1	\$0	PA; QL (60 per 30 days)

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>tadalafil oral tablet 2.5 mg</i>	1	\$0	PA; QL (30 per 30 days)
<i>tadalafil oral tablet 5 mg</i> (Cialis)	1	\$0	PA; QL (30 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	2	\$0	PA; QL (112 per 28 days); NDS
<i>treprostinil sodium injection solution 1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> (Remodulin)	1	\$0	PA; NDS
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	2	\$0	PA; NDS
UPTRAVI INTRAVENOUS RECON SOLN 1,800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	2	\$0	PA; QL (60 per 30 days); NDS
UPTRAVI ORAL TABLET 200 MCG	2	\$0	PA; QL (240 per 30 days); NDS
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	2	\$0	PA; NDS
Vitamins And Minerals			
Vitamins And Minerals			
<i>a thru z advanced formula tab new formula (rx) *</i>	3	\$0	
<i>a thru z select tablet new formulation (rx) *</i>	3	\$0	
<i>a-25 7,500 mcg capsule *</i>	3	\$0	
<i>acerola c 500 mg tablet chew *</i> (ascorbic acid (vitamin c))	3	\$0	
<i>animal chews tablet *</i> (pediatric multivitamin)	3	\$0	
AQUA-E CONCENTRATE 75 UNIT/ML *	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>b complex capsule (rx) *</i>	(Vitamins B Complex)	3	\$0	
<i>b complex number 1 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>b complex tablet *</i>	(vitamin b complex)	3	\$0	
<i>b-12 500 mcg tablet (rx) *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>b-12 dots 500 mcg tablet *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>balance b-100 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balance b-50 tablet outer,plf,glutenlf 0.4 mg *</i>	(vitamin b complex-folic acid)	3	\$0	
<i>balanced b-complex caplet plf,no-lactose (rx) 400 mcg *</i>		3	\$0	
<i>bal-care dha combo pack 27-1-430 mg</i>		1	\$0	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>		1	\$0	
<i>b-complex plus vitamin c cplt (rx) 400 mcg *</i>		3	\$0	
<i>b-complex with b12 tablet (rx) *</i>	(vitamin b complex)	3	\$0	
<i>b-complex with c tablet (rx) *</i>		3	\$0	
<i>b-complex with vit c caplet (rx) 400 mcg *</i>		3	\$0	
<i>b-complex w-vitamin c caplet caplet,plf (rx) *</i>		3	\$0	
<i>biotin 5,000 mcg capsule mx-str (rx) 5 mg *</i>	(Meribin)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>biotin 5,000 mcg capsule plf, gluten-free (rx) 5 mg *</i>	(Meribin)	3	\$0	
<i>c complex 500 mg tablet sa *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>c-500 mg tablet (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>calcidol drops 200 mcg/ml (8,000 unit/ml) *</i>	(ergocalciferol (vitamin d2))	3	\$0	
<i>calcium 500-vit d3 600 tablet 500 mg-15 mcg (600 unit) *</i>	(Os-Cal 500 + D3)	3	\$0	
<i>calcium 600 mg-vit d3 10 mcg tb (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600 mg-vit d3 5 mcg tb (rx) 600 mg-5 mcg (200 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>calcium 600-vit d3 800 tablet plf (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>certavite senior tablet 0.4 mg-300 mcg- 250 mcg *</i>		3	\$0	
<i>certavite-antioxidant tablet (rx) 18-400 mg-mcg *</i>		3	\$0	
<i>children multivitamin chew tab *</i>		3	\$0	
<i>c-nate dha softgel 28 mg iron-1 mg -200 mg</i>		1	\$0	
<i>completenate tablet chew 29 mg iron- 1 mg</i>		1	\$0	
<i>cvs b-1 100 mg tablet plf, gluten-free (rx) *</i>	(thiamine hcl (vitamin b1))	3	\$0	
<i>cvs b-complex-vit c caplet caplet (rx) *</i>		3	\$0	
<i>cvs calcium 600-vit d3 800 tab plf, gluten-free (rx) 600 mg-20 mcg (800 unit) *</i>	(Caltrate with Vitamin D3)	3	\$0	
<i>cvs hair, skin and nails cplt (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>cvs iron 27 mg tablet (rx) 240 mg (27 mg iron) *</i>	(Ferate)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>cvs iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(Feosol)	3	\$0	
<i>cvs vit c-rose hip 500 mg chew *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>cvs vitamin d3 25 mcg softgel (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>cyanocobalamin 1,000 mcg/ml vl outer,mdv *</i>	(Dodex)	3	\$0	
<i>cyanocobalamin 500 mcg spray inner 500 mcg/spray *</i>	(Nascobal)	3	\$0	
<i>d3 dots 2,000 unit tablet plf (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>daily multivit-minerals tab (rx) *</i>	(multivitamin with minerals)	3	\$0	
<i>daily value multivitamin tab *</i>	(multivitamin)	3	\$0	
<i>daily vitamin + iron tablet (rx) *</i>	(multivitamin with iron)	3	\$0	
<i>daily vitamin formula tablet *</i>	(multivitamin)	3	\$0	
<i>daily vitamin formula tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>daily vite tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>daily vite with iron tablet *</i>	(multivitamin with iron)	3	\$0	
<i>daily-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>dekas essential capsule 600 mcg-50 mcg- 101 mg-1,000mcg *</i>		3	\$0	
DEKAS ESSENTIAL LIQUID 2,000 UNIT- 2,000 MCG/ML *		3	\$0	
DEKAS PLUS CHEWABLE TABLET 200 MCG-1,000 MCG-10 MG *		3	\$0	
DEKAS PLUS LIQUID 500 MCG/ML *		3	\$0	
DEKAS PLUS SOFTGEL 200 MCG-1,000 MCG-10 MG *		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>dodex 10,000 mcg/10 ml vial muv *</i>	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>d-vi-sol 400 unit/ml liquid (rx) 10 mcg/ml (400 unit/ml) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
ELDERTONIC LIQUID 3.6 MG-0.75 MG /15 ML *		3	\$0	
<i>eql eye health plus lutein tab 300 mcg-200 mg-27 mg-2 mg *</i>		3	\$0	
<i>eql vitamin c gummies 94 mg *</i>		3	\$0	
<i>ergocalciferol 200 mcg/ml drop (rx) 200 mcg/ml (8,000 unit/ml) *</i>	(Calcidol)	3	\$0	
<i>feosol 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>ferate 27 mg tablet 240 mg (27 mg iron) *</i>	(ferrous gluconate)	3	\$0	
<i>ferosul 325 mg tablet (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>ferretts 325 mg tablet 325 mg (106 mg iron) *</i>		3	\$0	
<i>ferrex 150 capsule outer, u-d 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>ferrocite tablet 324 mg (106 mg iron) *</i>	(ferrous fumarate)	3	\$0	
<i>ferrous fumarate 324 mg tablet 324 mg (106 mg iron) *</i>	(Ferrocite)	3	\$0	
<i>ferrous gluconate 240 mg tab 240mg=27mg elemental (rx) 240 mg (27 mg iron) *</i>	(Ferate)	3	\$0	
<i>ferrous gluconate 324 mg tab (rx) 324 mg (38 mg iron) *</i>		3	\$0	
<i>ferrous sulf 15 mg iron/ml drp (rx) 15 mg iron (75 mg)/ml *</i>	(Pediatric Fe-Vite)	3	\$0	
<i>ferrous sulf 220 mg/5 ml elix (rx) 220 mg (44 mg iron)/5 ml *</i>		3	\$0	
<i>ferrous sulf ec 324 mg tablet 324 mg (65 mg iron) *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ferrous sulf ec 325 mg tablet (rx) 325 mg (65 mg iron) *</i>	3	\$0	
<i>ferrous sulfate 300 mg/5 ml cup 100's, u-d 300 mg (60 mg iron)/5 ml *</i>	3	\$0	
<i>ferrous sulfate 325 mg tablet (rx) 325 mg (65 mg iron) *</i> (Feosol)	3	\$0	
<i>ferrousul oral tablet 325 mg (65 mg iron) *</i> (ferrous sulfate)	3	\$0	
<i>flintstones extra c tab chew (rx) *</i> (pediatric multivitamin)	3	\$0	
<i>flintstones tablet chewable *</i> (pediatric multivitamin)	3	\$0	
FLINTSTONES WITH IRON TAB CHEW 18 MG IRON *	3	\$0	
<i>folic acid 1 mg tablet (rx) *</i>	3	\$0	
<i>folic acid 400 mcg tablet (rx) *</i>	3	\$0	
<i>folic acid 5 mg/ml vial mdv *</i>	3	\$0	
<i>folivane-ob capsule 85-1 mg</i>	1	\$0	
<i>fruit c-500 tablet chewable 500 mg *</i> (ascorbic acid (vitamin c))	3	\$0	
<i>generic prenatal vitamin oral capsule 27-1.25-55-300 mg, 28-1-50-250 mg, 29-1.25-55-325 mg, 30 mg iron-1 mg -50 mg-260 mg, 30 mg iron-1.2 mg-55 mg-265 mg</i>	1	\$0	
<i>generic prenatal vitamin oral combo pack, tablet and cap, dr 29 mg iron-1 mg -50 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet 27 mg iron- 1 mg</i> (pnv, calcium 72-iron-folic acid)	1	\$0	
<i>generic prenatal vitamin oral tablet 90-1-50 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet extended release 90 mg iron-1 mg</i>	1	\$0	
<i>generic prenatal vitamin oral tablet, chewable 40 mg iron- 1 mg</i>	1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>gnp one daily essential tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>gnp vitamin c 500 mg tab chew chewables (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>gummi bear multivit tab chew multivit & minerals (rx) *</i>	(pediatric multivitamin)	3	\$0	
<i>hair vitamins *</i>	(multivitamin with iron)	3	\$0	
<i>hemocyte tablet 324 mg (106 mg iron) *</i>	(ferrous fumarate)	3	\$0	
<i>high potency multivitamin tab 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>high potency multivitamin tab 9 mg iron-400 mcg *</i>		3	\$0	
<i>honey bears chewable tablet *</i>		3	\$0	
<i>hydroxocobalamin 1,000 mcg/ml *</i>		3	\$0	
ICAPS MV TABLET (RX) 100-1.66-0.83 MCG-MG-MG *		3	\$0	
<i>iferex 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>infant vitamin a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>infant vitamin d 10 mcg/ml drp (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>infant-toddler vit a-c-d drop 250 mcg-50 mg- 10 mcg/ml *</i>	(Pedia Tri-Vite)	3	\$0	
<i>iron 28 mg tablet 256 mg (28 mg iron) *</i>		3	\$0	
<i>iron 65 mg tablet (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>		1	\$0	
<i>little animals child tb chw *</i>	(pediatric multivitamin)	3	\$0	
<i>little animals-iron tab chew *</i>	(pediatric multivitamin-iron)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>marnatal-f capsule 60 mg iron-1 mg</i>		1	\$0	
<i>mega multivit-chelated min tab *</i>	(multivitamin with minerals)	3	\$0	
<i>milltrium senior multivit tab *</i>		3	\$0	
<i>m-natal plus tablet 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>multi-day plus iron tablet 18-400 mg-mcg *</i>		3	\$0	
<i>multiple vitamin with iron tab (rx) *</i>	(Daily Vitamin with Iron)	3	\$0	
<i>multiple vitamin w-minerals tb *</i>	(multivitamin with minerals)	3	\$0	
<i>multiple vitamins tablet one daily *</i>	(multivitamin)	3	\$0	
<i>multi-vitamin daily tablet (rx) *</i>	(multivitamin)	3	\$0	
<i>multivitamin tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>multivitamin-minerals tablet plf 7.5 mg iron-400 mcg *</i>		3	\$0	
<i>multivitamins tablet (rx) *</i>	(Daily Multi-Vitamin)	3	\$0	
<i>myferon 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	
<i>mynatal capsule 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal plus captab 65 mg iron- 1 mg</i>		1	\$0	
<i>mynatal-z captab 65 mg iron- 1 mg</i>		1	\$0	
NASCOBAL 500 MCG NASAL SPRAY 500 MCG/SPRAY *	(cyanocobalamin (vitamin b-12))	3	\$0	
<i>nephplex rx tablet 1-60-300-12.5 mg-mg-mcg-mg *</i>		3	\$0	
NEPHRON FA TABLET 66 MG IRON- 1,000 MCG *		3	\$0	
<i>newgen tablet 32-1,000 mg-mcg</i>		1	\$0	
<i>niacinamide 500 mg tablet (rx) *</i>		3	\$0	
<i>niva-plus tablet 27 mg iron- 1 mg</i>		1	\$0	
<i>nu-iron 150 capsule 150 mg iron *</i>	(polysaccharide iron complex)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>	1	\$0	
<i>o-cal prenatal tablet 15 mg iron- 1,000 mcg</i>	1	\$0	
<i>ocutabs tablet (rx) *</i>	3	\$0	
<i>onccor tablet 200-10-10 mcg *</i>	3	\$0	
<i>oncovite tablet *</i> (therapeutic multivitamin)	3	\$0	
<i>one daily complete tablet *</i> (multivitamin with minerals)	3	\$0	
<i>one daily complete tablet 18-0.4 mg *</i>	3	\$0	
<i>one daily essential tablet (rx) *</i> (multivitamin)	3	\$0	
<i>one daily for women tablet 18-0.4 mg *</i>	3	\$0	
<i>one daily maximum tablet (rx) 18-0.4 mg *</i>	3	\$0	
<i>one daily multivitamin tablet 400 mcg *</i> (multivitamin with folic acid)	3	\$0	
<i>one daily with minerals tablet (rx) *</i> (multivitamin with minerals)	3	\$0	
<i>one-a-day essential tablet (rx) *</i> (multivitamin)	3	\$0	
<i>one-a-day max formula tab *</i> (multivitamin with minerals)	3	\$0	
<i>one-a-day men's tablet 400-20-300 mcg *</i>	3	\$0	
<i>one-a-day teen advantage tab 9 mg iron-400 mcg *</i>	3	\$0	
<i>one-daily multi-vitamin tab (rx) *</i> (multivitamin)	3	\$0	
<i>onevite daily multivitamin tab 400 mcg *</i> (multivitamin with folic acid)	3	\$0	
<i>oysco 500-vit d3 200 tablet 500 mg-5 mcg (200 unit) *</i> (calcium carbonate-vitamin d3)	3	\$0	
<i>oyster shell 500-vit d3 200 tb (rx) 500 mg-5 mcg (200 unit) *</i> (calcium carbonate-vitamin d3)	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>oyster shell calcium-vit d tab plf,gluten-free (rx) 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>oystercal-d 500 mg-400 unit tb 500 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>pedia tri-vite drop 250 mcg-50 mg-10 mcg/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pediatric fe-vite 15 mg/ml drp 15 mg iron (75 mg)/ml *</i>	(ferrous sulfate)	3	\$0	
<i>pediatric tri-vite drops 750 unit-35 mg -400 unit/ml *</i>	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>pharm choice d3 400 unit/ml (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>pharmacist choice ped tri-vit 750 unit-35 mg -400 unit/ml *</i>	(Pediatric Tri-Vite)	3	\$0	
<i>phytonadione 5 mg tablet *</i>		3	\$0	
<i>pnv 29-1 tablet (rx) 29 mg iron- 1 mg</i>		1	\$0	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0	
<i>pnv-omega softgel 28-1-300 mg</i>		1	\$0	
<i>polysaccharide iron 150 mg cap (rx) 150 mg iron *</i>	(Ferrex 150)	3	\$0	
POLY-VI-SOL 250 MCG-50 MG/ML DRP 250 MCG-50 MG-10 MCG/ML *		3	\$0	
POLY-VI-SOL WITH IRON DROPS 11 MG IRON/ML *		3	\$0	
<i>pr natal 400 combo pack 29-1-400 mg</i>		1	\$0	
<i>pr natal 400 ec combo pack 29-1-400 mg</i>		1	\$0	
<i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>		1	\$0	
<i>pr natal 430 ec combo pack 29-1-430 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>prenal true combo pack 30 mg iron- 1.4 mg-300 mg</i>	1	\$0	
<i>prenatabs fa tablet 29-1 mg</i>	1	\$0	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>	1	\$0	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>	1	\$0	
<i>prenatal low iron tablet (rx) 27 mg iron- 1 mg</i>	1	\$0	
<i>prenatal one daily tablet 27 mg iron- 800 mcg *</i>	3	\$0	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i>	(pnv,calcium 72-iron,carb-folic)	1	\$0
<i>prenatal tablet 28 mg iron- 800 mcg *</i>	3	\$0	
<i>prenatal tablet 28 mg iron- 800 mcg *</i>	(Prenatal)	3	\$0
<i>prenatal vitamins tablet phosphorus free (rx) 28 mg iron- 800 mcg *</i>	(pnv cmb#95-ferrous fumarate-fa)	3	\$0
<i>prenatal-u capsule 106.5-1 mg</i>	1	\$0	
<i>preplus ca-fe 27 mg-fa 1 mg tb (rx) 27 mg iron- 1 mg</i>	(pnv,calcium 72-iron-folic acid)	1	\$0
<i>pretab 29 mg-1 mg tablet (rx) 29-1 mg</i>	1	\$0	
<i>prosght tablet 5,000-60-30 unit-mg-unit *</i>	3	\$0	
<i>pub multivitamin 50 plus tab *</i>	3	\$0	
<i>ra balanced b-50 tablet natural,p/f (rx) *</i>	(vitamin b complex)	3	\$0
<i>ra b-complex tablet p/f (rx) *</i>	(vitamin b complex)	3	\$0
<i>ra b-complex tablet p/f (rx) *</i>	(B-Complex)	3	\$0
<i>ra calcium 600-vit d3 400 tab (rx) 600 mg-10 mcg (400 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>ra iron 65 mg tablet plf, dlf (rx) 325 mg (65 mg iron) *</i>	(ferrous sulfate)	3	\$0	
<i>ra one daily energy tablet *</i>	(multivitamin with minerals)	3	\$0	
<i>ra one daily maximum tablet (rx) 18-0.4 mg *</i>		3	\$0	
<i>ra oyster shell 500-vit d3 200 natural,plf (rx) 500 mg-5 mcg (200 unit) *</i>	(calcium carbonate-vitamin d3)	3	\$0	
<i>ra vitamin c 500 mg tab chew plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>ra vitamin c 500 mg tablet plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>ra vitamin d3 1,000 unit tab glutenlf,yeastlf (rx) 25 mcg (1,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>		1	\$0	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i>		1	\$0	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>		1	\$0	
<i>sm b complex with vit c tablet (rx) *</i>		3	\$0	
<i>sod fer gluc cplx 62.5 mg/5 ml sdv,outer *</i>	(Ferrlecit)	3	\$0	
<i>soothing pureway-c 500 mg tab *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>stress formula tablet (rx) *</i>		3	\$0	
<i>stress formula with iron tab 500 mg-400 mcg- 27 mg iron *</i>		3	\$0	
<i>stress-c with iron tablet 500 mg-400 mcg- 18 mg iron *</i>		3	\$0	
<i>stress-c with zinc tablet 600mg (rx) *</i>		3	\$0	
<i>super b complex tablet plf (rx) 400 mcg *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>super b-50 complex capsule 400 mcg-20 mg- 50 mg *</i>		3	\$0	
<i>super multivitamin tablet *</i>	(multivitamin)	3	\$0	
<i>super quints b-50 tablets *</i>	(vitamin b complex)	3	\$0	
<i>super thera vite m tablet (rx) *</i>		3	\$0	
<i>tab-a-vite multivit with iron 18-400 mg-mcg *</i>		3	\$0	
<i>tab-a-vite tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>taron-c dha capsule 35-1-200 mg</i>		1	\$0	
<i>thera m plus tablet 9 mg iron-400 mcg *</i>		3	\$0	
<i>thera tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>thera-d 2000 tablet 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>thera-m caplet caplet (rx) 27-0.4 mg *</i>		3	\$0	
<i>thera-m tablet w/beta carotene 9 mg iron-400 mcg *</i>		3	\$0	
<i>thera-tabs caplet *</i>	(therapeutic multivitamin)	3	\$0	
<i>therems multivitamin tablet 400 mcg *</i>	(multivitamin with folic acid)	3	\$0	
<i>triveen-duo dha combo pack 29-1-400 mg</i>		1	\$0	
TRI-VI-SOL DROPS 250 MCG-50 MG- 10 MCG/ML *	(vit a palmitate-vit c-vit d3)	3	\$0	
<i>true vitamin b-12 500 mcg tab *</i>	(B-12 DOTS)	3	\$0	
<i>true vitamin b-6 10 mg tablet *</i>		3	\$0	
<i>ultra calc 600 mg-vit d3 10 mcg (rx) 600 mg-10 mcg (400 unit) *</i>	(Calcium 600 + D(3))	3	\$0	
<i>virt-c dha softgel (rx) 35-1-200 mg</i>		1	\$0	
<i>virt-nate dha softgel 28 mg iron-1 mg -200 mg</i>		1	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>	1	\$0	
<i>virt-pn plus softgel (rx) 28-1-300 mg</i>	1	\$0	
<i>vision plus lutein vitamin tab *</i>	3	\$0	
<i>vision vitamins (rx) *</i>	3	\$0	
<i>vitafol caplet 65-1 mg *</i>	3	\$0	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i>	1	\$0	
<i>vitafol nano tablet 18 mg iron- 1 mg</i>	1	\$0	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i>	1	\$0	
<i>vitalets tablet chewable child, orange (rx) *</i>	3	\$0	(pediatric multivitamin-iron)
<i>vitamin a 3,000 mcg softgel (rx) *</i>	3	\$0	
<i>vitamin b complex capsule (rx) *</i>	3	\$0	(vitamin b complex)
<i>vitamin b complex tablet (rx) *</i>	3	\$0	(B-Complex)
<i>vitamin b complex tablet n,plf (rx) 0.4 mg *</i>	3	\$0	(B Complex 1 (with folic acid))
<i>vitamin b complex-vit c caplet (rx) *</i>	3	\$0	
<i>vitamin b complex-vitamin c tb (rx) 400 mcg *</i>	3	\$0	
<i>vitamin b-1 100 mg tablet (rx) *</i>	3	\$0	(Vitamin B-1)
<i>vitamin b-12 1,000 mcg tablet (rx) *</i>	3	\$0	(Vitamin B-12)
<i>vitamin b-12 100 mcg tablet (rx) *</i>	3	\$0	(Vitamin B-12)
<i>vitamin b-12 500 mcg tablet *</i>	3	\$0	(B-12 DOTS)
<i>vitamin b-6 100 mg tablet (rx) *</i>	3	\$0	(Vitamin B-6)
<i>vitamin b-6 25 mg tablet (rx) *</i>	3	\$0	(pyridoxine (vitamin b6))
<i>vitamin b-6 50 mg tablet (rx) *</i>	3	\$0	(Vitamin B-6)
<i>vitamin b-complex & c caplet plf,lactose free 400-500 mcg-mg *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug		Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vitamin c 250 mg tablet (rx) *</i>	(Vitamin C)	3	\$0	
<i>vitamin c 250 mg tablet chew plf (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitamin c 500 mg tablet (rx) *</i>	(ascorbic acid (vitamin c))	3	\$0	
<i>vitamin c 500 mg wafer *</i>	(Acerola C-500)	3	\$0	
<i>vitamin d2 1.25 mg (50,000 unit) softgel *</i>	(Drisdol)	3	\$0	
<i>vitamin d3 1,000 unit softgel (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 1,000 unit tablet glutenlf, dlf (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 10 mcg/ml liquid w/dropper (rx) 10 mcg/ml (400 unit/ml) *</i>	(D-Vi-Sol)	3	\$0	
<i>vitamin d3 2,000 unit softgel softgel, plf (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>vitamin d3 2,000 unit softgel softgel, super str (rx) 50 mcg (2,000 unit) *</i>	(cholecalciferol (vitamin d3))	3	\$0	
<i>vitamin d3 25 mcg tablet (rx) 25 mcg (1,000 unit) *</i>	(Vitamin D3)	3	\$0	
<i>vitamin d3 50 mcg tablet (rx) 50 mcg (2,000 unit) *</i>	(D3 DOTS)	3	\$0	
<i>vitamin k-1 1 mg/0.5 ml ampul sub, outer *</i>	(phytonadione (vitamin k1))	3	\$0	
<i>vitamin k-1 10 mg/ml ampul sub, outer *</i>	(phytonadione (vitamin k1))	3	\$0	
<i>vitamins for hair capsule 400-400 mcg *</i>		3	\$0	
<i>vitatum tablet 18-500-300-250 mg-mcg-mcg-mcg *</i>		3	\$0	
<i>vitrum 50 plus senior tablet 500-300-250 mcg *</i>		3	\$0	
<i>vitrum senior tablet flf,plf (rx) *</i>		3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



Name of Drug	Tier Level	What the drug will cost you	Necessary Actions, Restrictions, or Limits on Use
<i>vp-pnv-dha softgel (rx) 28 mg iron-1 mg-200 mg</i>	1	\$0	
<i>xyzbac tablet 1-5-50 mg *</i>	3	\$0	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>	1	\$0	
<i>zatean-pn plus softgel 28-1-300 mg</i>	1	\$0	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>	1	\$0	
<i>zyvit tablet 1-5-50 mg *</i>	3	\$0	

If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



If you have questions, please call PHP Care Complete FIDA-IDD Plan at 1-855-747-5483 and 711 for TTY users, 8AM to 8PM, seven days a week. The call is free. For more information, visit www.phpcares.org. You can find information on what the symbols and abbreviations on this table mean by referring to section C1 on page 11.



INDEX

<i>12 hour nasal spray</i>	200	<i>acitretin</i>	134	AKYNZEO	
1ST TIER UNIFINE		<i>acne control cleanser</i>	136	(FOSNETUPITANT).....	74
PENTIPS.....	146	<i>acne foaming wash</i>	134	AKYNZEO	
1ST TIER UNIFINE		<i>acne medication</i>	134	(NETUPITANT).....	74
PENTIPS PLUS.....	146	<i>acne treatment (benzoyl</i>		<i>ala-cort</i>	141
<i>24 hour allergy relief</i>	204, 205	<i>perox)</i>	136	<i>ala-scalp</i>	141
<i>a and d (lan, pet)</i>	134	<i>acne-clear</i>	134	<i>alavert d-12 allergy-sinus</i>	66
A AND D DIAPER RASH		ACTEMRA.....	229	<i>alaway</i>	197
CREAM.....	134	ACTEMRA ACTPEN.....	229	<i>albendazole</i>	76
<i>a thru z high potency</i>	264	ACTHAR.....	226	<i>albuterol sulfate</i>	257, 258
<i>a thru z select</i>	264	ACTHIB (PF).....	236	<i>alcaine</i>	197
<i>a-25 (vit a palmitate)</i>	264	ACTIMMUNE.....	245	<i>alclometasone</i>	141
<i>abacavir</i>	85	<i>acyclovir</i>	92, 134	ALDURAZYME.....	195
<i>abacavir-lamivudine</i>	86	<i>acyclovir sodium</i>	92	ALECENSA.....	27
ABELCET.....	61	ADACEL(TDAP		<i>alendronate</i>	244
<i>abiraterone</i>	27	ADOLESN/ADULT)(PF)		<i>aler-cap</i>	66
ABOUTTIME PEN		236, 237	ALEVAZOL.....	61
NEEDLE.....	146	ADAKVEO.....	97	<i>alfuzosin</i>	220
ABRAXANE.....	27	<i>adapalene</i>	145	<i>aliskiren</i>	114
ABREVA.....	71	<i>addaprin</i>	8	<i>alka-seltzer heartburn chew</i>	210
ABRYSVO.....	236	<i>adefovir</i>	92	<i>all day allergy (cetirizine)</i> ..	67, 70
<i>acamprosate</i>	14	ADEMPAS.....	263	<i>allerclear d-12hr</i>	66
<i>acarbose</i>	55	<i>adrucil</i>	27	<i>allerclear d-24hr</i>	66
<i>accutane</i>	134	<i>adult wal-tussin dm max</i>	130	<i>aller-cort</i>	204
<i>acebutolol</i>	105	ADVAIR HFA.....	256	<i>aller-ease</i>	69
<i>acerola c</i>	264	<i>advanced exfoliating cleanser</i> ..	136	<i>aller-flo</i>	204
<i>acetaminophen</i>	3	<i>advanced healing (petrolatum)</i>		<i>allergy (diphenhydramine)</i> .	67, 70
<i>acetaminophen-codeine</i>	3	136	<i>allergy medication</i>	70
<i>acetazolamide</i>	250	ADVOCATE PEN NEEDLE		<i>allergy medicine</i>	70
<i>acetazolamide sodium</i>	250	147	<i>allergy nasal (oxymetazoline)</i>	198
<i>acetic acid</i>	201	ADVOCATE SYRINGES....	147	<i>allergy relief (cetirizine)</i>	68
<i>acetylcysteine</i>	260	<i>afirmelle</i>	121	<i>allergy relief (fexofenadine)</i>	67
<i>acid controller</i>	207	<i>after pill</i>	121	<i>allergy relief (fluticasone)</i>	204
<i>acid gone antacid</i>	209	<i>aftera</i>	121	<i>allergy relief (levocetirizin)</i>	67
<i>acid gone antacid e.strength</i>	209	AIRSUPRA.....	257	<i>allergy relief(diphenhydramin)</i>	
<i>acid reducer (famotidine)</i> 208, 209		AJOVY AUTOINJECTOR....	71	67, 70
<i>acid reducer (omeprazole)</i>	207	AJOVY SYRINGE.....	72	<i>allergy relief,nasal decongest</i>	66
<i>acid-pep</i>	207	AKEEGA.....	27	<i>aller-tec</i>	66

<i>aller-tec d</i>	66	<i>anagrelide</i>	97	AREXVY ANTIGEN	
<i>allopurinol</i>	65	<i>anastrozole</i>	27	COMPONENT	237
<i>alophen (bisacodyl)</i>	214	<i>anecream</i>	13	<i>aripiprazole</i>	79
<i>alosetron</i>	243	<i>animal chews</i>	264	ARISTADA	80
<i>alprazolam</i>	16	ANORO ELLIPTA	258	ARISTADA INITIO	79
<i>altamist</i>	197	<i>antacid exst (mag carb-al hyd)</i>		<i>armodafinil</i>	262
<i>altavera (28)</i>	121	210	ARNUITY ELLIPTA	256
ALTRENO	145	<i>antacid ext str (calcium carb)</i>	210	<i>arthritis pain relief (acetam)</i>	3
<i>aluminum hydroxide gel</i>	210	<i>antacid ultra strength</i>	210, 211	<i>arthritis pain relief(capsaic)</i> ...	135
ALUNBRIG	27	<i>anti-diarrheal</i>	210	<i>artificial eye lubricant</i>	197
<i>alyacen 1135 (28)</i>	121	<i>anti-diarrheal (loperamide)</i>		<i>artificial tears (pf)</i>	197
<i>alyacen 71717 (28)</i>	121	210, 211, 213	<i>artificial tears(glycerin-peg)</i>	
<i>alyq</i>	263	<i>antifungal (clotrimazole)</i>	61	198, 200
<i>amabelz</i>	222	<i>antifungal (miconazole)</i>	61	<i>artificial tears(pg-hypm-glyc)</i>	197
<i>amantadine hcl</i>	77	<i>antifungal (terbinafine)</i>	64	<i>artificial tears(pvalch-povid)</i> ..	197
<i>ambrisentan</i>	263	<i>antifungal (tolnaftate)</i>	65	<i>ascomp with codeine</i>	3
<i>ameriphor</i>	134	<i>antifungal ringworm</i>	65	<i>ascorbic acid (vitamin c)</i>	278
<i>amethia</i>	121	<i>anti-itch (hc)</i>	145	<i>ascorbic acid-ascorbate sodium</i>	
<i>amiloride</i>	110	<i>anti-itch(hydrocortisone)-aloe</i>	144	268, 278
<i>amiloride-hydrochlorothiazide</i>	110	<i>antiseptic</i>	138	<i>asenapine maleate</i>	80
<i>amiodarone</i>	104	<i>apomorphine</i>	77	<i>ashlyna</i>	121
<i>amitriptyline</i>	51	APONVIE	74	ASPERCREME	
<i>amitriptyline-chlordiazepoxide</i>	51	<i>apraclonidine</i>	197	(LIDOCAINE HCL)	13
<i>amlodipine</i>	109	<i>aprepitant</i>	74	<i>aspercreme (lidocaine)</i>	13
<i>amlodipine-atorvastatin</i>	111	APRETUDE	86	<i>aspirin</i>	8, 9, 12
<i>amlodipine-benazepril</i>	109	<i>apri</i>	121	<i>aspirin-dipyridamole</i>	98
<i>amlodipine-olmesartan</i>	109	<i>aprodine</i>	66	<i>aspir-trin</i>	9
<i>amlodipine-valsartan</i>	109	APTIOM	45	ASSURE ID DUO PRO	
<i>amlodipine-valsartan-hcthiazid</i>	109	APTIVUS	86	SFTY PEN NDL	148
<i>ammonium lactate</i>	134, 135	AQINJECT PEN NEEDLE ..	148	ASSURE ID DUO-SHIELD	148
<i>amoxapine</i>	51	AQUA-E CONCENTRATE	264	ASSURE ID INSULIN	
<i>amoxicil-clarithromy-</i>		<i>aquanil hc</i>	141	SAFETY	148
<i>lansopraz</i>	207	<i>aquaphor</i>	135	ASSURE ID PEN NEEDLE	148
<i>amoxicillin</i>	23	<i>aquaphor baby diaper rash</i>	135	ASSURE ID PRO PEN	
<i>amoxicillin-pot clavulanate</i>	23, 24	AQUAPHOR HEALING	135	NEEDLE	148
<i>amphotericin b</i>	61	<i>aquaphor itch relief</i>	141	ASTAGRAF XL	229
<i>amphotericin b liposome</i>	61	<i>aranelle (28)</i>	121	<i>astringent</i>	135
<i>ampicillin</i>	24	ARCALYST	229	<i>atazanavir</i>	86
<i>ampicillin sodium</i>	24	AREXVY (PF)	237	<i>atenolol</i>	105
<i>ampicillin-sulbactam</i>	24			<i>atenolol-chlorthalidone</i>	105

<i>athenol</i>	8	<i>b complex 1 (with folic acid)</i> ..	265	BD SAFETYGLIDE
<i>athlete's foot</i>	61, 62	<i>b complex-vitamin b12</i>	265	INSULIN SYRINGE....
<i>athlete's foot (clotrimazole)</i>	62, 63	<i>b complex-vitamin c-folic acid</i>	265, 275, 277	BD SAFETYGLIDE
<i>athlete's foot (tolnaftate)</i>	61, 62		SYRINGE.....
<i>athletic foot cream</i>	64	<i>b-12 dots</i>	265	BD ULTRA-FINE MICRO
<i>atomoxetine</i>	115	<i>baby ayr saline</i>	198	PEN NEEDLE.....
<i>atorvastatin</i>	111	<i>bacitracin</i>	18, 140, 201	BD ULTRA-FINE MINI
<i>atovaquone</i>	76	<i>bacitracin zinc</i>	140	PEN NEEDLE.....
<i>atovaquone-proguanil</i>	76	<i>bacitracin-polymyxin b</i>	201	BD ULTRA-FINE NANO
<i>atropine</i>	197	<i>bacitraycin plus</i>	140	PEN NEEDLE.....
ATROVENT HFA.....	258	<i>baclofen</i>	262	BD ULTRA-FINE ORIG
<i>aubra eq</i>	121	<i>balance b-100 (folic acid)</i>	265	PEN NEEDLE.....
AUGTYRO.....	27	<i>balance b-50 (with folic acid)</i> .	265	BD ULTRA-FINE SHORT
<i>aurovela 1.5/30 (21)</i>	121	<i>balanced b-50</i>	274	PEN NEEDLE.....
<i>aurovela 1/20 (21)</i>	121	<i>balmex adult care</i>	135	BD VEO INSULIN SYR
<i>aurovela 24 fe</i>	121	<i>balmex complete protection</i>	135	(HALF UNIT).....
<i>aurovela fe 1.5/30 (28)</i>	121	<i>balsalazide</i>	243	BD VEO INSULIN
<i>aurovela fe 1-20 (28)</i>	121	BALVERSA.....	27, 28	SYRINGE UF.....
AUSTEDO.....	115	<i>balziva (28)</i>	122	BELSOMRA.....
AUSTEDO XR.....	115	<i>banophen</i>	66	<i>benadryl allergy</i>
AUSTEDO XR TITRATION		<i>bayer low dose aspirin</i>	9	<i>benazepril</i>
KT(WK1-4).....	115	<i>baza antifungal</i>	61	<i>benazepril-hydrochlorothiazide</i>
AUVELITY.....	51	BCG VACCINE, LIVE (PF).237	
<i>aveeno baby</i>	135	<i>b-complex</i>	274	<i>bendamustine</i>
AVEENO MOISTURIZING	135	<i>b-complex with vitamin c</i>	265, 266, 275, 277
<i>aviane</i>	121	BD AUTOSHIELD DUO		BENDAMUSTINE.....
AVONEX.....	115	PEN NEEDLE.....	148	BENDEKA.....
AVSOLA.....	229	BD ECLIPSE LUER-LOK... 148		BENLYSTA.....
<i>ayr saline</i>	197	BD INSULIN SYRINGE.... 149		<i>benzonatate</i>
AYR SINUS RINSE.....	197	BD INSULIN SYRINGE		<i>benzoyl peroxide</i>
<i>ayuna</i>	122	(HALF UNIT).....	149	<i>benztropine</i>
AYVAKIT.....	27	BD INSULIN SYRINGE		<i>bepotastine besilate</i>
<i>azacitidine</i>	27	SLIP TIP.....	149	BESREMI.....
<i>azathioprine</i>	229	BD INSULIN SYRINGE U-		<i>best fiber</i>
<i>azathioprine sodium</i>	229	500.....	149	BETADINE.....
<i>azelastine</i>	197, 198	BD INSULIN SYRINGE		<i>beta-hc</i>
<i>azithromycin</i>	22	ULTRA-FINE.....	149	<i>betaine</i>
AZOPT.....	250	BD NANO 2ND GEN PEN		<i>betamethasone acet,sod phos</i> ...224
<i>aztreonam</i>	22	NEEDLE.....	149	<i>betamethasone dipropionate</i>141
<i>azurette (28)</i>	122			<i>betamethasone valerate</i>141
				<i>betamethasone, augmented</i> 142

BETASERON.....	116	<i>budesonide-formoterol</i>	257	<i>cal-gest antacid</i>	210
<i>betatemp</i>	3	<i>bumetanide</i>	110	CALMOSEPTINE.....	136
<i>betaxolol</i>	105, 250	<i>buprenorphine</i>	3	CALQUENCE	
<i>bethanechol chloride</i>	220	<i>buprenorphine hcl</i>	3, 14	(ACALABRUTINIB MAL)...	29
<i>bexarotene</i>	28	<i>buprenorphine-naloxone</i>	14	<i>camila</i>	122
BEXSERO.....	237	<i>bupropion hcl</i>	51, 52	<i>candesartan</i>	101
BEYFORTUS.....	91	<i>bupropion hcl (smoking deter)</i> .	14	<i>candesartan-</i>	
<i>bicalutamide</i>	28	<i>buspirone</i>	246	<i>hydrochlorothiazid</i>	101
BICILLIN L-A.....	24	<i>butalbital-acetaminop-caf-cod</i>	3	CAPLYTA.....	80
BIKTARVY.....	86	<i>butalbital-acetaminophen</i>	4	CAPRELSA.....	29
<i>bimatoprost</i>	250	<i>butalbital-acetaminophen-caff</i>	4	<i>capsaicin</i>	136
<i>biofreeze overnight</i>	135	<i>butalbital-aspirin-caffeine</i>	4	<i>captopril</i>	103
<i>biotin</i>	265, 266	<i>butorphanol</i>	4	<i>captopril-hydrochlorothiazide</i> .	103
<i>bisacodyl</i>	214	<i>c complex</i>	266	<i>carbamazepine</i>	45
<i>bisoprolol fumarate</i>	105	<i>c-500</i>	266	<i>carbidopa</i>	77
<i>bisoprolol-hydrochlorothiazide</i>	105	CABENUVA.....	86	<i>carbidopa-levodopa</i>	78
<i>bleomycin</i>	28	<i>cabergoline</i>	77	<i>carbidopa-levodopa-entacapone</i>	78
<i>blisovi 24 fe</i>	122	CABLIVI.....	97	<i>carbinoxamine maleate</i>	66
<i>blisovi fe 1.5/30 (28)</i>	122	CABOMETYX.....	28, 29	<i>carboplatin</i>	29
<i>blisovi fe 1/20 (28)</i>	122	<i>cabotegravir</i>	86	CARBOXYMETHYLCELL	
BOOSTRIX TDAP.....	237	<i>caffeine citrate</i>	116	UL.SOD.(BULK).....	246
<i>bortezomib</i>	28	<i>calcidol</i>	266	CAREFINE PEN NEEDLE.	151
<i>bosentan</i>	263	<i>calcipotriene</i>	135	CARETOUCH INSULIN	
BOSULIF.....	28	<i>calcitonin (salmon)</i>	244	SYRINGE.....	152
<i>bp</i>	135	<i>calcitriol</i>	244	CARETOUCH PEN	
BP WASH.....	135	<i>calcium 500 + d</i>	252	NEEDLE.....	151, 152
BRAFTOVI.....	28	<i>calcium 600</i>	255	<i>carglumic acid</i>	210
BREO ELLIPTA.....	256	<i>calcium 600 + d(3)</i>	274	<i>carteolol</i>	250
<i>breyna</i>	256	<i>calcium acetate(phosphat</i>		<i>cartia xt</i>	107
BREZTRI AEROSPHERE..	258	<i>bind)</i>	219	<i>carvedilol</i>	105
<i>briellyn</i>	122	<i>calcium antacid</i>	210	<i>caspofungin</i>	61
BRILINTA.....	98	<i>calcium carbonate</i>		CASTELLANI PAINT.....	136
<i>brimonidine</i>	250	210, 213, 251, 252	CAYSTON.....	23
<i>brimonidine-timolol</i>	250	<i>calcium carbonate-vitamin d3</i>		<i>caziant (28)</i>	122
BRIVIACT.....	45	251, 266, 276	<i>cefaclor</i>	20
<i>bromfenac</i>	204	<i>calcium chloride</i>	252	<i>cefadroxil</i>	20
<i>bromocriptine</i>	77	<i>calcium citrate</i>	252	<i>cefazolin</i>	20
BRONCHITOL.....	260	<i>calcium citrate-vitamin d3</i>		<i>cefazolin in dextrose (iso-os)</i> ...	20
BRUKINSA.....	28	252, 253, 255	<i>cefdinir</i>	20
<i>budesonide</i>	243, 256, 257	CALDESENE.....	135	<i>cefepime</i>	20

<i>cefixime</i>	21	<i>child's all day allergy (cetir)</i>		<i>clearlax</i>	214
<i>cefotaxime</i>	21	68, 69, 70	<i>clemastine</i>	67
<i>cefoxitin</i>	21	<i>chloramphenicol sod succinate</i> ..	18	CLENPIQ	214
<i>cefpodoxime</i>	21	<i>chlordiazepoxide hcl</i>	16	CLICKFINE PEN NEEDLE	152
<i>cefprozil</i>	21	<i>chlorhexidine gluconate</i>	133	<i>clindamycin hcl</i>	18
<i>ceftazidime</i>	21	<i>chloroquine phosphate</i>	76	<i>clindamycin in 5 % dextrose</i>	19
<i>ceftriaxone</i>	21	<i>chlorothiazide sodium</i>	110	<i>clindamycin pediatric</i>	19
<i>cefuroxime axetil</i>	21	<i>chlorpromazine</i>	80	<i>clindamycin phosphate</i> ..19, 71, 140	
<i>cefuroxime sodium</i>	21	<i>chlorthalidone</i>	110	<i>clindamycin-benzoyl peroxide</i> ..	140
<i>celecoxib</i>	9	<i>chlorzoxazone</i>	262	CLINIMIX 5%/D15W	
<i>cephalexin</i>	21	<i>cholecalciferol (vitamin d3)</i>		SULFITE FREE	98
CERDELGA	195	267, 270, 273, 278	CLINIMIX 4.25%/D10W	
CEREZYME	195	<i>cholestyramine (with sugar)</i> ...	111	SULF FREE	98
<i>certavite senior</i>	266	<i>cholestyramine light</i>	112	CLINIMIX 4.25%/D5W	
<i>certavite-antioxidant</i>	266	<i>ciclopirox</i>	61	SULFIT FREE	98
<i>cetirizine</i>	66, 67	<i>cidofovir</i>	92	CLINIMIX 5%-	
<i>cetirizine-pseudoephedrine</i>	67	<i>cilostazol</i>	98	D20W(SULFITE-FREE)	98
<i>cevimeline</i>	133	CIMDUO	86	CLINIMIX 6%-D5W	
<i>chateal eq (28)</i>	122	<i>cimetidine</i>	207	(SULFITE-FREE)	99
<i>chest congestion relief</i>	131	<i>cimetidine hcl</i>	207	CLINIMIX 8%-	
<i>chest congestion relief dm</i>	131	<i>cinacalcet</i>	244	D10W(SULFITE-FREE)	99
<i>chest congestion relief pe</i>	130	CINQAIR	260	CLINIMIX 8%-	
<i>chest congestion-cough relief</i> ...131		CINRYZE	95	D14W(SULFITE-FREE)	99
<i>child allergy relf (cetirizine)</i>	70	<i>ciprofloxacin</i>	25	CLINIMIX E 2.75%/D5W	
<i>children's acetaminophen</i>	4	<i>ciprofloxacin hcl</i>	25, 201	SULF FREE	99
<i>children's allergy (diphenhyd)</i>		<i>ciprofloxacin in 5 % dextrose</i>	25	CLINIMIX E 4.25%/D10W	
.....	67, 68, 69, 70	<i>ciprofloxacin-dexamethasone</i> ..	201	SUL FREE	99
<i>children's allergy (cetirizine)</i>	70	<i>citapram</i>	52	CLINIMIX E 4.25%/D5W	
<i>children's aller-tec</i>	67	<i>citracal + d maximum</i>	252	SULF FREE	99
<i>children's cetirizine</i>	67	CITRACAL-D3		CLINIMIX E 5%/D15W	
<i>children's ibuprofen</i>	9, 10, 12	MAXIMUM PLUS	252	SULFIT FREE	99
<i>children's mapap</i>	4	<i>citrate of magnesia</i>	218	CLINIMIX E 5%/D20W	
<i>children's multivitamin</i>	266	<i>citroma</i>	214	SULFIT FREE	99
<i>children's pain relief</i>	4, 5	CITRUCEL SUGAR FREE	214	CLINIMIX E 8%-D10W	
<i>children's profen ib</i>	12	<i>cladribine</i>	29	SULFITEFREE	99
<i>children's tylenol</i>	4	<i>clarispray</i>	204	CLINIMIX E 8%-D14W	
<i>children's wal-dryl allergy</i>	67	<i>clarithromycin</i>	22	SULFITEFREE	100
<i>children's wal-zyr</i>	67	CLARITIN	67	<i>clobazam</i>	45
		<i>clear eyes natural tears</i>	198	<i>clobetasol</i>	142
		<i>clear eyes once daily allergy</i>	198	<i>clobetasol-emollient</i>	142

<i>clomipramine</i>	52	<i>cortisone (hydrocortisone)</i>	142	<i>daily vitamin formula</i>	267
<i>clonazepam</i>	16	<i>cortisone with aloe</i>	142	<i>daily vitamin formula-minerals</i>	267
<i>clonidine</i>	101	<i>cortizone-10</i>	142	<i>daily vitamin with iron</i>	267
<i>clonidine hcl</i>	101, 116	<i>cortizone-10 with aloe</i>	142	<i>daily vitesliron</i>	267
<i>clopidogrel</i>	98	CORTROPHIN GEL	226	<i>daily-vite</i>	267
<i>clorazepate dipotassium</i>	17	COSENTYX	230, 246	<i>daily-vite (with folic acid)</i>	267
<i>clotrimazole</i>	61, 62	COSENTYX (2 SYRINGES)	230	DAKIN'S SOLUTION	136
<i>clotrimazole af</i>	65	COSENTYX PEN (2 PENS)	230	<i>dakin's solution</i>	136
<i>clotrimazole-7</i>	62	COSENTYX UNOREADY		<i>dalfampridine</i>	116
<i>clotrimazole-betamethasone</i>	62	PEN	230	<i>danazol</i>	222
<i>clozapine</i>	80	COTELLIC	29	<i>dantrolene</i>	262
COARTEM	76	CREON	195	DANYELZA	29
<i>codeine sulfate</i>	4	<i>cromolyn</i>	198, 210, 260	<i>dapsone</i>	73
<i>codeine-butalbital-asa-caff</i>	4	<i>cryselle (28)</i>	122	DAPTACEL (DTAP	
COLACE	214	CURAD GAUZE PAD	155	PEDIATRIC) (PF)	237
<i>colchicine</i>	65	CUTINOVA HYDRO		<i>daptomycin</i>	19
<i>cold and hot pain relief</i>	136	DRESSING	155	<i>darunavir</i>	86
<i>colesevelam</i>	112	<i>cutter lemon eucalyptus</i>	136	DARZALEX	30
<i>colestipol</i>	112	<i>cyanocobalamin (vitamin b-</i>		DARZALEX FASPRO	30
<i>colistin (colistimethate na)</i>	19	<i>12)</i>	267, 276, 277	<i>dasetta 1/35 (28)</i>	122
COMBIVENT RESPIMAT ..	258	<i>cyclobenzaprine</i>	262	<i>dasetta 7/7 (28)</i>	122
COMETRIQ	29	<i>cyclopentolate</i>	198	DAURISMO	30
COMFEEL PLUS CLEAR		<i>cyclophosphamide</i>	29	<i>daylogic acne foaming wash</i>	136
DRESSING	152	<i>cyclosporine</i>	230	<i>daylogic acne treatment</i>	136
COMFORT EZ INSULIN		<i>cyclosporine modified</i>	230	<i>daylogic advanced healing</i>	136
SYRINGE	152, 153, 154	<i>cyproheptadine</i>	68	<i>daysee</i>	122
COMFORT EZ PEN		CYRAMZA	29	<i>deblitane</i>	122
NEEDLES	153, 154	<i>cyred eq</i>	122	<i>debrox</i>	202
COMFORT EZ PRO		CYSTARAN	198	<i>decitabine</i>	30
SAFETY PEN NDL	154	CYSTARAN	198	<i>deep sea nasal</i>	198
COMFORT TOUCH PEN		<i>d3 dots</i>	267	<i>deferasirox</i>	221
NEEDLE	155	<i>d5 % and 0.9 % sodium</i>		<i>deferiprone</i>	221
COMPLERA	86	<i>chloride</i>	252	<i>deferoxamine</i>	221
<i>complete allergy medicine</i>	67	<i>d5 %-0.45 % sodium chloride</i> ..	252	<i>dekas essential</i>	267
<i>complete lice treatment</i>	146	<i>dabigatran etexilate</i>	93	DEKAS ESSENTIAL	267
<i>compro</i>	74	<i>daily fiber</i>	215	DEKAS PLUS (FOLIC	
<i>constulose</i>	210	<i>daily fiber (psyllium-sucrose)</i> ..	214	ACID)	267
COPAXONE	116	<i>daily multi-vitamin</i>	271	DEKAS PLUS LIQUID	267
COPIKTRA	29	<i>daily multivitamin-minerals</i>	267	DELSTRIGO	86
CORLANOR	108	<i>daily value</i>	267	DELSYM 12 HOUR	131

<i>demeclocycline</i>	26	<i>diamode</i>	211	<i>dofetilide</i>	104
DENGVAXIA (PF).....	237	<i>diaper rash</i>	136, 137	<i>dok</i>	215
<i>denta 5000 plus</i>	133	<i>diazepam</i>	17, 45	DOMBORO.....	137
<i>dentagel</i>	133	<i>diazepam intensol</i>	17	<i>donepezil</i>	50
DEPO-SUBQ PROVERA		<i>diazoxide</i>	246	DOPTELET (10 TAB PACK)	95
104.....	228	<i>diclofenac potassium</i>	9	DOPTELET (15 TAB PACK)	95
<i>dermafungal</i>	62	<i>diclofenac sodium</i>	9, 10, 204	DOPTELET (30 TAB PACK)	95
<i>dermaphor</i>	136	<i>diclofenac-misoprostol</i>	10	<i>dorzolamide</i>	250
DESCOVY.....	86	<i>dicloxacillin</i>	24	<i>dorzolamide-timolol</i>	250
<i>desenex</i>	62	<i>dicyclomine</i>	211	<i>dotti</i>	223
<i>desipramine</i>	52	<i>didanosine</i>	87	DOVATO.....	87
DESITIN.....	136	DIFICID.....	22	<i>doxazosin</i>	101
DESITIN DAILY		<i>diflorasone</i>	142	<i>doxepin</i>	52
DEFENSE.....	137	<i>diflunisal</i>	10	<i>doxercalciferol</i>	244
<i>desmopressin</i>	226	<i>difluprednate</i>	204	<i>doxorubicin</i>	30
<i>desog-e.estradiolle.estradiol</i>	122	<i>digitek</i>	108	<i>doxorubicin, peg-liposomal</i>	30
<i>desogestrel-ethinyl estradiol</i>	123	<i>digox</i>	108	<i>doxy-100</i>	26
<i>desonide</i>	142	<i>digoxin</i>	108	<i>doxycycline hyclate</i>	26
<i>desoximetasone</i>	142	<i>dihydroergotamine</i>	72	<i>doxycycline monohydrate</i>	26
<i>desvenlafaxine succinate</i>	52	DILANTIN.....	46	<i>dramamine less drowsy</i>	74
<i>dex4 glucose</i>	100	<i>diltiazem hcl</i>	107	<i>drimate</i>	74
<i>dexamethasone</i>	224	<i>dilt-xr</i>	107	<i>dristan long lasting</i>	198
<i>dexamethasone sodium phos</i>		<i>dimaphen dm</i>	131	DRIZALMA SPRINKLE.....	52
(<i>pf</i>).....	224	<i>dimenhydrinate</i>	74	<i>dronabinol</i>	74
<i>dexamethasone sodium</i>		<i>dimethyl fumarate</i>	117	<i>droperidol</i>	75
<i>phosphate</i>	204, 224	DIPENTUM.....	243	DROPLET INSULIN	
<i>dexmethylphenidate</i>	116	<i>diphedryl</i>	68, 70	SYR(HALF UNIT).....	156
<i>dexrazoxane hcl</i>	246	<i>diphenhist</i>	68	DROPLET INSULIN	
<i>dextroamphetamine sulfate</i>	116	<i>diphenhydramine hcl</i>	68	SYRINGE.....	156, 157
<i>dextroamphetamine-</i>		<i>diphenoxylate-atropine</i>	211	DROPLET MICRON PEN	
<i>amphetamine</i>	116, 117	<i>dipyridamole</i>	98	NEEDLE.....	157
<i>dextromethorphan polistirex</i> ...	131	<i>disopyramide phosphate</i>	104	DROPLET PEN NEEDLE	
<i>dextrose 10 % in water (d10w)</i>		<i>disulfiram</i>	14	157, 158
.....	100	<i>divalproex</i>	46	DROPSAFE ALCOHOL	
<i>dextrose 5 % in water (d5w)</i> ...	100	<i>docetaxel</i>	30	PREP PADS.....	137
<i>dhs sal</i>	137	<i>docosanol</i>	71	DROPSAFE INSULIN	
DHS TAR.....	137	<i>docusate calcium</i>	215	SYRINGE.....	158
<i>diabetic tussin dm</i>	131	<i>docusate sodium</i>	215	DROPSAFE PEN NEEDLE	158
<i>diabetic tussin ex</i>	131	<i>docusil</i>	215	<i>drospirenone-ethinyl estradiol</i> ..	123
DIACOMIT.....	45	<i>dodex</i>	268	DROXIA.....	97

<i>droxidopa</i>	101	EASY TOUCH SAFETY	EMEND.....	75
DUAVEE.....	223	PEN NEEDLE.....	EMGALITY PEN.....	72
<i>ducodyl (bisacodyl)</i>	215	EASY TOUCH	EMGALITY SYRINGE.....	72
DULCOLAX (BISACODYL)		SHEATHLOCK INSULIN	EMSAM.....	52
.....	215	<i>emtricitabine</i>	87
<i>duloxetine</i>	52	EASY TOUCH UNI-SLIP... 163	<i>emtricitabine-tenofovir (tdf)</i>	87
DUODERM CGF BORDER		<i>ec-naproxen</i>	EMTRIVA.....	87
DRESSING.....	159	<i>econazole</i>	<i>enalapril maleate</i>	103
DUODERM CGF		<i>econtra one-step</i>	<i>enalaprilat</i>	103
DRESSING.....	159	<i>ecotrin</i>	<i>enalapril-hydrochlorothiazide</i> .	103
DUPIXENT PEN.....	230	<i>eczema relief</i>	ENBREL.....	231
DUPIXENT SYRINGE.....	231	EDARBI.....	ENBREL MINI.....	231
<i>dutasteride</i>	220	EDARBYCLOR.....	ENBREL SURECLICK.....	231
<i>dutasteride-tamsulosin</i>	221	EDURANT.....	ENDARI.....	246
<i>d-vi-sol</i>	268	<i>efavirenz</i>	<i>endocet</i>	4, 5
<i>ear drops (carbamide</i>		<i>efavirenz-emtricitabin-tenofov</i> ..	<i>endur-acin</i>	112
<i>peroxide)</i>	202	<i>efavirenz-lamivu-tenofov disop</i> ..	<i>enema</i>	218
EASY COMFORT		EGRIFTA SV.....	<i>enema disposable</i>	214, 215
INSULIN SYRINGE....	159, 160	ELAPRASE.....	<i>enemeez</i>	215
EASY COMFORT PEN		ELDERTONIC.....	<i>enemeez plus</i>	215
NEEDLES.....	160	<i>electrolyte-148</i>	ENGERIX-B (PF).....	238
EASY COMFORT SAFETY		<i>electrolytes-dextrose</i>	ENGERIX-B PEDIATRIC	
PEN NEEDLE.....	159	ELFABRIO.....	(PF).....	238
EASY GLIDE INSULIN		ELIGARD.....	<i>enilloring</i>	123
SYRINGE.....	160	ELIGARD (3 MONTH).....	<i>enoxaparin</i>	93, 94
EASY GLIDE PEN		ELIGARD (4 MONTH).....	<i>enpresse</i>	123
NEEDLE.....	160	ELIGARD (6 MONTH).....	<i>enskyce</i>	123
EASY TOUCH.....	162, 163	<i>elinest</i>	ENSPRYNG.....	117
EASY TOUCH FLIPLOCK		ELIQUIS.....	<i>entacapone</i>	78
INSULIN.....	162	ELIQUIS DVT-PE TREAT	ENTADFI.....	221
EASY TOUCH FLIPLOCK		30D START.....	<i>entecavir</i>	92
SYRINGE.....	161	ELITEK.....	ENTRESTO.....	102
EASY TOUCH INSULIN		<i>elixophyllin</i>	<i>enulose</i>	211
SAFETY SYR.....	161	ELLA.....	EPCLUSA.....	91, 92
EASY TOUCH INSULIN		ELMIRON.....	EPIDIOLEX.....	46
SYRINGE.....	161, 162, 163	ELREXFIO.....	<i>epinastine</i>	198
EASY TOUCH LUER		<i>eluryng</i>	<i>epinephrine</i>	108
LOCK INSULIN.....	162	EMBRACE PEN NEEDLE	<i>epitol</i>	46
EASY TOUCH PEN		EPIVIR HBV.....	87
NEEDLE.....	162	EMCYT.....	EPKINLY.....	31

<i>eplerenone</i>	114	<i>everolimus (antineoplastic)</i>	31	<i>fentanyl</i>	5
<i>epoprostenol</i>	263	<i>everolimus</i>		<i>fentanyl citrate</i>	5
EPRONTIA	46	(<i>immunosuppressive</i>).....	231	<i>feosol</i>	268
<i>eprosartan</i>	102	EVOTAZ	87	<i>ferate</i>	268
<i>epsom salt (laxative)</i>	210, 211	EVERYSI	246	<i>ferosul</i>	268
ERBITUX	31	EXCILON	246	<i>ferretts</i>	268
<i>ergocalciferol (vitamin d2)</i>		EXEL INSULIN	164	<i>ferrex 150</i>	268
.....	268, 278	<i>exemestane</i>	31	FERRIPROX	221
<i>ergoloid</i>	50	EXKIVITY	31	FERRIPROX (2 TIMES A	
ERIVEDGE	31	EXONDYS-51	246	DAY)	221
ERLEADA	31	<i>expectorant</i>	131	<i>ferrocite</i>	268
<i>erlotinib</i>	31	<i>expectorant cough syrup</i>	132	<i>ferrous fumarate</i>	268
<i>errin</i>	123	<i>eye allergy itch relief</i>	199	<i>ferrous gluconate</i>	266, 268, 270
<i>ertapenem</i>	23	<i>eye allergy itch-redness rlf</i>	199	<i>ferrous sulfate</i>	267, 268, 269
<i>ery pads</i>	140	<i>eye health plus lutein</i>	268	<i>ferrousul</i>	269
<i>erythromycin</i>	22, 202	<i>eye itch relief</i>	198	<i>fesoterodine</i>	220
<i>erythromycin ethylsuccinate</i>	22	EYSUVIS	205	FETZIMA	53
<i>erythromycin with ethanol</i>	140	EZALLOR SPRINKLE	112	<i>feverall</i>	5
<i>erythromycin-benzoyl peroxide</i>		<i>ezetimibe</i>	112	FEVERALL	5
.....	140	<i>ezetimibe-simvastatin</i>	112	<i>fexofenadine</i>	68, 69
<i>escitalopram oxalate</i>	52, 53	FABRAZYME	195	FIASP FLEXTOUCH U-100	
<i>esomeprazole magnesium</i>	207	<i>falmina (28)</i>	123	INSULIN	58
<i>esomeprazole sodium</i>	207	<i>famciclovir</i>	92	FIASP PENFILL U-100	
<i>estarylla</i>	123	<i>famotidine</i>	207, 208, 209	INSULIN	58
<i>estazolam</i>	17	<i>famotidine (pf)</i>	208	FIASP U-100 INSULIN	58
<i>estradiol</i>	223	<i>famotidine (pf)-nacl (iso-os)</i>	208	<i>fiber (calcium polycarbophil)</i>	215
<i>estradiol valerate</i>	223	FANAPT	80, 81	<i>fiber (psyllium husk)</i>	219
<i>estradiol-norethindrone acet</i> ...	223	FARXIGA	55	<i>fiber (psyllium husk-sugar)</i>	
<i>eszopiclone</i>	262	FARYDAK	31	215, 219
<i>ethambutol</i>	73	FASENRA	260	<i>fiber laxative (ca polycarbo)</i> ..	214
<i>ethosuximide</i>	46	FASENRA PEN	260	<i>fiber therapy (m-cellsugar)</i> ...	216
<i>ethynodiol diac-eth estradiol</i> ...	123	<i>febuxostat</i>	65	<i>fiber therapy (m-cellulose)</i>	
<i>etodolac</i>	10	<i>felbamate</i>	46	214, 216
<i>etonogestrel-ethinyl estradiol</i> ..	123	<i>felodipine</i>	109	<i>fiber-lax</i>	216
ETOPOPHOS	31	FEMRING	223	<i>fiber-tabs</i>	216
<i>etoposide</i>	31	<i>fenofibrate</i>	112	<i>finasteride</i>	221
<i>etravirine</i>	87	<i>fenofibrate micronized</i>	112	<i>fingolimod</i>	117
<i>eucerin eczema relief</i>	137	<i>fenofibrate nanocrystallized</i>	112	FINTEPLA	46
EUCRISA	142	<i>fenofibric acid (choline)</i>	112	FIRMAGON KIT W	
<i>evac-u-gen (sennosides)</i>	215	<i>fenopropfen</i>	10	DILUENT SYRINGE	31, 32

<i>flavor chews antacid</i>	210	<i>foot and sneaker</i>	62	GAUZE PADS &
<i>flavoxate</i>	220	<i>for sty relief</i>	199	DRESSINGS - PADS 2 X 2
FLEBOGAMMA DIF	231	<i>fosamprenavir</i>	87	.. 151, 155, 156, 165, 169, 179, 195
<i>flecainide</i>	104	<i>fosaprepitant</i>	75	<i>gavilax</i>
FLEET BISACODYL	216	<i>foscarnet</i>	91	<i>gavilyte-c</i>
<i>flintstones multivitamin</i>	269	<i>fosinopril</i>	103	<i>gavilyte-g</i>
FLINTSTONES WITH		<i>fosinopril-hydrochlorothiazide</i>	103	GAVRETO
IRON	269	<i>fosphenytoin</i>	46	<i>gefitinib</i>
<i>flintstones/extra c</i>	269	FOTIVDA	32	<i>gelusil antacid and anti-gas</i>
FLONASE ALLERGY		FREESTYLE PRECISION ..	165	<i>gemcitabine</i>
RELIEF	205	<i>freshkote</i>	199	<i>gemfibrozil</i>
<i>floxuridine</i>	32	<i>fruit c-500</i>	269	<i>generic prenatal vitamin</i>
<i>fluconazole</i>	62	FRUZAQLA	32	265, 266, 269, 270, 271, 272, 273,
<i>fluconazole in nacl (iso-osm)</i>	62	FULPHILA	95	274, 275, 276, 277, 279
<i>flucytosine</i>	63	<i>fulvestrant</i>	32	<i>generlac</i>
<i>fludrocortisone</i>	224	<i>furosemide</i>	110	<i>gengraf</i>
<i>flumazenil</i>	117	FUZEON	87	<i>gentak</i>
<i>flunisolide</i>	205	FYARRO	32	<i>gentamicin</i>
<i>fluocinolone</i>	143	<i>fyavolv</i>	223	18, 140, 202
<i>fluocinolone acetonide oil</i>	205	FYCOMPA	46	<i>gentamicin sulfate (ped) (pf)</i> ... 18
<i>fluocinonide</i>	143	FYLNETRA	95	<i>gentamicin sulfate (pf)</i> 18
<i>fluocinonide-emollient</i>	143	<i>gabapentin</i>	46, 47	GENTEAL TEARS
<i>fluorometholone</i>	205	GALAFOLD	195	MODERATE
<i>fluorouracil</i>	32, 137	<i>galantamine</i>	51	GENTEAL TEARS
<i>fluoxetine</i>	53	GAMIFANT	231	MODERATE (PF)
<i>fluphenazine decanoate</i>	81	GAMMAGARD LIQUID ... 231		GENTEAL TEARS
<i>fluphenazine hcl</i>	81	GAMMAGARD S-D (IGA <		SEVERE GEL
<i>flurazepam</i>	17	1 MCG/ML)	231	<i>gentle laxative (bisacodyl)</i> 214
<i>flurbiprofen</i>	10	GAMMAPLEX	231	<i>gentlelax</i>
<i>flurbiprofen sodium</i>	205	GAMMAPLEX (WITH		216
<i>fluticasone propionate</i>		SORBITOL)	231	GENVOYA
..... 143, 204, 205, 257		GAMUNEX-C	232	<i>geri-dryl</i>
<i>fluticasone propion-salmeterol</i>	257	<i>ganciclovir sodium</i>	93	69
<i>fluvastatin</i>	112	GARDASIL 9 (PF)	238	GILENYA
<i>fluvoxamine</i>	53	<i>gas relief (simethicone)</i>	206	117
<i>foaming acne face wash</i>	136	<i>gas relief 80 (simethicone)</i>	206	GILOTRIF
<i>foaming antacid</i>	211	<i>gas relief extra strength</i>	206	32
<i>folic acid</i>	269	<i>gas-x extra strength</i>	206	GIVLAARI
<i>fomepizole</i>	246	<i>gatifloxacin</i>	202	97
<i>fondaparinux</i>	94	GATTEX 30-VIAL	211	<i>glatiramer</i>
				117
				<i>glatopa</i>
				117
				GLEOSTINE
				32
				<i>glimpiride</i>
				60
				<i>glipizide</i>
				60
				<i>glipizide-metformin</i>
				60
				<i>glucose</i>
				100

<i>glyburide</i>	61	HEALTHWISE INSULIN		HUMIRA(CF) PEN PSOR-	
<i>glyburide micronized</i>	61	SYRINGE.....	165, 166	UV-ADOL HS.....	233
<i>glyburide-metformin</i>	61	HEALTHWISE PEN		HUMULIN R U-500	
<i>glycerin (child)</i>	214, 216	NEEDLE.....	166	(CONC) INSULIN.....	58
<i>glycopyrrolate</i>	211	HEALTHY ACCENTS		HUMULIN R U-500	
<i>glydo</i>	13	UNIFINE PENTIP.....	166	(CONC) KWIKPEN.....	59
GLYXAMBI.....	55	<i>healthylax</i>	216	<i>hydralazine</i>	108, 109
<i>gonak</i>	199	<i>heartburn prevention</i>	208	<i>hydralyte</i>	253
<i>goniotaire</i>	199	<i>heartburn relief</i>	211	<i>hydrochlorothiazide</i>	110
<i>granisetron (pf)</i>	75	<i>heartburn relief (famotidine)</i> ..	208	<i>hydrocodone-acetaminophen</i>	5
<i>granisetron hcl</i>	75	<i>heather</i>	124	<i>hydrocodone-ibuprofen</i>	5
GRANIX.....	95	HEMADY.....	225	HYDROCOLLOID	
<i>griseofulvin microsize</i>	63	<i>hemocyte</i>	270	DRESSING.....	178
<i>griseofulvin ultramicrosize</i>	63	<i>hemorrhoidal(pe-min oil-</i>		<i>hydrocortisone</i>	
<i>guaifenesin</i>	131	<i>petro)</i>	137	143, 144, 145, 225, 243
<i>guanfacine</i>	101, 117	<i>heparin (porcine)</i>	94	<i>hydrocortisone acetate</i>	143
<i>gummi bear multivitamin</i>	270	<i>heparin, porcine (pf)</i>	94	<i>hydrocortisone butyrate</i> ..	143, 144
GVOKE.....	247	HEPLISAV-B (PF).....	238	<i>hydrocortisone plus</i>	145
GVOKE HYPOPEN 2-		<i>her style</i>	124	<i>hydrocortisone valerate</i>	144
PACK.....	246	HERCEPTIN HYLECTA.....	32	<i>hydrocortisone-acetic acid</i>	202
GVOKE PFS 1-PACK		HERZUMA.....	32	<i>hydrocortisone-aloe vera</i>	144
SYRINGE.....	246	HETLIOZ LQ.....	263	<i>hydrocortisone-min oil-wht pet</i>	144
GVOKE PFS 2-PACK		HIBERIX (PF).....	238	<i>hydrocream</i>	144
SYRINGE.....	247	<i>high potency multivit (w-iron)</i>	270	<i>hydrogen peroxide</i> ... 137, 249, 250	
HAEGARDA.....	95	<i>high potency multivitamin</i>	270	<i>hydromorphone</i>	5, 6
<i>hailey</i>	124	<i>honey bears multivitamin</i>	270	<i>hydromorphone (pf)</i>	5
<i>hailey 24 fe</i>	123	HUMIRA.....	232	<i>hydroxocobalamin</i>	270
<i>hailey fe 1.5/30 (28)</i>	123	HUMIRA PEN.....	232	<i>hydroxychloroquine</i>	76
<i>hailey fe 1/20 (28)</i>	123	HUMIRA PEN CROHNS-		<i>hydroxyprogesterone</i>	
<i>hair vitamins</i>	270	UC-HS START.....	232	<i>cap(ppres)</i>	228
<i>hair,skin and nails</i>	266	HUMIRA PEN PSOR-		<i>hydroxyprogesterone caproate</i>	228
<i>halobetasol propionate</i>	143	UVEITS-ADOL HS.....	232	<i>hydroxyurea</i>	32
<i>haloette</i>	124	HUMIRA(CF).....	233	<i>hydroxyzine hcl</i>	69
<i>haloperidol</i>	81	HUMIRA(CF) PEDI		<i>hydroxyzine pamoate</i>	247
<i>haloperidol decanoate</i>	81	CROHNS STARTER.....	232	HYQVIA.....	233
<i>haloperidol lactate</i>	81	HUMIRA(CF) PEN.....	233	<i>hysept</i>	137
HARVONI.....	92	HUMIRA(CF) PEN		<i>ibandronate</i>	244
HAVRIX (PF).....	238	CROHNS-UC-HS.....	232	IBRANCE.....	33
<i>h-chlor 12</i>	137	HUMIRA(CF) PEN		<i>ibu</i>	10
		PEDIATRIC UC.....	232	<i>ibuprofen</i>	10, 11

<i>ibuprofen-famotidine</i>	11	INLYTA.....	33	ISOLYTE S PH 7.4.....	253
ICAPS MV.....	270	INPEN (FOR HUMALOG) BLUE.....	167	ISOLYTE-P IN 5 % DEXTROSE.....	253
<i>icatibant</i>	109	INPEN (NOVOLOG OR FIASP) BLUE.....	167	ISOLYTE-S.....	253
<i>iclevia</i>	124	INQOVI.....	33	<i>isoniazid</i>	73
ICLUSIG.....	33	INREBIC.....	34	ISOPROPYL ALCOHOL 0.7 ML/ML MEDICATED PAD	136, 137, 138, 139
<i>icy hot (menthol)</i>	137	<i>insulin asp prt-insulin aspart</i>	59	<i>isopto tears</i>	199
IDHIFA.....	33	<i>insulin aspart u-100</i>	59	<i>isosorbide dinitrate</i>	114
<i>iferex 150</i>	270	INSULIN SYR/NDL U100 HALF MARK.....	167	<i>isosorbide mononitrate</i>	114
<i>ifosfamide</i>	33	INSULIN SYRINGE.....	149	<i>isosorbide-hydralazine</i>	114
ILARIS (PF).....	233	INSULIN SYRINGE MICROFINE.....	149	<i>isradipine</i>	110
ILEVRO.....	205	INSULIN SYRINGE NEEDLELESS.....	149	<i>itraconazole</i>	63
ILUMYA.....	233	INSULIN SYRINGE NEEDLE U-100 149, 151, 164, 167, 168, 177, 178, 182, 183		IV3000 FRAME DELIVERY DRESSING.....	247
<i>imatinib</i>	33	INSUPEN PEN NEEDLE	168, 169	<i>ivermectin</i>	77
IMBRUVICA.....	33	INTELENCE.....	87	IWILFIN.....	34
<i>imipenem-cilastatin</i>	23	INTRALIPID.....	100	IXCHIQ.....	238
<i>imipramine hcl</i>	53	INVEGA HAFYERA.....	81	IXIARO (PF).....	239
<i>imipramine pamoate</i>	53	INVEGA SUSTENNA.....	81, 82	<i>jaimiess</i>	124
<i>imiquimod</i>	137	INVEGA TRINZA.....	82	JAKAFI.....	34
IMJUDO.....	33	INVELTYS.....	205	<i>jantoven</i>	94
IMLYGIC.....	33	INVIRASE.....	88	JANUMET.....	55
<i>imodium a-d</i>	211	<i>inzo antifungal</i>	63	JANUMET XR.....	55
IMOVAX RABIES VACCINE (PF).....	238	IPOL.....	238	JANUVIA.....	55
IMPAVIDO.....	77	<i>ipratropium bromide</i>	199, 258	JARDIANCE.....	55
INBRIJA.....	78	<i>ipratropium-albuterol</i>	258	<i>jasmiel (28)</i>	124
<i>incassia</i>	124	<i>irbesartan</i>	102	<i>javygtor</i>	195
INCONTROL PEN NEEDLE.....	166	<i>irbesartan-hydrochlorothiazide</i>	102	JAYPIRCA.....	34
INCRELEX.....	226	<i>irinotecan</i>	34	JEMPERLI.....	34
<i>indapamide</i>	111	<i>iron</i>	270, 275	<i>jencycla</i>	124
<i>indomethacin</i>	11	ISENTRESS.....	88	JENTADUETO.....	56
INFANRIX (DTAP) (PF)....	238	ISENTRESS HD.....	88	JENTADUETO XR.....	56
<i>infant fever reducer-pain relf</i>	8	<i>isibloom</i>	124	<i>jinteli</i>	223
<i>infant's ibuprofen</i>	11			<i>jock itch (clotrimazole)</i>	62, 63, 65
<i>infants simethicone</i>	206			<i>juleber</i>	124
INFLECTRA.....	233			JULUCA.....	88
<i>infliximab</i>	233			<i>junel 1.5/30 (21)</i>	124
INGREZZA.....	117			<i>junel 1/20 (21)</i>	124
INGREZZA INITIATION PACK.....	117				

<i>junel fe 1.5/30 (28)</i>	124	KRYSTEXXA	196	<i>levocarnitine (with sugar)</i>	247
<i>junel fe 1/20 (28)</i>	124	<i>kurvelo (28)</i>	125	<i>levocetirizine</i>	69
<i>junel fe 24</i>	124	KYNMOBI	78	<i>levofloxacin</i>	25, 199, 202
JUXTAPID	112, 113	<i>l norgestle.estradiol-e.estrad...</i>	125	<i>levofloxacin in d5w</i>	25
JYNARQUE	111	<i>labetalol</i>	105	<i>levoleucovorin calcium</i>	247
JYNNEOS (PF)	239	<i>lacosamide</i>	47	<i>levonest (28)</i>	125
<i>kalliga</i>	124	<i>lactulose</i>	211	<i>levonorgestrel</i>	125
KALYDECO	260	<i>lagevrio (eua)</i>	93	<i>levonorgestrel-ethinyl estrad...</i>	125
KANJINTI	34	<i>lamisil af</i>	63	<i>levonorg-eth estrad triphasic...</i>	125
KANUMA	196	<i>lamivudine</i>	88	<i>levora-28</i>	126
<i>kaopectate (bismuth subsalicy)</i>		<i>lamivudine-zidovudine</i>	88	<i>levothyroxine</i>	229
.....	211	<i>lamotrigine</i>	47	LEXIVA	88
<i>kariva (28)</i>	124	<i>lanreotide</i>	226	<i>lice treatment</i>	146
KATERZIA	110	<i>lansoprazole</i>	207, 208, 209	<i>lido king</i>	13
<i>kelnor 1/35 (28)</i>	125	<i>lanthanum</i>	219	<i>lidocaine</i>	13
<i>kelnor 1-50 (28)</i>	125	<i>lapatinib</i>	35	<i>lidocaine (pf)</i>	13, 104
KERENDIA	114	<i>larin 1.5/30 (21)</i>	125	<i>lidocaine hcl</i>	13
KESIMPTA PEN	118	<i>larin 1/20 (21)</i>	125	<i>lidocaine pain relief</i>	14
<i>ketoconazole</i>	63	<i>larin 24 fe</i>	125	<i>lidocaine viscous</i>	14
<i>ketoprofen</i>	11	<i>larin fe 1.5/30 (28)</i>	125	<i>lidocaine-prilocaine</i>	14
<i>ketorolac</i>	11, 12, 205	<i>larin fe 1/20 (28)</i>	125	<i>linezolid</i>	19
KEVZARA	233	<i>latanoprost</i>	251	<i>linezolid in dextrose 5%</i>	19
KEYTRUDA	34	<i>laxacin</i>	216	<i>lintera</i>	138
KIMMTRAK	34	<i>laxaclear</i>	216	LINZESS	211
KINERET	233	<i>laxative (bisacodyl)</i>	218	<i>liothyronine</i>	229
KINRIX (PF)	239	<i>laxative (sennosides)</i>	218	LIP TREATMENT	138
KISQALI	34, 35	<i>laxative peg 3350</i>	218	<i>lisinopril</i>	103
KISQALI FEMARA CO-		<i>leflunomide</i>	233	<i>lisinopril-hydrochlorothiazide</i>	104
PACK	34	<i>lenalidomide</i>	35	LITE TOUCH INSULIN	
KLISYRI	138	LENVIMA	35	PEN NEEDLES	169
<i>klor-con m10</i>	253	<i>lessina</i>	125	LITE TOUCH INSULIN	
<i>klor-con m15</i>	253	<i>letrozole</i>	35	SYRINGE	169, 170
<i>klor-con m20</i>	253	<i>leucovorin calcium</i>	247	<i>lithium carbonate</i>	118
KLOXXADO	14	LEUKERAN	35	<i>lithium citrate</i>	118
<i>konsyl (sugar)</i>	216	LEUKINE	95	<i>little animals</i>	270
KONSYL SUGAR-FREE ...	216	<i>leuprolide</i>	35	<i>little animals-iron</i>	270
KOSELUGO	35	<i>leuprolide (3 month)</i>	35	<i>little remedies saline</i>	199
KOURZEQ	133	<i>levetiracetam</i>	47	<i>little tummys gas relief</i>	206
KRAZATI	35	<i>levobunolol</i>	251	LIVALO	113
KRINTAFEL	77	<i>levocarnitine</i>	247	<i>lojaimiess</i>	126

LOKELMA.....	211, 212	LUPRON DEPOT-PED (3 MONTH).....	226	MAVENCLAD (6 TABLET PACK).....	118
LONSURF.....	35	<i>lurasidone</i>	82	MAVENCLAD (7 TABLET PACK).....	118
<i>loperamide</i>	212	<i>lutea (28)</i>	126	MAVENCLAD (8 TABLET PACK).....	118
<i>lopinavir-ritonavir</i>	88	LYBALVI.....	82	MAVENCLAD (9 TABLET PACK).....	118
LOQTORZI.....	35	<i>lyleq</i>	126	MAVYRET.....	92
<i>loradamed</i>	69	<i>lyllana</i>	223	<i>maxallergy kids</i>	69
<i>loratadine</i>	67, 69	LYNPARZA.....	36	MAXICOMFORT II PEN NEEDLE.....	170
<i>loratadine-d</i>	69	LYSODREN.....	36	MAXICOMFORT INSULIN SYRINGE.....	170, 171
<i>lorazepam</i>	17	LYTGOBI.....	36	MAXI-COMFORT INSULIN SYRINGE.....	171
<i>lorazepam intensol</i>	17	<i>lyza</i>	126	MAXICOMFORT SAFETY PEN NEEDLE.....	171
LORBRENA.....	35, 36	<i>mag 64</i>	253	MAYZENT.....	118
<i>loryna (28)</i>	126	MAGELLAN INSULIN SAFETY SYRNG.....	170	MAYZENT STARTER(FOR 1MG MAINT).....	118
<i>losartan</i>	102	MAGELLAN SYRINGE.....	170	MAYZENT STARTER(FOR 2MG MAINT).....	119
<i>losartan-hydrochlorothiazide</i> ..	102	MAGNEBIND 300.....	219	<i>m-dryl</i>	69
LOTEMAX.....	205	<i>magnesium</i>	255	<i>meclizine</i>	75
LOTEMAX SM.....	205	<i>magnesium chloride</i>	253	<i>medi-meclizine</i>	75
<i>loteprednol etabonate</i>	205	<i>magnesium citrate</i> ... 214, 215, 216		<i>medroxyprogesterone</i>	228
LOTRIMIN AF POWDER... 63		<i>magnesium oxide</i>	212	<i>mefenamic acid</i>	12
<i>lovastatin</i>	113	<i>magnesium sulfate</i>	254	<i>mefloquine</i>	77
<i>low-ogestrel (28)</i>	126	<i>magnesium sulfate in d5w</i>	253	<i>mega multiplechelated mineral</i>	271
<i>loxapine succinate</i>	82	<i>magnesium sulfate in water</i>	253	<i>megestrol</i>	36, 228
<i>lo-zumandimine (28)</i>	126	<i>malathion</i>	146	MEKINIST.....	36
<i>lubiprostone</i>	212	<i>mapap (acetaminophen)</i>	6	MEKTOVI.....	37
<i>lubricant eye (cmc-glycer) (pf)</i>	199	<i>mapap arthritis pain</i>	6	<i>meloxicam</i>	12
<i>lubricant eye (pg-peg 400) (pf)</i>	199	<i>maraviroc</i>	88	<i>memantine</i>	51
<i>lubricant eye drops</i>	198, 199	MARGENZA.....	36	MENACTRA (PF).....	239
<i>lubrifresh pm</i>	199	<i>marlissa (28)</i>	126	MENQUADFI (PF).....	239
LUMAKRAS.....	36	MARPLAN.....	53	MENVEO A-C-Y-W-135-DIP (PF).....	239
LUMIGAN.....	251	<i>masophen</i>	6		
LUNSUMIO.....	36	MATULANE.....	36		
LUPRON DEPOT.....	226	<i>matzim la</i>	107		
LUPRON DEPOT (3 MONTH).....	36, 226	MAVENCLAD (10 TABLET PACK).....	118		
LUPRON DEPOT (4 MONTH).....	36	MAVENCLAD (4 TABLET PACK).....	118		
LUPRON DEPOT (6 MONTH).....	36	MAVENCLAD (5 TABLET PACK).....	118		
LUPRON DEPOT-PED.....	226, 227				

MEPSEVII.....	196	<i>mexiletine</i>	104	<i>moexipril</i>	104
<i>mercaptopurine</i>	37	<i>mgo</i>	212	<i>molindone</i>	82
<i>meropenem</i>	23	<i>micatin</i>	63	<i>mometasone</i>	144, 206
<i>merzee</i>	126	MICONAZOLE NITRATE...	63	<i>mondoxyne nl</i>	26, 27
<i>mesalamine</i>	243	<i>miconazole nitrate</i>	63	MONISTAT 7.....	64
<i>mesna</i>	247	<i>miconazole-3</i>	63	<i>monistat 7</i>	64
MESNEX.....	247	<i>micotrin ac</i>	63	<i>monistat care (hydrocortisone)</i>	144
<i>metadate er</i>	119	MICRODOT INSULIN PEN		MONOJECT INSULIN	
METAMUCIL.....	217	NEEDLE.....	171	SAFETY SYRINGE.....	172, 173
METAMUCIL (WITH		MICRODOT		MONOJECT INSULIN	
SUGAR).....	217	READYGARD PEN		SYRINGE.....	172, 173
METAMUCIL FIBER		NEEDLE.....	171	MONOJECT SYRINGE.....	172
SINGLES.....	217	<i>microgestin fe 1/20 (28)</i>	126	MONOJECT ULTRA	
<i>metformin</i>	56	<i>micro-guard</i>	63	COMFORT INSULIN.....	189
<i>methadone</i>	6	<i>midazolam</i>	17	<i>mono-lynyah</i>	126
<i>methadose</i>	6	<i>midodrine</i>	101	<i>montelukast</i>	257
<i>methazolamide</i>	251	<i>mifepristone</i>	56	<i>morphine</i>	6
<i>methenamine hippurate</i>	19	<i>miglitol</i>	56	MORPHINE.....	6
<i>methimazole</i>	229	<i>miglustat</i>	196	<i>morphine concentrate</i>	6
<i>methocarbamol</i>	262	<i>migraine formula</i>	9	<i>motion sickness (meclizine)</i>	74
<i>methotrexate sodium</i>	37	<i>mili</i>	126	<i>motion sickness relief(mecliz)</i> ..	75
<i>methotrexate sodium (pf)</i>	37	<i>milk of magnesia</i>	215, 217	MOUNJARO.....	56
<i>methoxsalen</i>	138	<i>milk of magnesia concentrated</i>	217	MOVANTIK.....	212
<i>methscopolamine</i>	212	<i>milltrium senior</i>	271	<i>moxifloxacin</i>	25, 202
<i>methsuximide</i>	48	<i>mimvey</i>	223	<i>moxifloxacin-sod.ace,sul-water</i>	25
<i>methyl dopa</i>	101	<i>mineral oil</i>	217	<i>moxifloxacin-sod.chloride(iso)</i>	25
<i>methylphenidate hcl</i>	119, 120	<i>mineral oil extra heavy</i>	218	MOZOBIL.....	95
<i>methylprednisolone</i>	225	<i>mineral oil heavy</i>	217	<i>m-pap</i>	6
<i>methylprednisolone acetate</i>	225	<i>mini enema</i>	214	MUCINEX.....	131
<i>methylprednisolone sodium</i>		MINI ULTRA-THIN II.....	172	MUCINEX DM.....	131
<i>succ</i>	225	<i>minocycline</i>	26	<i>mucinex fast-max chest-</i>	
<i>metoclopramide hcl</i>	212	<i>minoxidil</i>	114	<i>congest</i>	131
<i>metolazone</i>	111	<i>mintox plus</i>	212	<i>mucus dm</i>	132
<i>metoprolol succinate</i>	106	MIRALAX.....	217	<i>mucus relief</i>	131
<i>metoprolol ta-hydrochlorothiaz</i>		<i>mirtazapine</i>	53	<i>mucus relief cough</i>	132
.....	106	<i>misoprostol</i>	208	<i>mucus relief er</i>	131
<i>metoprolol tartrate</i>	106	MITIGARE.....	65	MULTAQ.....	104
<i>metronidazole</i>	19, 71, 140	<i>mitoxantrone</i>	37	<i>multi-day with iron</i>	271
<i>metronidazole in nacl (iso-os)</i> ..	19	M-M-R II (PF).....	239	<i>multiple vitamin-minerals</i>	271
<i>metyrosine</i>	109	<i>modafinil</i>	263		

<i>multiple vitamins</i>	271	<i>natural psyllium fiber</i>	217	<i>nicotine (polacrilex)</i>	15, 16
<i>multivitamin</i>	271	<i>natural tears (pf)</i>	198	NICOTROL	15
<i>multivitamin 50 plus</i>	274	<i>natura-lax</i>	218	NICOTROL NS	15
<i>multivitamin with iron</i>	271	NAYZILAM	48	<i>nifedipine</i>	110
<i>multivit-min-iron fum-folic ac</i>	271	<i>nebivolol</i>	106	<i>nikki (28)</i>	126
<i>mupirocin</i>	140	<i>necon 0.5/35 (28)</i>	126	<i>nilutamide</i>	37
<i>murine ear</i>	202	<i>nefazodone</i>	53	NINLARO	37
<i>muro 128</i>	199	<i>neilmed sinus rinse complete</i> ...	199	<i>nitazoxanide</i>	77
MVASI	37	<i>neilmed sinus rinse refill</i>	199	<i>nitisinone</i>	196
<i>my choice</i>	126	<i>neomycin</i>	18	<i>nitrofurantoin macrocrystal</i>	19
<i>my way</i>	126	<i>neomycin-bacitracin-poly-hc</i> ...	202	<i>nitrofurantoin monohydlm-</i> <i>cryst</i>	19
<i>mycophenolate mofetil</i>	234	<i>neomycin-bacitracin-</i> <i>polymyxin</i>	202	<i>nitroglycerin</i>	115, 247
<i>mycophenolate mofetil (hcl)</i> ...	233	<i>neomycin-polymyxin b gu</i>	140	NIVESTYM	96
<i>mycophenolate sodium</i>	234	<i>neomycin-polymyxin b-</i> <i>dexameth</i>	202	<i>nizatidine</i>	208
<i>mycozyl ac</i>	64	<i>neomycin-polymyxin-</i> <i>gramicidin</i>	203	<i>non-aspirin</i>	6
<i>myferon 150</i>	271	<i>neomycin-polymyxin-hc</i>	203	<i>non-aspirin pain relief</i>	8
MYRBETRIQ	220	<i>neo-polycin</i>	203	NON-STICK PAD	247
<i>nabumetone</i>	12	<i>neo-polycin hc</i>	203	NORDITROPIN FLEXPRO 27	
<i>nadolol</i>	106	NEOSPORIN		<i>norelgestromin-ethin.estradiol</i>	126
<i>nafcillin</i>	24	MOISTURIZING	138	<i>norethindrone (contraceptive)</i>	127
<i>nafcillin in dextrose iso-osm</i>	24	<i>neo-tuss</i>	132	<i>norethindrone acetate</i>	228
NAGLAZYME	196	<i>nephlex rx</i>	271	<i>norethindrone ac-eth estradiol</i>	127, 224
<i>naloxone</i>	14	NEPHRON FA	271	<i>norethindrone-e.estradiol-iron</i>	127
<i>naltrexone</i>	15	NERLYNX	37	<i>norgestimate-ethinyl estradiol</i>	127
NAMZARIC	51	NEULASTA ONPRO	95	NORMOSOL-M IN 5 %	
<i>naproxen</i>	12	NEUPRO	78	DEXTROSE	254
<i>naproxen sodium</i>	12	<i>neutrogena t/sal</i>	138	<i>nortrel 0.5/35 (28)</i>	127
<i>naratriptan</i>	72	<i>nevirapine</i>	88	<i>nortrel 1/35 (21)</i>	127
<i>nasal decongestant (pe)</i>	101	<i>new day</i>	126	<i>nortrel 1/35 (28)</i>	127
<i>nasal moisturizing</i>	199	NEXCARE TEGADERM ...	247	<i>nortrel 7/7/7 (28)</i>	127
<i>nasal spray (oxymetazoline)</i> ..	199	NEXLETOL	113	<i>nortriptyline</i>	53
<i>nasal spray (sodium chloride)</i>	198	<i>niacin</i>	113	NORVIR	88, 89
<i>nasal spray sinus</i>	201	<i>niacinamide</i>	271	NOVOFINE 30	173
<i>nasal wash</i>	198	<i>niacor</i>	113	NOVOFINE 32	173
NASCOBAL	271	<i>nicardipine</i>	110	NOVOFINE PLUS	173
NATACYN	202	<i>nicotine</i>	14, 15	NOVOLIN 70/30 U-100	
<i>nateglinide</i>	56			INSULIN	59
NATPARA	244				
NATRAPEL	138				
<i>natural fiber laxative (sugar)</i>	217				

NOVOLIN 70-30 FLEXPEN U-100.....	59	OFEV	260	OMNIPOD GO PODS 20 UNITS/DAY.....	174
NOVOLIN N FLEXPEN.....	59	<i>ofloxacin</i>	203	OMNIPOD GO PODS 25 UNITS/DAY.....	174
NOVOLIN N NPH U-100 INSULIN.....	59	OGIVRI.....	37	OMNIPOD GO PODS 30 UNITS/DAY.....	174
NOVOLIN R FLEXPEN.....	59	OGSIVEO.....	37	OMNIPOD GO PODS 40 UNITS/DAY.....	174
NOVOLIN R REGULAR U100 INSULIN.....	59	OJJAARA.....	37	<i>onccor</i>	272
NOVOTWIST.....	173	<i>olanzapine</i>	83	<i>oncovite</i>	272
NOXAFIL.....	64	<i>olmesartan</i>	102	<i>ondansetron</i>	75
NPLATE.....	96	<i>olmesartan-amlodipin- hcthiazid</i>	102	<i>ondansetron hcl</i>	75
NUBEQA.....	37	<i>olmesartan- hydrochlorothiazide</i>	102	<i>ondansetron hcl (pf)</i>	75
NUCALA.....	260	<i>olopatadine</i>	198, 200, 201	<i>one daily complete</i>	272
<i>nu-iron</i>	271	OLUMIANT.....	234	<i>one daily energy</i>	275
NULOJIX.....	234	<i>omega-3 acid ethyl esters</i>	113	<i>one daily essential</i>	270, 272
<i>nu-mag</i>	254	<i>omeprazole</i>	208, 209	<i>one daily for women</i>	272
NUPLAZID.....	83	<i>omeprazole magnesium</i> ... 208, 209		<i>one daily maximum</i>	272, 275
NURTEC ODT.....	72	<i>omeprazole-sodium bicarbonate</i>	209	<i>one daily multivitamin</i>	272
NUTRILIPID.....	100	OMNIPOD 5 G6 INTRO KIT (GEN 5).....	173	<i>one daily plus minerals</i>	272
<i>nyamyc</i>	64	OMNIPOD 5 G6 PODS (GEN 5).....	173	<i>one-a-day essential</i>	272
<i>nylia 1/35 (28)</i>	127	OMNIPOD 5 G6-G7 INTRO KT(GEN5).....	173	<i>one-a-day maximum formula..</i>	272
<i>nylia 7/7 (28)</i>	127	OMNIPOD 5 G6-G7 PODS (GEN 5).....	173	<i>one-a-day men's multivitamin..</i>	272
<i>nymyo</i>	128	OMNIPOD CLASSIC PODS (GEN 3).....	173	<i>one-a-day teen advantage</i>	272
<i>nystatin</i>	64	OMNIPOD DASH INTRO KIT (GEN 4).....	174	<i>onevite daily multivitamin</i>	272
<i>nystatin-triamcinolone</i>	64	OMNIPOD DASH PDM KIT (GEN 4).....	174	ONGENTYS.....	78
<i>nystop</i>	64	OMNIPOD DASH PODS (GEN 4).....	174	ONTRUZANT.....	37
NYVEPRIA.....	96	OMNIPOD GO PODS.....	174	ONUREG.....	37
<i>obstetrix dha prenatal duo</i>	272	OMNIPOD GO PODS 10 UNITS/DAY.....	174	<i>opcicon one-step</i>	128
OALIVA.....	212	OMNIPOD GO PODS 15 UNITS/DAY.....	174	OPDIVO.....	38
<i>ocean nasal</i>	200			OPDUALAG.....	38
OCREVUS.....	120			OPSITE FLEXIGRID DRESSING.....	247
OCTAGAM.....	234			OPSUMIT.....	263
<i>octreotide acetate</i>	227			<i>option-2</i>	128
OCUSOFT LID SCRUB.....	200			<i>oralone</i>	133
OCUSOFT LID SCRUB PLUS.....	200			<i>oralyte</i>	254
<i>ocutabs</i>	272			ORENCIA.....	234
ODEFSEY.....	89			ORENCIA (WITH MALTOSE).....	234
ODOMZO.....	37				
<i>odor control foot-sneaker</i>	64				

ORENCIA CLICKJECT.....	234	<i>paromomycin</i>	77	<i>perphenazine</i>	83
ORFADIN.....	196	<i>paroxetine hcl</i>	54	<i>perphenazine-amitriptyline</i>	54
ORGOVYX.....	227	PAXLOVID.....	91	<i>persa-gel</i>	138
ORILISSA.....	227	<i>pazopanib</i>	38	PERSERIS.....	83
ORKAMBI.....	261	<i>p-col rite</i>	218	<i>petrolatum</i>	138
ORSERDU.....	38	<i>pedia tri-vite</i>	273	PETROLEUM JELLY.....	138
<i>oseltamivir</i>	91	PEDIARIX (PF).....	239	<i>pfizerpen-g</i>	24
OSMOLEX ER.....	78, 79	<i>pediatric electrolyte</i>	254, 255	<i>pharbedryl</i>	69
OTEZLA.....	234	<i>pediatric fe-vite</i>	273	<i>pharbetol</i>	7, 8
OTEZLA STARTER.....	234	<i>pediatric freezer pops</i>	255	PHAZYME.....	206
<i>overnight lubricating eye</i>	198	<i>pediatric tri-vite</i>	273	<i>phenelzine</i>	54
<i>oxaliplatin</i>	38	PEDVAX HIB (PF).....	239	<i>phenobarbital</i>	48
<i>oxandrolone</i>	222	PEGASYS.....	92	<i>phenylephrine hcl</i>	101
<i>oxazepam</i>	18	<i>peg-electrolyte soln</i>	217	<i>phenytoin</i>	48
<i>oxcarbazepine</i>	48	PEMAZYRE.....	38	<i>phenytoin sodium</i>	48
OXLUMO.....	248	<i>pemetrexed disodium</i>	38	<i>phenytoin sodium extended</i>	48
<i>oxybutynin chloride</i>	220	PEMRYDI RTU.....	38	<i>philith</i>	128
<i>oxycodone</i>	7	PEN NEEDLE.....	164, 175, 178	<i>phillips</i>	213
<i>oxycodone-acetaminophen</i>	7	PEN NEEDLE, DIABETIC		<i>phillips' liqui-gels</i>	217
OXYCONTIN.....	7	154, 155, 171, 175, 177	PHILLIPS MILK OF	
<i>oxymorphone</i>	7	PEN NEEDLE, DIABETIC,		MAGNESIA.....	217
<i>oysco 500/d</i>	272	SAFETY.....	178	PHOS-FLUR.....	133
<i>oyster shell calcium 500</i>	254	PENBRAYA (PF).....	239	PHOSLYRA.....	219
<i>oyster shell calcium-vit d3</i>		PENBRAYA MENACWY		<i>phospha 250 neutral</i>	254
.....	272, 273, 275	COMPONENT(PF).....	240	<i>phosphorous</i>	254
<i>oystercal-d</i>	273	PENBRAYA MENB		<i>phospho-trin 250 neutral</i>	254
OZEMPIC.....	56, 57	COMPONENT (PF).....	240	<i>phytonadione (vitamin k1)</i>	273
<i>pacerone</i>	104	<i>penciclovir</i>	138	PIFELTRO.....	89
<i>paclitaxel</i>	38	<i>penicillamine</i>	221	<i>pilocarpine hcl</i>	134, 251
<i>paclitaxel protein-bound</i>	38	<i>penicillin g potassium</i>	24	<i>pimecrolimus</i>	144
<i>pain relief adult</i>	5, 7	<i>penicillin g procaine</i>	24	<i>pimozide</i>	83
<i>pain reliever plus</i>	12	<i>penicillin v potassium</i>	24	<i>pimtreea (28)</i>	128
<i>paliperidone</i>	83	PENTACEL (PF).....	240	<i>pindolol</i>	106
PALYNZIQ.....	196	<i>pentamidine</i>	77	<i>pink bismuth</i>	213
<i>pamidronate</i>	244	PENTIPS.....	175	<i>pioglitazone</i>	57
<i>panoxyl</i>	138	<i>pentoxifylline</i>	98	<i>pioglitazone-metformin</i>	57
PANRETIN.....	138	<i>periguard</i>	138	PIP PEN NEEDLE.....	175, 176
<i>pantoprazole</i>	209	<i>perindopril erbumine</i>	104	<i>piperacillin-tazobactam</i>	24
<i>paricalcitol</i>	245	<i>periogard</i>	133	PIQRAY.....	38, 39
<i>paroex oral rinse</i>	133	<i>permethrin</i>	146	<i>pirfenidone</i>	261

<i>pirmella</i>	128	PREMARIN.....	224	PROMACTA.....	96
<i>piroxicam</i>	12	PREMPHASE.....	224	<i>promethazine</i>	70, 76
PLASMA-LYTE A.....	254	PREMPRO.....	224	<i>promethegan</i>	76
PLEGRIDY.....	120	<i>prenatal</i>	274	<i>promolaxin</i>	218
<i>plerixafor</i>	96	<i>prenatal 19 (with docusate)</i> ...	274	<i>propafenone</i>	105
<i>pnv cmb#95-ferrous fumarate-</i> <i>fa</i>	274	<i>prenatal one daily</i>	274	<i>proparacaine</i>	200
<i>podofilox</i>	138	<i>prenatal vit no.179-iron-folic</i> ...	274	<i>propranolol</i>	106
<i>polycin</i>	203	<i>preparation h hydrocortisone</i> ..	144	<i>propranolol-hydrochlorothiazid</i>	106
<i>polyethylene glycol 3350</i> ..	217, 218	PRETOMANID.....	73	<i>propylthiouracil</i>	229
<i>polymyxin b sulfate</i>	19	PREVENT DROPSAFE		PROQUAD (PF).....	240
<i>polymyxin b sulf-trimethoprim</i>	203	PEN NEEDLE.....	176	<i>prosght</i>	274
<i>polysaccharide iron complex</i> ...	273	PREVYMIS.....	91	PROSOL 20 %.....	100
POLYSKIN II.....	248	PREZCOBIX.....	89	<i>protamine</i>	97
<i>polyvinyl alcohol</i>	200	PREZISTA.....	89	<i>protective ointment</i>	138
POLY-VI-SOL.....	273	PRIFTIN.....	73	<i>protriptyline</i>	54
POLY-VI-SOL WITH IRON	273	PRIMAQUINE.....	77	<i>provil</i>	12
POMALYST.....	39	<i>primidone</i>	48	<i>pseudoephedrine hcl</i>	132
<i>portia 28</i>	128	PRIORIX (PF).....	240	<i>psyllium husk</i>	218
<i>posaconazole</i>	64	PRIVIGEN.....	234	PULMOZYME.....	196
<i>potassium chloride</i>	254, 255	PRO COMFORT INSULIN		PURE COMFORT PEN	
<i>potassium chloride-0.45 % nacl</i>	255	SYRINGE.....	176	NEEDLE.....	177
<i>potassium citrate</i>	255	PRO COMFORT PEN		PURE COMFORT SAFETY	
<i>potassium citrate-citric acid</i> ...	255	NEEDLE.....	176	PEN NEEDLE.....	177
<i>povidone-iodine</i>	138	PROAIR RESPICLICK.....	259	<i>purelax</i>	214, 215
<i>powderlax</i>	218	<i>probenecid</i>	66	PURIXAN.....	39
PRALUENT PEN.....	113	<i>probenecid-colchicine</i>	66	<i>pyrazinamide</i>	73
<i>pramipexole</i>	79	<i>procainamide</i>	105	<i>pyridostigmine bromide</i>	248
<i>prasugrel</i>	98	<i>prochlorperazine</i>	76	<i>pyridoxine (vitamin b6)</i> ..	276, 277
<i>pravastatin</i>	113	<i>prochlorperazine edisylate</i> ...76, 83		<i>pyrimethamine</i>	77
<i>prazosin</i>	101	<i>prochlorperazine maleate</i>	76	QINLOCK.....	39
<i>prednicarbate</i>	144	<i>proctosol hc</i>	144	QUADRACEL (PF).....	240
<i>prednisolone</i>	225	<i>proctozone-hc</i>	144	<i>quetiapine</i>	83
<i>prednisolone acetate</i>	206	PRODIGY INSULIN		<i>quinapril</i>	104
<i>prednisolone sodium phosphate</i>	206, 225	SYRINGE.....	176, 177	<i>quinapril-hydrochlorothiazide</i> ..	104
<i>prednisone</i>	225	<i>progesterone</i>	228	<i>quinidine gluconate</i>	105
<i>pregabalin</i>	48	<i>progesterone micronized</i>	229	<i>quinidine sulfate</i>	105
PREHEVBRIO (PF).....	240	PROGRAF.....	234	<i>quinine sulfate</i>	77
		PROLASTIN-C.....	261	<i>quit 2</i>	15
		PROLIA.....	245	<i>quit 4</i>	15

QULIPTA.....	72	REPLICARE THIN.....	178	ROBITUSSIN COUGH-	
RABAVERT (PF).....	241	RESTASIS.....	206	SORE THROAT.....	132
<i>rabeprazole</i>	209	RESTASIS MULTIDOSE...	206	ROCKLATAN.....	251
RADICAVA.....	120	RESTORE EXTRA THIN		<i>roflumilast</i>	261
<i>raloxifene</i>	224	DRESSING.....	178	ROLVEDON.....	97
<i>ramipril</i>	104	RETACRIT.....	96	<i>ropinirole</i>	79
<i>ranolazine</i>	109	RETEVMO.....	39	<i>rosadan</i>	140
<i>rasagiline</i>	79	RETROVIR.....	89	<i>rosuvastatin</i>	114
RASUVO (PF).....	235	REVCОВI.....	196	ROTARIX.....	241
RAVICTI.....	213	<i>revonto</i>	262	ROTATEQ VACCINE.....	241
RAYALDEE.....	245	REXULTI.....	83, 84	ROZLYTREK.....	39
<i>reclipsen (28)</i>	128	REYATAZ.....	89	RUBRACA.....	39
RECOMBIVAX HB (PF)....	241	REZLIDHIA.....	39	<i>rufinamide</i>	48, 49
RECTIV.....	248	REZUROCK.....	235	RUKOBIA.....	89
<i>redutemp</i>	8	RHOPRESSA.....	251	RUXIENCE.....	39
<i>refenesen</i>	132	RIABNI.....	39	RYBELSUS.....	57
REFRESH CLASSIC (PF)...	200	<i>ribavirin</i>	93	RYBREVANT.....	39
REFRESH LACRI-LUBE...	200	RIDAURA.....	235	RYDAPT.....	39
REFRESH LIQUIGEL.....	200	<i>rifabutin</i>	73	SAFESNAP INSULIN	
REFRESH OPTIVE MEGA-		<i>rifampin</i>	73, 74	SYRINGE.....	178
3 (PF).....	203	<i>rilpivirine</i>	89	SAFETY PEN NEEDLE....	179
REFRESH P.M.....	200	<i>riluzole</i>	120	<i>sajazir</i>	109
REFRESH TEARS.....	200	<i>rimantadine</i>	91	<i>saline nasal</i>	198
REGRANEX.....	139	RINVOQ.....	235	<i>saline nasal mist</i>	198
<i>reguloid (psyllium husk)</i>	218	<i>risedronate</i>	245	<i>saline nose</i>	200
REGULOID (PSYLLIUM		<i>risperidone</i>	84	<i>saline wound wash</i>	137
HUSK-SUCRO).....	218	<i>risperidone microspheres</i>	84	SANTYL.....	139
<i>reguloid, sugar free</i>	218	<i>ritonavir</i>	89	<i>sapropterin</i>	196
RELENZA DISKHALER.....	91	RITUXAN HYCELA.....	39	SAVELLA.....	120
RELEUKO.....	96	<i>rivastigmine</i>	51	SCSEMBLIX.....	39, 40
RELION NEEDLES.....	178	<i>rivastigmine tartrate</i>	51	<i>scopolamine base</i>	76
RELION PEN NEEDLES...	178	RIVFLOZA.....	248	<i>scot-tussin expectorant</i>	132
RELISTOR.....	213	<i>rizatriptan</i>	72	SECUADO.....	84
RENFLEXIS.....	235	<i>robafen</i>	132	SECURESAFE INSULIN	
<i>repaglinide</i>	57	<i>robafen cf (phenylephrine)</i>	132	SYRINGE.....	179
<i>repaglinide-metformin</i>	57	<i>robafen dm peak cold</i>	132	SECURESAFE PEN	
REPATHA PUSHTRONEX	113	<i>robitussin cough and cold cf</i>	132	NEEDLE.....	179
REPATHA SURECLICK...	114	<i>robitussin cough-chest cong dm</i>		<i>selegiline hcl</i>	79
REPATHA SYRINGE.....	114	132	<i>selenium sulfide</i>	141
<i>repel lemon eucalyptus</i>	139			<i>selsun blue (salicylic acid)</i>	139

SELZENTRY.....	89	SKY SAFETY PEN		<i>sronyx</i>	128
SEMGLEE(INSULIN		NEEDLE.....	179	<i>ssd</i>	141
GLARGINE-YFGN).....	60	SKYRIZI.....	235	<i>st joseph aspirin</i>	12
SEMGLEE(INSULIN		SLYND.....	128	<i>st. joseph aspirin</i>	12
GLARG-YFGN)PEN.....	60	<i>smoothlax</i>	219	<i>stavudine</i>	89
<i>senexon-s</i>	218	<i>sodium bicarbonate</i>	213	STELARA.....	235, 236
<i>senna</i>	218	<i>sodium chloride</i>	198, 201, 256	STIMUFEND.....	97
<i>senna lax</i>	218	<i>sodium chloride 0.45 %</i>	255	<i>stimulant laxative plus</i>	219
<i>senna laxative</i>	216	<i>sodium chloride 0.9 %</i>	256	STIOLTO RESPIMAT.....	259
<i>senna plus</i>	215	<i>sodium citrate-citric acid</i>	255	STIVARGA.....	40
<i>senno</i>	218	<i>sodium ferric gluconat-sucrose</i>	275	<i>stomach relief</i>	213
<i>sennosides-docusate sodium</i>	219	<i>sodium fluoride</i>	134	<i>stool softener</i>	216, 219
<i>senokot-s</i>	219	<i>sodium fluoride-pot nitrate</i>	134	<i>stop smoking aid</i>	15
SEREVENT DISKUS.....	259	<i>sodium oxybate</i>	263	STRENSIQ.....	196
SEROSTIM.....	227	<i>sodium phenylbutyrate</i>	213	<i>streptomycin</i>	18
<i>sertraline</i>	54	<i>sodium polystyrene sulfonate</i> ..	213	<i>stress formula</i>	275
<i>setlakin</i>	128	<i>sodium,potassium,mag sulfates</i>	219	<i>stress formula with iron</i>	275
<i>sevelamer carbonate</i>	220	SOLQUA 100/33.....	60	<i>stress formula with iron(sulf)</i> .	275
<i>sevelamer hcl</i>	220	SOLTAMOX.....	40	<i>stress formula with zinc</i>	275
SEZABY.....	49	SOLU-CORTEF ACT-O-		STRIBILD.....	89
<i>sf 5000 plus</i>	134	VIAL (PF).....	225	STRIVERDI RESPIMAT....	259
<i>sharobel</i>	128	SOMATULINE DEPOT		SUBLOCADE.....	16
SHINGRIX (PF).....	241	227, 228	<i>subvenite</i>	49
SIGNIFOR.....	227	SOMAVERT.....	228	<i>sucrafate</i>	209
<i>silace</i>	219	<i>soothing pureway-c</i>	275	<i>sudogest</i>	133
<i>sildenafil (pulm.hypertension)</i>	263	<i>sorafenib</i>	40	<i>sudogest cold and allergy</i>	70
<i>silver sulfadiazine</i>	141	<i>sorine</i>	106	<i>sulfacetamide sodium</i>	203
SIMBRINZA.....	251	<i>sotalol</i>	106	<i>sulfacetamide sodium (acne)</i> ..	141
<i>simethicone</i>	206	<i>sotalol af</i>	106	<i>sulfacetamide-prednisolone</i>	203
<i>simliya (28)</i>	128	SPIRIVA RESPIMAT.....	259	<i>sulfadiazine</i>	25
<i>simpesse</i>	128	SPIRIVA WITH		<i>sulfamethoxazole-trimethoprim</i>	25
<i>simvastatin</i>	114	HANDIHALER.....	259	<i>sulfasalazine</i>	243
<i>sinus pressure-cong relief pe</i> ...	101	<i>spironolactone</i>	111, 114	<i>sulindac</i>	13
<i>sinus relief (oxymetazoline)</i> ...	201	<i>spironolacton-hydrochlorothiaz</i>		<i>sumatriptan</i>	72
<i>sinus rinse</i>	201	111	<i>sumatriptan succinate</i>	72, 73
<i>sinus rinse starter</i>	201	SPRAVATO.....	54	<i>sumatriptan-naproxen</i>	73
<i>sinus wash</i>	200	<i>sprintec (28)</i>	128	<i>sunburn relief cooling</i>	13
<i>sirolimus</i>	235	SPRITAM.....	49	<i>sunitinib malate</i>	40
SIRTURO.....	74	SPRYCEL.....	40	SUNLENCA.....	89, 90
<i>skin treatment</i>	136	<i>sps (with sorbitol)</i>	213	SUNOSI.....	263

<i>super b-50 complex</i>	276	SYSTANE NIGHTTIME.....	201	<i>telmisartan</i>	102
<i>super calcium</i>	256	<i>tab-a-vite</i>	276	<i>telmisartan-amlodipine</i>	102
<i>super multivitamin</i>	276	<i>tab-a-vite multivitamin w-iron</i>	276	<i>telmisartan-hydrochlorothiazid</i>	102
<i>super quints b-50</i>	276	TABLOID.....	40	<i>temazepam</i>	18
<i>super thera vite m</i>	276	TABRECTA.....	40	TEMIXYS.....	90
<i>suphedrin</i>	133	<i>tacrolimus</i>	145, 236	<i>tencon</i>	8
<i>suphedrine 12 hour</i>	132	<i>tadalafil</i>	264	TENIVAC (PF).....	241
SUPPRELIN LA.....	228	<i>tadalafil (pulm. hypertension)</i>	263	<i>tenofovir disoproxil fumarate</i>	90
SURE COMFORT INS. SYR. U-100.....	179	TAFINLAR.....	40	<i>tension headache</i>	4, 8
SURE COMFORT INSULIN SYRINGE.....	179, 180	<i>tafluprost (pf)</i>	251	<i>tension headache pain reliever</i>	8
SURE COMFORT PEN NEEDLE.....	180	TAGRISSE.....	40	TEPEZZA.....	201
SURE COMFORT SAFETY PEN NEEDLE.....	179	<i>take action</i>	128	TEPMETKO.....	41
SURE-FINE PEN NEEDLES.....	180	TAKHZYRO.....	248, 249	<i>terazosin</i>	221
SURE-JECT INSULIN SYRINGE.....	181	TALTZ AUTOINJECTOR..	236	<i>terbinafine hcl</i>	65
SURESITE MATRIX.....	248	TALTZ SYRINGE.....	236	<i>terbutaline</i>	259
SUTAB.....	219	TALVEY.....	40	<i>terconazole</i>	71
<i>syeda</i>	128	TALZENNA.....	40	<i>teriflunomide</i>	120
SYMDEKO.....	261	<i>tamoxifen</i>	40	<i>teriparatide</i>	245
SYMJEPI.....	109	<i>tamsulosin</i>	221	TERUMO INSULIN SYRINGE.....	183
SYMLINPEN 120.....	57	<i>tarina 24 fe</i>	128	<i>testosterone</i>	222
SYMLINPEN 60.....	57	<i>tarina fe 1-20 eq (28)</i>	129	<i>testosterone cypionate</i>	222
SYMPAZAN.....	49	TASCENSO ODT.....	120	<i>testosterone enanthate</i>	222
SYMTUZA.....	90	TASIGNA.....	40, 41	TETANUS,DIPHThERIA TOX PED(PF).....	242
SYNAGIS.....	91	<i>tasimelteon</i>	263	<i>tetrabenazine</i>	120
SYNAREL.....	228	TAVALISSE.....	97	<i>tetracycline</i>	27
SYNJARDY.....	57	<i>tazarotene</i>	145	THALOMID.....	249
SYNJARDY XR.....	57	TAZORAC.....	145	<i>the magic bullet</i>	216
SYNRIBO.....	40	<i>taztia xt</i>	107	<i>theophylline</i>	259
SYRINGE WITH NEEDLE, SAFETY.....	179	TAZVERIK.....	41	<i>thera</i>	276
SYSTANE (PROPYLENE GLYCOL).....	201	TDVAX.....	241	<i>thera m plus (ferrous fumarat)</i>	276
SYSTANE BALANCE.....	201	TECENTRIQ.....	41	<i>thera-d</i>	276
SYSTANE GEL.....	201	TECHLITE INSULIN SYRINGE.....	182	THERAFLU MULTI- SYMPTOM COLD.....	133
		TECHLITE INSULN SYR(HALF UNIT).....	181	<i>thera-gel</i>	139
		TECHLITE PEN NEEDLE.....	182	<i>thera-m</i>	276
		TECVAYLI.....	41	<i>therapeutic t plus</i>	139
		TEFLARO.....	22		
		TELF A OUCHLESS NON- ADHERENT.....	249		

<i>thera-tabs</i>	276	TOUJEO MAX U-300	TRIJARDY XR.....	57, 58
THERATEARS.....	201	SOLOSTAR.....	TRIKAFTA.....	261
<i>therems multivitamin</i>	276	TOUJEO SOLOSTAR U-300	<i>tri-legest fe</i>	129
<i>thiamine hcl (vitamin b1)</i>	277	INSULIN.....	<i>tri-linyah</i>	129
THINPRO INSULIN		<i>t-plus</i>	<i>tri-lo-estarylla</i>	129
SYRINGE.....	183	TRACLEER.....	<i>tri-lo-marzia</i>	129
<i>thioridazine</i>	84	TRADJENTA.....	<i>tri-lo-mili</i>	129
<i>thiothixene</i>	84	<i>tramadol</i>	<i>tri-lo-sprintec</i>	129
<i>tiadylt er</i>	107	<i>tramadol-acetaminophen</i>	<i>trimethoprim</i>	19
<i>tiagabine</i>	49	<i>trandolapril</i>	<i>tri-mili</i>	129
TIBSOVO.....	41	<i>trandolapril-verapamil</i>	<i>trimipramine</i>	54
TICE BCG.....	41	<i>tranexamic acid</i>	TRINTELLIX.....	54
TICOVAC.....	242	TRANSPARENT	<i>tri-nymyo</i>	129
<i>tigecycline</i>	27	DRESSINGS.....	<i>triple antibiotic</i>	141
<i>timolol maleate</i>	107, 251	<i>tranylcypromine</i>	TRIPTODUR.....	228
TINACTIN.....	65	TRAVASOL 10 %.....	<i>tri-sprintec (28)</i>	129
<i>tinidazole</i>	77	<i>travel-ease (meclizine)</i>	TRIUMEQ.....	90
<i>tiopronin</i>	221	<i>travoprost</i>	TRIUMEQ PD.....	90
TIVDAK.....	41	TRAZIMERA.....	TRI-VI-SOL.....	276
TIVICAY.....	90	<i>trazodone</i>	<i>trivora (28)</i>	129
TIVICAY PD.....	90	TRECTOR.....	<i>tri-vylibra</i>	129
<i>tizanidine</i>	262	TRELEGY ELLIPTA.....	<i>tri-vylibra lo</i>	129
TOBI PODHALER.....	18	TRELSTAR.....	TRIZIVIR.....	90
<i>tobramycin</i>	18, 203	TREMFYA.....	TROGARZO.....	90
<i>tobramycin in 0.225 % nacl</i>	18	<i>treprostinil sodium</i>	TROPHAMINE 10 %.....	100
<i>tobramycin sulfate</i>	18	<i>tretinoin</i>	<i>trosipium</i>	220
<i>tobramycin-dexamethasone</i>	204	<i>tretinoin (antineoplastic)</i>	TRUE COMFORT	
<i>tolmetin</i>	13	TRIAD WOUND	INSULIN SYRINGE.....	184
<i>tolnaftate</i>	65	DRESSING.....	TRUE COMFORT PEN	
<i>tolterodine</i>	220	<i>triamcinolone acetonide</i>	NEEDLE.....	184, 185
TOPCARE CLICKFINE.....	183	TRUE COMFORT PRO INS	
TOPCARE ULTRA		SYRINGE.....	184, 185
COMFORT.....	184	<i>triamterene-hydrochlorothiazid</i>	TRUE COMFORT SAFETY	
<i>topiramate</i>	49	PEN NEEDLE.....	184
<i>toposar</i>	41	<i>triazolam</i>	<i>trueplus glucose</i>	100
<i>toremifene</i>	41	<i>tricitrates</i>	TRUEPLUS INSULIN.....	186
<i>torseamide</i>	111	<i>trientine</i>	TRUEPLUS PEN NEEDLE	185
<i>total allergy medicine</i>	70	<i>tri-estarylla</i>	TRULICITY.....	58
TOTECT.....	249	<i>trifluoperazine</i>	TRUMENBA.....	242
		<i>trifluridine</i>	TRUQAP.....	41
		<i>trihexyphenidyl</i>		

TRUSELTIQ.....	42	ULTRA CMFT INS SYR (HALF UNIT).....	165, 179	UZEDY	84, 85
TRUXIMA.....	42	ULTRA COMFORT INSULIN SYRINGE 159, 165, 189	VAGINAL CONTRACEPTIVE FILM..	129
TUKYSA.....	42		<i>valacyclovir</i>	93
<i>tulana</i>	129	ULTRA FLO INSUL SYR(HALF UNIT).....	189	VALCHLOR.....	139
TURALIO.....	42	ULTRA FLO INSULIN SYRINGE.....	190	<i>valganciclovir</i>	93
<i>turqoz (28)</i>	129	ULTRA FLO PEN NEEDLE 190	<i>valproate sodium</i>	49
<i>tussin</i>	131	<i>ultra strength antacid</i>	210	<i>valproic acid</i>	49
<i>tussin chest congestion</i>	132	ULTRA THIN PEN NEEDLE.....	190	<i>valproic acid (as sodium salt)</i> ..	49
<i>tussin cough-chest congestion</i> ..	132	ULTRACARE INSULIN SYRINGE.....	190, 191	<i>valsartan</i>	102
<i>tussin dm</i>	132	ULTRACARE PEN NEEDLE.....	191	<i>valsartan-hydrochlorothiazide</i> ..	103
<i>tussin dm max</i>	131, 132, 133	ULTRA-THIN II (SHORT) INS SYR.....	191, 192	VALTOCO.....	49
TWINRIX (PF).....	242	ULTRA-THIN II (SHORT) PEN NDL.....	192	VANATAB DM.....	133
<i>tyblume</i>	129	ULTRA-THIN II INS PEN NEEDLES.....	192	<i>vancomycin</i>	20
TYBOST.....	249	ULTRA-THIN II INSULIN SYRINGE.....	191	VANFLYTA.....	42
<i>tylophen</i>	8	UNIFINE PEN NEEDLE....	192	<i>vanicream hc</i>	145
TYMLOS.....	245	UNIFINE PENTIPS.....	174, 192	VANISHPOINT INSULIN SYRINGE.....	193
TYPHIM VI.....	242	UNIFINE PENTIPS PLUS 192, 193	VANISHPOINT SYRINGE 193, 194
TYSABRI.....	236	UNIFINE PENTIPS PLUS MAXFLOW.....	192	VAQTA (PF).....	242
TYVASO.....	264	UNIFINE PENTIPS PLUS MAXFLOW.....	192	<i>varenicline</i>	16
UBRELVY.....	73	UNIFINE PROTECT.....	193	VARIVAX (PF).....	242
UDENYCA.....	97	UNIFINE SAFECONTROL	193	VASCEPA.....	114
UDENYCA AUTOINJECTOR.....	97	UNIFINE ULTRA PEN NEEDLE.....	193	VASELINE.....	139
UDENYCA ONBODY.....	97	UPTRAVI.....	264	<i>vaseline white petroleum</i>	139
ULTICARE.....	187, 188	<i>ursodiol</i>	213	VEGZELMA.....	42
ULTICARE INSULIN SYRINGE.....	187			VEKLURY.....	93
ULTICARE INSULN SYR(HALF UNIT).....	186			VELCADE.....	42
ULTICARE PEN NEEDLE..	187			<i>velivet triphasic regimen (28)</i> .	130
ULTICARE SAFETY PEN NEEDLE.....	187			VELPHORO.....	220
ULTIGUARD SAFEPACK- INSULIN SYR.....	188			VELTASSA.....	213
ULTIGUARD SAFEPACK- PEN NEEDLE.....	188			VEMLIDY.....	90
ULTILET INSULIN SYRINGE.....	167, 168, 188, 189			VENCLEXTA.....	42
ULTILET PEN NEEDLE....	189			VENCLEXTA STARTING PACK.....	42
				<i>venlafaxine</i>	54, 55
				<i>venlafaxine besylate</i>	54
				<i>verapamil</i>	108

VERIFINE INSULIN			
SYRINGE.....	194		
VERIFINE PEN NEEDLE..	194		
VERIFINE PLUS PEN			
NEEDLE.....	194		
VERIFINE PLUS PEN			
NEEDLE-SHARP.....	194		
VERQUVO.....	109		
VERSACLOZ.....	85		
<i>verticalm</i>	76		
VERZENIO.....	42		
<i>vestura (28)</i>	130		
V-GO 20.....	195		
V-GO 30.....	195		
V-GO 40.....	195		
<i>vicks sinex ultra fine mist 12</i> ...	201		
<i>vienna</i>	130		
<i>vigabatrin</i>	49, 50		
<i>vigadrone</i>	50		
<i>vigpoder</i>	50		
<i>vilazodone</i>	55		
VIMIZIM.....	196		
<i>vinblastine</i>	42		
<i>vincasar pfs</i>	42		
<i>vincristine</i>	43		
<i>vinorelbine</i>	43		
<i>viorele (28)</i>	130		
VIRACEPT.....	90		
VIREAD.....	90		
<i>vision</i>	277		
<i>vision plus lutein</i>	277		
VISTOGARD.....	249		
<i>vit a palmitate-vit c-vit d3</i>	270, 273		
<i>vitafol</i>	277		
<i>vitalets</i>	277		
<i>vitamin a</i>	277		
<i>vitamin b complex</i>	265, 274, 277		
<i>vitamin b complex-folic acid</i> ...	277		
<i>vitamin b-1</i>	266		
<i>vitamin b-12</i>	265		
<i>vitamin b-6</i>	277		
<i>vitamin c</i>	270, 275, 278		
<i>vitamin c with rose hips</i>	267		
<i>vitamin d3</i>	275, 278		
<i>vitamin k</i>	278		
<i>vitamin k1</i>	278		
<i>vitamins b complex</i>	265, 277		
<i>vitamins for hair</i>	278		
<i>vitatum</i>	278		
VITRAKVI.....	43		
<i>vitrum senior</i>	278		
<i>vits a and d-white pet-lanolin</i> ...	138		
VIZIMPRO.....	43		
VOCABRIA.....	90		
<i>volnea (28)</i>	130		
VONJO.....	43		
<i>voriconazole</i>	65		
VOSEVI.....	92		
<i>vostriza-al</i>	65		
VOWST.....	249		
VPRIV.....	196		
VRAYLAR.....	85		
VUMERITY.....	120		
<i>vyfemla (28)</i>	130		
<i>vylibra</i>	130		
VYZULTA.....	251		
<i>wal-act d cold and allergy</i>	70		
<i>wal-dram 2</i>	76		
<i>wal-dryl allergy</i>	70		
<i>wal-fex allergy</i>	71		
<i>walgreens dry skin treatment</i> ..	137		
<i>wal-itin</i>	67, 71		
<i>wal-itin d</i>	71		
<i>wal-itin d 12 hour</i>	71		
WAL-MUCIL FIBER			
(ASPARTAME).....	219		
<i>wal-phed</i>	133		
<i>wal-phed d</i>	133		
<i>wal-phed pe</i>	101		
<i>wal-profen</i>	13		
<i>wal-tussin</i>	133		
<i>wal-tussin dm clear</i>	133		
<i>wal-zyr (cetirizine)</i>	71		
<i>wal-zyr (ketotifen)</i>	201		
<i>wal-zyr d</i>	71		
<i>warfarin</i>	94		
WELIREG.....	43		
<i>wera (28)</i>	130		
WHITE PETROLATUM			
.....	136, 139		
WHITE PETROLATUM			
(BULK).....	138		
WHITE PETROLEUM			
JELLY.....	139		
<i>wixela inhub</i>	257		
<i>wound wash saline</i>	136		
XADAGO.....	79		
XALKORI.....	43		
XARELTO.....	94, 95		
XARELTO DVT-PE TREAT			
30D START.....	94		
XATMEP.....	43		
XCOPRI.....	50		
XCOPRI MAINTENANCE			
PACK.....	50		
XCOPRI TITRATION			
PACK.....	50		
XELJANZ.....	236		
XELJANZ XR.....	236		
XERMELO.....	214		
XGEVA.....	245		
XHANCE.....	206		
XIFAXAN.....	20		
XIGDUO XR.....	58		
XIIDRA.....	206		
XOFLUZA.....	91		
XOLAIR.....	261, 262		
XOSPATA.....	43		
XPOVIO.....	43, 44		
XTAMPZA ER.....	8		

XTANDI.....	44	<i>zolpidem</i>	263
<i>xulane</i>	130	ZONISADE.....	50
XULTOPHY 100/3.6.....	60	<i>zonisamide</i>	50
XYOSTED.....	222	<i>zostrix-hp</i>	139
<i>xyzbac</i>	279	<i>zostrix-hp foot</i>	139
<i>yargesa</i>	196	<i>zovia 1-35 (28)</i>	130
YERVOY.....	44	ZTALMY.....	50
YF-VAX (PF).....	243	ZTLIDO.....	14
YONSA.....	44	<i>zumandimine (28)</i>	130
<i>yuvafem</i>	224	ZURZUVAE.....	55
<i>zafemy</i>	130	ZYDELIG.....	44
<i>zafirlukast</i>	257	ZYKADIA.....	44
<i>zaleplon</i>	263	ZYLET.....	204
<i>zantac 75</i>	209	ZYMFENTRA.....	249
<i>zantac-360 (famotidine)</i>	209	ZYNLONTA.....	44
<i>zarah</i>	130	ZYNYZ.....	44
ZARXIO.....	97	ZYPREXA RELPREVV.....	85
<i>zeasorb af</i>	65	ZYRTEC.....	71
<i>zebutal</i>	8	<i>zyvit</i>	279
ZEGALOGUE			
AUTOINJECTOR.....	249		
ZEGALOGUE SYRINGE...	249		
ZEJULA.....	44		
ZELBORAF.....	44		
<i>zenatane</i>	139		
ZENPEP.....	197		
<i>zidovudine</i>	90		
ZIEXTENZO.....	97		
<i>zinc oxide</i>	138, 139		
<i>zinc oxide diaper cream</i>	136		
<i>ziprasidone hcl</i>	85		
<i>ziprasidone mesylate</i>	85		
ZIRABEV.....	44		
ZIRGAN.....	204		
ZOLADEX.....	44		
<i>zoledronic acid</i>	245		
<i>zoledronic acid-mannitol-water</i>	245		
ZOLINZA.....	44		
<i>zolmitriptan</i>	73		